

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







315
6.3
FEB 25 1964

Issued June 1961

CURRENT SERIALS
UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE
PLANT QUARANTINE DIVISION
WASHINGTON 25, D.C.

LIST OF INTERCEPTED PLANT PESTS, 1960

(Pests Intercepted From July 1, 1959, Through June 30, 1960)

Compiled by
Bessie C. Mumford¹
Plant Quarantine Aid

INTRODUCTION

This 47th report of interceptions summarizes the records of plant pests found in, on, or with plants, plant products, baggage, and means of conveyance (1) imported into or entering the United States or its possessions, (2) offered for entry but refused, (3) held in quarters or stores of planes or ships, (4) offered for entry for immediate transportation and exportation in bond, (5) in domestic shipments to the mainland from the States of Alaska and Hawaii, and the offshore possessions, including the American Virgin Islands, Guam, and Puerto Rico, or (6) in preclearance inspection at Nassau in the Bahamas.

The pests listed include insects, snails, fungi, bacteria, nematodes, and viruses of known or potential plant quarantine significance to the United States. Some common organisms are included if they are new to the country of origin or the host plant, or are of such limited distribution in the United States that they are worthy of mention.

The data for this list include identifications received during the fiscal year 1960 and represent some interceptions made during previous years. Determinations are largely made by specialists of the Entomology Research Division and the Plant Quarantine Division, although a certain amount of this work is done by collaborating State officials. Snail identifications are made by taxonomists in the Division of Mollusks, U.S. National Museum. Some critical studies and identifications are made by specialists of the Crops Research Division, who also identify many of the host plants.

All scientific names of insects, diseases, and hosts are reviewed by specialists of the Department to assure conformance to the International Rules of Nomenclature. However, in the disease tabulation the name of the stage found is usually listed rather than the perfect stage of the organism. Family names are listed with the insects in the tabulation; orders are shown in the host list. Classes of the diseases are given in the disease host list.

Every effort is made to give the correct origin for all collections listed. Occasionally, however, it is difficult to trace the true origin

¹ Assistance was received from Alice J. Watson, mycologist, and Paul X. Peltier, entomologist.

of stores in planes and ships. Questionable cases are omitted, listed with a question mark, or shown as unknown.

NOTES ON PESTS INTERCEPTED

The total number of interceptions during the fiscal year 1960 was 30,230, as compared with 25,296 the previous year. This does not include common pests which are widespread in this country and are no longer recorded. Of the total number, 8,022 interceptions were considered of enough importance to be listed. This year we have omitted many injurious insects and diseases which are established in the United States and some fungi previously listed which are not parasitic.

AIRBORNE MATERIAL

The interceptions from airborne material totaled 10,719; last year there were 8,033. Insect and snail interceptions numbered 9,812; disease and nematode interceptions, 907. There were 364 interceptions of significant insects found as stowaways in airplanes. Among the important pests arriving by air were 19 interceptions of the European cherry fruit fly, 117 of the Mediterranean fruit fly, 20 of the Mediterranean land snail, 11 of the Mexican fruit fly, 37 of the olive fruit fly, 4 of the oriental fruit fly, 7 of the pink bollworm, 84 of the West Indian fruit fly, 38 of the black spot of citrus, 79 of citrus canker, and 46 of the sweet orange scab. Increasing air travel and the high survival rate of pests arriving by air require special attention to inspection of airborne material.

FRUIT FLIES

A total of 574 fruit fly interceptions were identified to species as follows:

Anastrepha ludens, the Mexican fruit fly (170 times), 166 from Mexico, 3 from Guatemala, and once from an unknown origin. The hosts were apple, grapefruit, mamey sapote, mango, peach, pear, pomegranate, quince, sour lime, sweet lime, sweet orange, and white sapote.

Anastrepha mombinpraeoptans, the West Indian fruit fly (120 times), in guava, mango, mombin, sapodilla, and tropical almond from the Bahamas, Costa Rica, Cuba, Curacao, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, and Puerto Rico.

Anastrepha serpentina (twice) in mamey sapote in air baggage from El Salvador and in sapodilla in air baggage from Nicaragua.

Anastrepha striata (once) in guava in air baggage from El Salvador.

Anastrepha suspensa (?) (twice) in guava in air baggage from Haiti and Puerto Rico.

Ceratitis capitata, the Mediterranean fruit fly (173 times), an adult on a salon window of a ship arriving at Tampa, Fla., in apple, apricot, Arabian coffee berries, baggage (with chestnuts), *Coffea* sp. berries, crabapple, fig, grape, grapefruit, guava, lemon, loquat, Mandarin orange, peach, pear, persimmon, *Phaleria papuana*, pitanga, plum, pomegranate, pricklypear, quince, sweet orange, and unidentified fruit. Countries of origin were: Algeria, Argentina, Azores, Brazil, Cyprus, Europe (country(?)), Greece, Hawaii, Hungary, Indonesia, Israel, Italy, Lebanon, Morocco, Portugal, Spain, Tunisia, Turkey, Union of South Africa, United Arab Republic, and an unknown origin. *C. capitata* (?) (14 times) in Arabian coffee berries, fig, grape, guava, passionflower fruit, peach, sweet orange, and tomato from Greece, Hawaii, Italy, Portugal, Union of South Africa, and an unknown origin.

Dacus cucurbitae, the melon fly (once), in tomato in stores from Hawaii.

Dacus dorsalis, the oriental fruit fly (10 times), in guava, mango, papaya, peach, and tropical almond from Guam and Hawaii. *D. dorsalis* (?) (5 times) in Arabian coffee berries, mango, and passionflower fruit from Hawaii.

Dacus cleae, the olive fly (52 times), in olive from Greece, Israel, Italy, Lebanon, and the United Arab Republic.

Euleia heraclei(?) (once) in celery in stores from England.

Rhagoletis cerasi, the European cherry fruit fly (20 times), in cherry from Czechoslovakia, Denmark, France, Hungary, Italy, and an unknown origin.

R. cerasi(?) (3 times) in cherry from Germany, Italy, and an unknown origin.

INSECTS OTHER THAN FRUIT FLIES

The following insects of unusual interest were intercepted:

Acrolepia assectella (Hyponomeutidae) in leek in stores from Italy, Japan, and the Netherlands.

Adoretus sinicus (Scarabaeidae) (18 times) from Hawaii as stowaway in airplane, on *Alpinia purpurata* cut flowers, anthurium, with automobile, baggage, clothing, and mail wrapper, on mixed flowers, seeds, *Tillandsia* sp., and *Vanda* sp. orchids.

Adoxophyes orana (Tortricidae) on lilac cut flowers in aircargo from the Netherlands.

Agriotes obscurus (Elateridae) in soil with Amur chokecherry tree in aircargo from the Union of Soviet Socialist Republics.

Aleurocanthus spiniferus (Aleyrodidae) on sweet orange leaf in stores from Japan.

Aleurocanthus woglumi (Aleyrodidae), the citrus blackfly (17 times), from Mexico on *Citrus* sp. leaves in baggage, lime leaf in cargo, and sweet orange leaves in baggage.

Amphimallon majalis (Scarabaeidae) as stowaway on airplane from France and an unknown origin.

Blastodaena atra (Cosmopterygidae) in apple in air baggage from Turkey.

Blissus diplopterus (Lygaeidae) on peach in cargo from the Union of South Africa.

Brachycerus albidentatus (Curculionidae) in garlic in baggage from Italy.

Erachyrcus algius (Curculionidae) in garlic in baggage from Italy and cargo from Spain.

Brevipalpus chilensis (Tenuipalpidae) (41 times) on custard-apple in aircargo, on grapes in cargo, and on sweet orange in stores from Chile.

Bruchus affinis (Bruchidae) in perennial pea in mail from Denmark and France and on *Lathyrus* sp. seed in mail from the Netherlands.

Callosobruchus analis (Bruchidae) in chickpea in baggage from Hong Kong and in pea in stores from China.

Carposina niponensis (Carposinidae) in apple in stores from Japan and in plum in mail from Hong Kong.

Ceroplastes rubens (Coccidae) on maile alyxia in baggage from Hawaii.

Chilo suppressalis (Crambidae), the Asiatic rice borer (13 times), in rice straw in air baggage from Japan and Korea, aircargo, air stores, and baggage from Japan, cargo from Hong Kong, Japan, and an unknown origin, and in mail from Japan.

Chrysompholus paulistus (Coccidae) on Grecian laurel in air baggage and philodendron in aircargo from Brazil.

Conotrachelus aguacatae (Curculionidae) (26 times) in avocado in air baggage and baggage from Mexico.

Coptotermes crassus (Rhinotermitidae) in pine stump in cargo from British Honduras.

Corythaica carinata (Tingidae) on *Lippia reptans* leaf in baggage from Cuba.

Cryptophlebia leucotreta (Olethreutidae) in bell pepper in stores from the Republic of the Congo and in sweet orange in stores from the Union of South Africa.

Curculio cephias (Curculionidae) (22 times) in European chestnut in air baggage and stores from France and in air baggage, baggage, and cargo from Italy; in chestnut in air baggage, baggage, cargo, and mail from Italy, air baggage and quarters from Portugal, and in air baggage from Spain; and in acorns of European turkey oak from Italy.

Curculio nucum (Curculionidae) in filbert in air baggage from Poland and mail from Italy; and in hazelnut in air baggage and baggage from Italy.

Cylas formicarius var. (Curculionidae) in *Ipomoea* sp. in aircargo from Thailand and in sweetpotato in air baggage from the Dominican Republic, aircargo from the Philippines, Singapore, and Thailand, air stores from the Federation of Malaya, cargo from Hong Kong and Japan, and stores from Thailand.

Dialeurodes kirkallyi (Aleyrodidae) on gardenia leaves in air baggage from Lebanon and on jasmine in air baggage from Hong Kong and in air baggage and mail from Hawaii.

Diaprepes abbreviatus var. (Curculionidae) in pigeonpea pod in cargo from Puerto Rico.

Dyspessa ulula (Cossidae) (12 times) in garlic in cargo from Italy and Spain.

Epichorista ionephela (Tortricidae) in Cape chinkerichee in aircargo and mail from the Union of South Africa.

Epinotia aporema (Olethreutidae) in cowpea pod in air baggage from Argentina, in string bean in baggage and stores from Mexico, and in tomato in cargo from Mexico.

Ernobius abietis (Anobiidae) in conifer cone, probably spruce, in cargo from Germany.

Euscepes postfasciatus (Curculionidae) (16 times) in mail parcel containing peanuts and cut flowers and with pineapple in air baggage from Hawaii; and in sweetpotato in air baggage from Barbados and Japan, in baggage and mail from Puerto Rico, and in stores from Brazil and Trinidad.

Frankliniella formosae (Thripidae) (44 times) on *Arctotis stoechadifolia*, carnation, chrysanthemum, *Citrus* sp. peel, *Dianthus* sp., unidentified flowers, gardenia, gladiolus, hyacinth, lily, and rose from the Fiji Islands, Hong Kong, Japan, and the West Pacific.

Gnorimoschema ocellatella (Gelechiidae) in beet in stores from France, Israel, and the United Arab Republic, and with stores from Israel.

Gymnandrosoma aurantium (Olethreutidae) in sweet orange in air stores from Curacao.

Hellula undalis (Pyraustidae) in turnip in stores from the United Arab Republic.

Hemimene juliana (Olethreutidae) in chestnut in air baggage and baggage from Italy.

Heterobostrychus aequalis (Bostrichidae) in wooden crates in cargo from India and Vietnam.

Hypoborus ficus (Scolytidae) in fig cuttings in baggage from Israel and cargo from Yugoslavia.

Kaloterme flavicollis (Kalotermitidae) in quince in air baggage from Greece.

Lampides boeticus (Lycaenidae) (28 times) in mauna loa lei in air baggage and baggage from Hawaii, in leguminous flowers in baggage from Hawaii, in peas in stores from Japan, in sesbania flowers in mail from Hawaii, and in *Strongylocodon lucidus* in air baggage from Hawaii.

Laspeyresia fabivora (Olethreutidae) in string bean in stores from Ecuador.

Laspeyresia splendana (Olethreutidae) (66 times) in baggage with lily bulbs from Italy; in chestnuts in air baggage from France, Germany, Italy, Portugal, Spain, and Yugoslavia, in baggage from Italy and Portugal, in cargo from France, Israel, and Italy, in mail from Portugal, and in stores from the Canary Islands; and in acorn in cargo from France.

Laspeyresia strobilella (Olethreutidae) in spruce cones in baggage from England and Switzerland.

Lema melanopa (Chrysomelidae) in lily-of-the-valley pips in cargo from Denmark and on rose bush in cargo from England.

Leucinodes orbonalis (Pyraustidae) in eggplant in stores from Indonesia and in *Solanum* sp. in air baggage from Liberia.

Lobesia botrana (Olethreutidae) in grapes in air baggage from Italy and the United Arab Republic.

Mamestra brassicae (Noctuidae) (9 times) on cabbage in stores from Italy, on cauliflower in stores from Belgium, France, Germany, and Italy, on Chinese cabbage in stores from Japan, and on lettuce in stores from France.

Maruca testulalis (Pyraustidae) (27 times) loose in baggage, in bean, leguminous flower, lima bean, mauna loa lei, pigeonpea, string bean, sesbania flower, *Strongylocodon lucidus*, and *Strongylocodon* sp. from Hawaii, Hong Kong, and Puerto Rico.

Megastigmus limoni (Torymidae) in *Eremocitrus glauca* seed in aircargo from Australia.

Megastigmus strobilobius (Torymidae) in Norway spruce seed in cargo from Germany.

Pectinophora gossypiella (Gelechiidae), the pink bollworm (15 times), in cotton boll in air baggage and baggage from Hawaii; on cotton leaf in air baggage from Jamaica; in cottonseed in air baggage from Hawaii, aircargo, and airmail from the Dominican Republic, in baggage from Hawaii and Mexico, and in mail from Hawaii; in seed cotton in baggage and quarters from Mexico; and in okra in air baggage from the Dominican Republic and stores from Brazil.

Perkinsiella vitiensis (Delphacidae) as stowaway on airplane from the Fiji Islands.

Petrova resinella (Olethreutidae) in Scotch pine in aircargo from the Union of Soviet Socialist Republics.

Phalonia zephyrana (Phaloniidae) in carrot in stores from Italy.

Pieris brassicae (Pieridae) on cabbage in stores from the Azores and France, on cauliflower in stores from the Azores and Italy, and with wooden crate in aircargo from Spain.

Polytus mellerborgii (Curculionidae) in banana stolon in aircargo from the Philippines.

Prays oleellus (Hyponomeutidae) in olives in air baggage and baggage from Italy.

Sesamia cretica (Noctuidae), the durra stem borer, in broomcorn stalk and corn stalk in cargo from Italy.

Sternochetus mangiferae (Curculionidae) (93 times) in mango from Australia, French Equatorial Africa (the interception was made before the country was divided), Guam, Hawaii, India, and an unknown origin.

Taeniothrips gracilis (Thripidae) (27 times) in lycoris in cargo from Japan.

Thrips imaginis (Thripidae) on gladiolus in air baggage from Australia.

Trogoderma granarium (Dermestidae), the khapra beetle (131 times), is becoming increasingly important as a quarantine problem. It was found mostly in ships' stores, in quarters, or with cargo, but once with guar gum in mail. The hosts were barley, bean, cumin seed, mung bean, myrobalan nut, peanut, pepper, pigeonpea, poppyseed, rice, soybean, and miscellaneous dry stores (including chickpea, coffee, flour, macaroni, mixed grain, pea, spaghetti, sugar, tapioca, etc.), frequently from infestations in storerooms. It was found with automobiles, old bagging, bales of rubber, debris, goat skins, guar gum, gum arabic, Karaya gum, seediac, steel and tuna fish cartons, usually associated with used burlap or other wrappings or infesting cargo holds of ships. Infested materials were from the following countries: Asia (country(?)), Burma, Ceylon, China, England, Europe (country(?)), Formosa, Germany, Hong Kong, India, Indonesia, Iran, Japan, Kuwait, Lebanon, Netherlands, Nigeria, Pakistan, Portugal, Singapore, Sudan, Union of South Africa, United Arab Republic, and an unknown origin.

SNAILS

Snails are causing increasing concern as more species are being recognized as potential pests and greater numbers are being found with plant material and on cargo.

Bradybaena similis was intercepted 26 times on various cut flowers, foliage, and in soil with plants; 18 from Hawaii, 3 from Bermuda, 2 each from Brazil and Cuba, and 1 from Mexico.

Cochlicella barbara (29 times) on lemon in stores from Algeria; on military cargo from France, Italy, Morocco, and Spain; on mixed seeds in air baggage from Italy; and on new automobiles from France.

Cochlicella ventrosa (9 times) on geranium plants in air baggage from the Azores; lemon in stores from Algeria; lettuce in air stores from Portugal; military cargo from Bermuda, Italy, and Morocco; mint in air baggage from Bermuda; and Roman camomile in cargo from Italy.

Fourteen species of the genus *Helicella* were intercepted a total of 39 times on bell pepper, blackberry plants, cabbage, cut flowers, household goods, military cargo, new automobiles, parsley, and soil with various plants from the following countries: France, Greece, Ireland, Italy, Libya, Morocco, Portugal, Spain, and Turkey.

Monacha carthusiana with military cargo and rose petals in aircargo from France.

Opeas pumila with orchid plants in aircargo from British Honduras.

Opeas pyrgula with iris in air quarters from Japan and in soil with plants in baggage from Bermuda.

Porphyrobaphe iostoma (23 times) on bananas in cargo from Ecuador and Honduras.

Rumina decollata with orchids in cargo from Mexico.

Solaropsis monile (10 times) on bananas in cargo from Costa Rica and Ecuador.

Subulina octona (9 times) on orchids in aircargo from Jamaica and in baggage and cargo from Mexico; and in soil with assorted plants in air baggage from Brazil, Ecuador, Panama, and Venezuela.

Theba pisana, the Mediterranean land snail, was intercepted 75 times; 37 from Morocco on begonia cuttings in air baggage and on military cargo; 14 from France on cut flowers in aircargo and on automobile, motor canisters, and military cargo; 8 from Libya on military cargo; 7 from Italy as food in baggage, with other mollusks

in air baggage, on Roman camomile in cargo, and on military cargo; 7 from Spain with bell pepper in stores, on automobile in cargo, on military cargo, and on walls of hold of ship; 1 from Greece as food in baggage; and 1 from an unknown origin on dried herbs in air baggage.

Other snails of potential economic importance were: *Ceciloides acicula*, *Cepaea nemoralis*, *Helicina zephyrina*, *Helix aspersa*, *H. pomatia*, *Lamellaxis micra*, *Otala lactea*, and *O. vermiculata*.

DISEASES

Elsinoe australis, the sweet orange scab, was intercepted 98 times; 47 from Brazil on lemon, Mandarin orange, sour lime, and sweet orange in air baggage, air stores, quarters, and stores; 31 from Argentina on lemon, Mandarin orange, and sweet orange in air baggage, air stores, baggage, and stores; 19 from an unknown origin on Mandarin orange and sweet orange in air baggage, air quarters, and air stores; and 1 from Uruguay on sweet orange in stores.

Phoma citricarpa (perfect stage is *Guignardia citricarpa* Kiely), the black spot of citrus, was intercepted 108 times; 25 from Japan, 23 from the Union of South Africa, 14 from China, 13 from Australia, 11 from Hong Kong, 8 from Formosa, 5 from an unknown origin, 4 from Brazil, and 1 each from Africa (country(?)), the Federation of Malaya, Mozambique, New Zealand, and Thailand. The hosts were *Citrus* sp., grapefruit, ichandarin, lemon, Mandarin orange, pummelo, sour orange, and sweet orange.

Xanthomonas citri, citrus canker, was intercepted 140 times; 129 from Japan on *Citrus* sp., grapefruit, ichandarin, King orange, lemon, Mandarin orange, pummelo, sour lime, sour orange, and sweet orange; 4 from China on *Citrus* sp. peel and sweet orange peel; 3 from Hong Kong on *Citrus* sp. peel and sweet orange; and 1 each from India and Pakistan on sour lime, Saipan on *Citrus* sp., and an unknown origin on lemon.

Xanthomonas sp., Cancrosis B, was intercepted 7 times from Argentina on lemon in stores.

Other diseases of unusual interest were:

Dasturella divina (Syd.) Mundk. & Keshw. on dried leaves of *Sasa palmata* in cargo from Formosa.

Gymnosporangium yamadai Miy. on apple in air stores from Japan.

Heloperotella vallentinensis (Trav.) Wr. on *Dianthus* sp. in mail from Canada. *Neovossia horrida* (Tak.) Padw. & A. Khan (58 times) on rice hulls in stores from Japan.

Peronospora schachtii Fekl. on Swiss chard in stores from Japan.

Phakopsora gossypii (Arth.) Hirat. f. (*Cerotelium desmum*) on cotton leaves in preflight inspection of baggage from the Bahamas.

Puccinia nakanshiikii Diet. on lemongrass leaves in stores from Japan.

Puccinia oncidii Cummins on *Oncidium* spp. leaves in aircargo from Brazil and Ecuador.

Puccinia praegracilis Arth. var. *praegracilis* Savile (*Aecidium graebnerianum* P. Henn.) on *Habenaria* spp. in aircargo from Alaska.

Sphaceloma spondiadis Bitanc. & Jenkins on vi-apple in air baggage from British Guiana.

Sphenospora kevorkianii Linder on *Huntleya burtii* leaf in air baggage from Panama.

Uredo nidularii P. Henn. on tillandsia in cargo from Mexico.

Uredo oncidii P. Henn. on *Oncidium* spp. leaves in aircargo from British Honduras, Guatemala, Panama, and Peru and on orchid leaf in air baggage from Haiti.

Uromyces fabae (Grev.) Cke. on lentil stems in air baggage and cargo from Chile and in stores from Germany, and on vetch plants in air baggage from Portugal.

NEMATODES

Anquina tritici in wild einkorn seeds from straw jackets in cargo from Italy(?).

Aphelenchoides blastophthorus in lily-of-the-valley plants in baggage from England.

Aphelenchoides fragariae(?) in hyacinth bleilla stems in cargo from Japan.

Ditylenchus destructor in dahlia roots in mail from Switzerland and the Union of South Africa, and in tigerflower bulbs in mail from Germany.

Ditylenchus dipsaci in onion in mail from the Netherlands, in garlic in cargo from Mexico, and in narcissus in airmail and mail from England.

Gotholdsteineria goodeyi in soil with unidentified plants in air baggage from Canada.

Helicotylenchus nannus in soil with begonia plants in air baggage from Portugal and baggage from Mexico, soil with cactus and crocus plants in baggage from Mexico, soil with fern and mint roots in air baggage from Mexico, and soil with geranium and rose plants in baggage from Mexico.

Heterodera avenae, the oat nematode (4 times), in soil with new Jaguars in cargo from England, in soil with cabbage in air baggage from Ireland, and in soil with potatoes in stores from England.

Heterodera cacti (25 times) in soil samples, soil with the following plants: Begonia, cactus, citrus, coleus, Crassulaceae, spearmint, and various potted plants, and soil with railway cars. The countries of origin were: Brazil, Germany, Mexico, New Zealand, and Switzerland.

Heterodera punctata (11 times) in soil with automobiles in cargo from England, soil with heather in mail from Scotland, soil with Indian rubber fig in baggage from Mexico, soil with malvaceous plant in air baggage from Czechoslovakia, soil with philodendron plants in baggage from Canada, soil with plants in baggage from Mexico, and soil with rose roots in baggage from Northern Ireland.

Heterodera rostochiensis, the golden nematode (19 times), from soil in a small vial in air baggage, soil with calla lily and unidentified plants in baggage, soil with new and used automobiles and spruce in cargo, and soil with beet, celery, horseradish, leek, potato, and ullucus tuber in stores. The countries of origin were: Argentina, England, Germany, Mexico, Peru, and Spain.

Meloidogyne arenaria, *M. hapla*, *M. incognita*, *M. incognita acrita*, and *M. javanica*, rootknot nematodes, were intercepted from Australia, Brazil, Cuba, Dominican Republic, England, Germany, Guatemala, Haiti, Japan, Kenya, Mexico, Netherlands, and Northern Ireland. The hosts were begonia and euphorbia in baggage; astilbe, beautyberry roots, caladium, calla lily, clematis, common edelweiss, coriander, dahlia, echeveria, gladiolus corms, hepatica, tomato roots, and tuberose bulbs in aircargo and cargo; acanthus roots, *Adenia globosa* plant, clockvine, dahlia, rose roots, and winged euonymus in airmail and mail; and dasheen and potato in stores.

Pratylenchus penetrans in dahlia in mail from Australia, Canada, and the Union of South Africa.

Pratylenchus pratensis in Japanese iris roots in mail from Czechoslovakia.

Psilenchus hilarulus in soil with fern and with dead plant in baggage from Mexico.

Scutellonema brachyurum in soil with cactus and unidentified plants in baggage from Mexico.

Tylenchorhynchus capitatus in soil with unidentified plants in air baggage from Jamaica and baggage from Mexico.

Xiphinema americanum in soil with gardenia plant in baggage from Mexico.

INCOMPLETELY DETERMINED PESTS

Specific determinations are sometimes not possible, due to the stage or condition of the insects or pathogens when intercepted or the fact that they are undescribed. Many of these pests may be of economic importance, unreported from the United States or the country of origin, or unknown on the host plant. As a matter of record the significant ones are included in this separate list, but not in the table. This year there were 2,897 insects, 600 diseases, and 229 nematodes, or a total of 3,276 incompletely determined interceptions considered to be important.

FRUIT FLIES

There were 183 incompletely determined fruit fly interceptions as follows:

Anastrepha sp., possibly *dissimilis* Stone, at Philadelphia, Pa., in giant grana-dilla in stores from the Dominican Republic.

Anastrepha sp., possibly *fraterculus* (Wied.), at New York, N.Y., in mango in baggage from Brazil; and at Philadelphia, Pa., in sweet orange in stores from Brazil.

Anastrepha sp., possibly *ludens*, at Brownsville, Tex., in sweet orange in air stores from Mexico; at Eagle Pass, Tex., in apple, cherimoya, and pear in baggage from Mexico; at El Paso, Tex., in pear, sweet orange, and white sapote in baggage from Mexico; at Laredo, Tex., in sweet orange in baggage from Mexico;

at Nogales, Ariz., in sweet orange in air baggage from Mexico; and at San Ysidro, Calif., in sweet orange in baggage from Mexico.

Anastrepha sp., probably *mombinpraeoptans*, at Miami, Fla., in mango in air baggage from El Salvador, Nicaragua, and Panama, in purple mombin in air baggage from Costa Rica and Honduras, and in *Spondias* sp. in air quarters from Colombia; at New Orleans, La., in mamey sapote in air baggage from Nicaragua, in mango in air baggage from El Salvador and Guatemala, in purple mombin and *Spondias* sp. in air baggage from Guatemala, and in tropical almond in air baggage from Jamaica; at New York, N.Y., in mango and sweet orange in air stores from an unknown origin; at Philadelphia, Pa., in mango in baggage from Puerto Rico; at San Pedro, Calif., in guava in air baggage from Venezuela; and at San Ysidro, Calif., in guava in baggage from Mexico.

Anastrepha sp., possibly *serpentina*, at El Paso, Tex., in mamey sapote in baggage from Mexico; at Miami, Fla., in quince in air baggage from Peru; and at Laredo, Tex., in mamey sapote in baggage from Mexico.

Anastrepha sp., prob. *striata*, at El Paso, Tex., in guava in baggage from Mexico; at Houston, Tex., in guava in baggage from Costa Rica and Honduras; at Laredo, Tex., in guava in baggage from Mexico; at Miami, Fla., in guava in air baggage from Mexico; at New Orleans, La., in guava in air baggage from Costa Rica; at Nogales, Ariz., in *Psidium* sp. in woman's purse from Mexico; and at San Pedro, Calif., in guava in air baggage from El Salvador, Mexico, and Nicaragua.

Anastrepha sp., probably *suspensa*, at Chicago, Ill., in guava in airmail from Puerto Rico; at Key West, Fla., in guava in air baggage from Cuba; at Miami, Fla., in guava in air baggage from Cuba and tropical almond in air baggage from Jamaica; at New York, N.Y., in guava in air baggage from Cuba and tropical almond in air baggage from Jamaica; and at San Juan, P.R., in guava in preflight inspection of baggage.

Anastrepha sp. was intercepted a total of 84 times at the following ports: Baltimore, Md., Brownsville, Tex., Chicago, Ill., Eagle Pass, El Paso, Galveston, Hidalgo, and Houston, Tex., Jacksonville, Fla., Laredo, Tex., Miami, Fla., New Orleans, La., New York, N.Y., Nogales, Ariz., Port Arthur, Tex., Port Everglades, Fla., St. Thomas and St. John, U.S.V.I., San Juan, P.R., San Pedro, Calif., and Tampa, Fla. The hosts were: Apple, Barbadoscherry, cherimoya, coffee berry, grapefruit, guava, mamey, mamey sapote, Mandarin orange, mango, *Matisia cordata* ("chupa-chupa"—a new host for *Anastrepha*), *Myrtus ehrenbergii*, peach, peach-palm nut, pear, purple mombin, quince, sapodilla, *Spondias* sp., star-apple, sweet orange, and yellow mombin. The countries of origin were: Argentina, Brazil, Colombia, Costa Rica, Cuba, Ecuador, El Salvador, Guatemala, Jamaica, Mexico, Nicaragua, Panama, Peru, Puerto Rico, Tortola, Venezuela, West Indies, and an unknown origin. *Anastrepha* sp.(?) at Brownsville, Tex., in mango in baggage from Mexico; and at New Orleans, La., in mango in air baggage from Guatemala.

Ceratitis sp., probably *capitata*, at Boston, Mass., in peach in air stores from an unknown origin.

Dacus sp., probably *cucurbitae*, at Seattle, Wash., in zucchini squash in stores from Hawaii.

Dacus sp., probably *dorsalis*, at Honolulu, Hawaii, in Indiapoon beautyleaf nut in mail from Hawaii.

Dacus sp., possibly *vertebratus* Bezzi, at New York, N.Y., in cucumber in stores from the Union of South Africa.

Dacus sp., at Boston, Mass., in cucumber in stores from the Republic of Mali; at Honolulu, Hawaii, in candlenut tree fruit, cattley guava, and coffee berries in preflight inspection of baggage, in mango in air stores from the Fiji Islands and the Philippines, in pepper in air baggage from Japan, and in solanaceous fruit in air baggage from the Philippines; and at Seattle, Wash., in guava in air baggage from the Philippines. *Dacus* sp.(?) at Honolulu, Hawaii, in *Phaseolus* sp. and tropical almond in mail from Hawaii and in fruit of Sapotaceae in air baggage from the Philippines; and at Savannah, Ga., in sweet orange in stores from Mozambique.

Rhagoletis sp., probably *cerasi*, at New York, N.Y., in cherry in air stores from Spain.

Rhagoletis sp., at Eagle Pass, Tex., in apple in baggage from Mexico; at El Paso, Tex., in *Crataegus* sp. in baggage from Mexico; at Laredo, Tex., in apple in baggage from Mexico; and at New York, N.Y., in cherry in air baggage from Ireland.

Tephritidae, genus near *Euaresta*, species unidentified, at Washington, D.C., in *Helichrysum* sp. and *Helipterum incanum* seeds in aircargo from Australia.

Tephritidae, probably genus and species of Tephritinae, at New York, N.Y., in strawflower in air baggage from Bermuda.

Tephritidae, identified to family only (7 times), at Brownsville, Tex., in guava in aircargo from Colombia; at Honolulu, Hawaii, in pepper in air stores from the West Pacific and in stores from the Fiji Islands, and in watermelon in air stores from the Philippines; at Laredo, Tex., in sweet orange in baggage from Mexico; at Miami, Fla., in coffee berry in air baggage from Brazil; and at New York, N.Y., in jujube in air baggage from Lebanon.

Tephritis sp., near *multiguttata* Beck., at New York, N.Y., in dried herbs in air baggage from England.

INSECTS OTHER THAN FRUIT FLIES

Aeolothrips sp., near *ericae* Bagn. (Aeolothripidae), not presently represented in the National Museum collection, at New York, N.Y., on calla lily in aircargo from Israel.

Alcidodes sp. (Curculionidae) at New York, N.Y., in sweetpotato in stores from Liberia.

Aleuroplatus n. sp. (Aleyrodidae) at Key West, Fla., on rose leaf in baggage from Cuba; at Progreso, Tex., on citrus leaf in baggage from Mexico; and at San Pedro, Calif., on rose leaf in air baggage from El Salvador.

Aleurotrachelus sp., probably undescribed (Aleyrodidae), at Miami, Fla., on leaf of an aquatic plant in aircargo from Peru. We have no previous records of aleyrodids on aquatic plants.

Aleyrodidae, genus uncertain, perhaps *Aleurotuberculatus* n. sp., at New York, N.Y., on *Baccaurea* sp. leaf in aircargo from Thailand.

Apion sp., probably *carduorum* (Curculionidae), at New York, N.Y., in globe artichoke in baggage from Italy and stores from Greece.

An apparent new species of the subfamily Bagoini (Curculionidae) at Miami, Fla., on burhead plants in aircargo from Peru.

Baris sp. (Curculionidae) at Galveston, Tex., in horseradish in stores from Germany; and at Philadelphia, Pa., in turnip in stores from France.

Brachyrhinus sp., possibly *singularis* (L.) (Curculionidae), at New York, N.Y., in cyclamen tuber in air baggage from Italy.

Chlorochroa sp. (?) (Pentatomidae), not in the National Museum collection, at McGuire Air Force Base, N.J., on crates in aircargo from Spain.

Chrysolina sp., possibly *cerealis* (L.) (Chrysomelidae), at New York, N.Y., with rosemary in baggage from Italy.

Chrysomela sp., probably *chlorina* Maulik (Chrysomelidae), not in the National Museum collection, at New York, N.Y., on orchid plants in aircargo from India.

Cladius sp., probably *difformis* (Panz.) (Tenthredinidae), at New York, N.Y., on cut roses in air baggage from England.

Cleonus sp. (Curculionidae) at Baltimore, Md., in beet in stores from the United Arab Republic; and at New York, N.Y., in beet in stores from Israel.

Coccotrypes sp., probably *surinamensis* Schedl (Scolytidae), at New York, N.Y., in palm seed in aircargo from Brazil.

Conoderus sp., near *lividus* (DeG.) (Elateridae), at Miami, Fla., as stowaway in airplane from Venezuela; at New Orleans, La., as stowaway in airplane from Central America; and at San Juan, P.R., on *Epidendrum* sp. plants in aircargo from Panama.

Conoderus sp., probably *rufangulus* (Gyll.) (Elateridae), at New York, N.Y., in grape in cargo from Chile.

Ctenicera sp., probably *acneus* (L.) (Elateridae), at Washington, D.C., in soil with Amur chokecherry tree in aircargo from the Union of Soviet Socialist Republics.

Cylas sp. (Curculionidae) at Baltimore, Md., in sweetpotato in stores from Nigeria; at Mobile, Ala., in sweetpotato in stores from Liberia; and at New York, N.Y., in sweetpotato in cargo from Liberia.

Diaprepes sp. (Curculionidae) at St. Thomas & St. John, U.S.V.I., in sweetpotato in cargo from St. Kitts, B.W.I.

Epicaerus sp. (Curculionidae) at Brownsville and Presidio, Tex., in potato in baggage from Mexico; and at Tampa, Fla., in potato in stores from Mexico.

Eriosoma sp. (Aphidae) at Miami, Fla., on apple in air baggage from Venezuela, in air stores from Argentina and Brazil, and in stores from Germany and Japan; and at New York, N.Y., on apple in cargo from Chile.

"*Eulia*" sp. (Tortricidae) at New York, N.Y., in grape, nectarine, peach, and plum in cargo from Chile.

Frankliniella sp., undescribed (Thripidae), at New York, N.Y., on cut gladiolus in aircargo from Israel. A really distinct undescribed species, very rare.

Gymnandrosoma sp. (Olethreutidae) at Chicago, Ill., in guava in airmail from Puerto Rico; at Miami, Fla., in cacao pod in air baggage from Barbados and in jujube in air baggage from Mexico; and at Mobile, Ala., in cacao pod in baggage from Trinidad.

Heilipus sp. (Curculionidae) at Brownsville, Tex., in avocado seed in baggage from Mexico; at El Paso, Tex., in avocado in cargo from Mexico; at Laredo, Tex., on orchids in cargo from Mexico; at San Diego, Calif., in avocado in stores from Panama; and at San Pedro, Calif., in avocado seed in air baggage from Guatemala.

Heterotermes sp., probably *cardini* (Snyder) (Rhinoitermitidae), at New York, N.Y., in tomato in cargo from the Dominican Republic. A very destructive termite to buildings and crops.

Hyperodes sp. (Curculionidae) at Philadelphia, Pa., in carrot in stores from Brazil.

Lizus sp. (Curculionidae) at Baltimore, Md., in beet in stores from Italy and Sierra Leone; at Eagle Pass, Tex., in grain sweepings from railway car from Mexico; at Houston, Tex., in beet in stores from the United Arab Republic; at New York, N.Y., in beet in stores from Israel; and at Philadelphia, Pa., in beet in stores from Peru and the United Arab Republic.

Lygaeidae, new genus near *Cligenes*, at Brownsville, Tex., on bromeliad in cargo from Mexico. New genus near *Ozophora* at Laredo, Tex., on bromeliad in cargo from Mexico.

Lygaeus(?) n. sp. (*Lygaeidae*), new to the National Museum collection, at Laredo, Tex., on orchid plant in baggage from Mexico.

Megastigmus sp., possibly *pictus* Mayr (Torymidae), at Hoboken, N.J., in white spruce seed in cargo from Denmark.

Melanthrips sp., probably *ficalbii* Buffa (Aeolothripidae), not presently represented in the National Museum collection, at New York, N.Y., on calla lily in aircargo from Israel.

Metamasius sp., near *rugipectus* Champ. (Curculionidae), at Laredo, Tex., on bromeliad plant in baggage from Mexico.

Periphyllus sp., perhaps *kuranaui* Takah. (Aphidae), at Honolulu, Hawaii, on maple tree in air baggage from Japan.

Phyllobius sp. (Curculionidae) at Hoboken, N.J., in wood moss with apple and quince stock in cargo from France.

Phyllotreta sp., possibly *nemorum* (L.) (Chrysomelidae), at New York, N.Y., in apple in baggage from Norway.

Phytophaga sp. (Cecidomyiidae) at Hoboken, N.J., in Norway spruce seed in cargo from Germany.

Pineus sp. (Chermidae), different from any seen from the United States, at Washington, D.C., on *Pinus sibirica* in aircargo from the Union of Soviet Socialist Republics.

Podapion sp., *gallicola* Riley or n. sp. (Curculionidae), at Laredo, Tex., on pine in cargo from Mexico. First record of the genus from Mexico.

Polychisme sp. (*Lygaeidae*) at Brownsville, Tex., in *Chamaedorea* sp. seed in cargo from Mexico. This is a South American genus; first record so far north.

Premnotrypes sp. (Curculionidae) at Houston, Tex., in potato in stores from Peru; at Miami, Fla., in potato in air baggage from Colombia; at New Orleans, La., in potato in stores from Peru; and at San Pedro, Calif., in potato in air baggage from Peru.

Psyllodes sp., probably *chrysocephala* (L.) (Chrysomelidae), at Boston, Mass., on parsley in air stores from England.

Steneotarsonemus sp., probably n. sp. (Tarsonemidae), at Miami, Fla., on passionflower fruit in air baggage from Colombia.

Strophosoma sp. (Curculionidae) at Chicago, Ill., with forest litter packing in mail from Germany; and at Hoboken, N.J., in wood moss with apple and quince stocks in cargo from France.

Tenuipalpus sp., probably n. sp. (Tenuipalpidae), at Washington, D.C., on *Spathiphyllum* sp. in aircargo from Indonesia.

Tetralicia n. sp. (Aleyrodidae) at Nogales, Ariz., on breadnut tree in baggage from Mexico.

Tetranychus n. sp. (Tetranychidae) at Honolulu, Hawaii, on carnation flower in air baggage from Japan.

Trionymus sp. (Coccidae), not placed as a described species, at Hoboken, N.J., on cactus in mail from England.

DISEASES

Incompletely determined pathogens of special interest were:

Ascochyta sp. at El Paso, Tex., on lentil seed in mail from Germany. This is the first report on this host as far as is known.

Cercospora sp., close to *sapindi* Obregon-Broterre, at Miami, Fla., on genip fruit in air baggage from Nicaragua. No *Cercospora* has been previously reported on this host.

Cercospora sp. at Brownsville, Tex., on *Aglonema* sp. leaf in cargo from Mexico; and at Miami, Fla., on philodendron leaf in air baggage from Jamaica.

Coniothyrium sp. at Honolulu, Hawaii, on lemon in air stores from Australia, on Mandarin orange in air quarters and air stores from Japan, and on sweet orange in air baggage and air stores from Japan.

Elsinoe sp. (not typical) at San Juan, P.R., on lemon in air stores from the West Indies.

Elsinoe sp. at Miami, Fla., on Satsuma orange in air baggage from Argentina and in air stores from South America.

Gloeosporium sp. at Key West, Fla., on *Myrozylon pereirae* seed pod in air baggage from Cuba. No previous reports on this host as far as known.

Helminthosporium sp. at New York, N.Y., on *Trema guineensis* leaf in air cargo from Liberia.

Phyllosticta sp. at Brownsville, Tex., on peperomia leaf in cargo from Mexico (first report on this host as far as known); and at New York, N.Y., on *Trema guineensis* leaf in air cargo from Liberia.

Sphenospora sp. at Miami, Fla., on *Ionopsis utricularioides* leaf in air baggage from Jamaica.

Stagonospora sp. at Boston, Mass., on red pepper in stores from Mozambique. First report of this on *Capsicum* as far as known.

NEMATODES

Aphelenchoides sp. at Brownsville, Tex., in tuftroot in cargo from Mexico; at Hoboken, N.J., in cyclamen tuber in cargo from Italy and in dahlia root in mail from Belgium, Canada, and Switzerland; at Nogales, Ariz., in soil with caladium plant in baggage from Mexico; at San Diego, Calif., in ginger root in stores from Japan; and at San Ysidro, Calif., in Indianrubber fig roots in air baggage from Mexico.

Aphelenchus sp. at Hoboken, N.J., in cyclamen tuber in cargo from Italy.

Criconemoides sp. at Laredo, Tex., in soil with *Cymbopogon* sp. and *Ipomoea* sp. plants in baggage from Mexico.

Ditylenchus sp. at New Orleans, La., in garlic in cargo from Italy.

Helicotylenchus sp. at Boston, Mass., in canna roots in air baggage from the Azores; at Brownsville, Tex., in soil with begonia plant in baggage from Mexico; at El Paso, Tex., in soil with various plants in baggage from Mexico; at Laredo, Tex., in amaryllis roots, grass roots, soil with azalea, lily, and various plants in baggage from Mexico and in soil with railway car from Mexico; and at Nogales, Ariz., in soil with *Eriobotrya* sp. in baggage from Mexico.

Heterodera sp., probably *rostochiensis*, at Boston, Mass., in soil with potato in stores from Spain.

Heterodera sp., probably *trifolii* (Goffart) Oostenbrink, at Boston, Mass., in soil with spruce in cargo from Germany.

Other members of the genus *Heterodera* were intercepted 113 times at 23 ports from the following countries: Argentina, Australia, Austria, Azores, Barbados, Belgium, Bermuda, British Honduras, Canada, Czechoslovakia, England, Estonia, Federation of Malaya, France, Germany, Greece, Ireland, Italy, Japan, Korea, Mexico, Netherlands, New Zealand, Northern Ireland, Norway, Scotland, Sweden, United Arab Republic, and an unknown origin. These were taken from air baggage and baggage in soil samples and soil with the following plants: Begonia, chrysanthemum, cyclamen, *Dianthus* sp., fern, fig, forget-me-not, geranium, heather, herb, lemon, *Mespilus* sp., mint, oregano, philodendron, rose, shamrock, silver crassula, strawberry, sweetpotato, tree tomato, various unidentified plants, violet, and wormwood; from airmail and mail in soil with asters, fig cuttings, gladiolus, pansy plants, and shamrock plants; from cargo in soil with new and used automobiles, cabbage, cycad plant, lily bulb, potato, tanks, and trucks; and from stores in soil with beet, burdock, cabbage, carrot, celeriac, horseradish, leek, onion, parsley, parsnip, potato, rutabaga, salsify, and turnip.

Hoplolaimus sp. at Laredo, Tex., in grass roots and in soil with unidentified plant in baggage from Mexico.

Meloidogyne sp., possibly *arenaria*, at Hoboken, N.J., in iris roots in mail from India.

Meloidogyne sp., probably *hapla*, at Hoboken, N.J., in rose plant in mail from Germany.

Meloidogyne sp., probably *incognita acrita*, at Washington, D.C., in *Piper* sp. in airmail from the Netherlands.

Meloidogyne sp. at Brownsville, Tex., in tuftroot in cargo from Mexico; at Hoboken, N.J., in achimenes tubers in aircargo from India, in African agapanthus roots in cargo and mail from Japan, in anemone roots in mail from England, in astilbe roots in mail from England and cargo from the Netherlands, in begonia tubers in mail from Japan, in bigleaf goldenray roots in cargo from Germany, in caladium tubers in cargo from Guatemala, in calla lily tubers in baggage from Tanganyika, cargo from France and Japan, and mail from India, in clematis roots in airmail and mail from England and cargo from the Netherlands, in cohosh bugbane roots in mail from England, in coralbells in cargo from the Netherlands, in dahlia roots in mail from France, in epimedium roots in airmail from England, in geranium in airmail from England and cargo from the Netherlands, in gerbera roots in mail from India, in Japanese iris in cargo from Japan, in monkshood roots in mail from England, in peony in cargo from the Netherlands, in plantain lily roots in cargo from Japan, in rose plants in mail from France, Germany, and Portugal, in tree peony roots in cargo from Japan, in tuberose bulb in mail from India, and in turmeric rhizome in mail from India; at Laredo, Tex., in beet roots, elephantsear, lime seedling, and succulent plant in baggage from Mexico; at Philadelphia, Pa., in potato in stores from Brazil; at San Diego, Calif., in sweetpotato tuber in stores from Mexico; and at San Francisco, Calif., in begonia tuber and gladiolus corm in cargo from Japan, and in resurrection lily in aircargo from Singapore.

Fratylenchus sp. at Boston, Mass., in soil with unidentified plants in air baggage from Finland; at Brownsville, Tex., in heliconia roots in cargo from Mexico; and at Hoboken, N.J., in roots of astilbe, Christmas-rose, clematis, coral torchlily, fringed iris, *Helleborus odoratus*, Japanese iris, and phlox in cargo, and in monkshood roots in mail from the Netherlands; in clematis roots in mail from England; and in Japanese iris in cargo from Japan.

Psilenchus sp. at El Paso, Tex., in soil with rose plant in baggage from Mexico.

Rhabditis sp. at San Diego, Calif., in ginger root in stores from Japan.

Rotylenchulus sp. at Miami, Fla., in soil with miscellaneous plants in air baggage from Jamaica.

Scutellonema sp. at Laredo, Tex., in soil with plants in baggage from Mexico.

Trophurus sp., possibly a new species, at Brownsville, Tex., in soil with begonia plant in baggage from Mexico.

Tylenchorhynchus sp. at Laredo, Tex., in soil with begonia plant and unidentified plant in baggage from Mexico; and at Nogales, Ariz., in soil with coleus and philodendron in baggage from Mexico.

Tylenchus sp. at El Paso, Tex., in soil with dead plants and rose plant in baggage from Mexico.

Xiphinema sp. at Laredo, Tex., in selaginella roots in cargo and in soil with yam in baggage from Mexico.

Summary of Numbers of Interceptions Listed in Main Table

Country	Insect	Disease	Country	Insect	Disease
Africa:			Europe—Continued		
Africa (country(?))	0	1	Greece	40	2
Algeria	3	0	Hungary	7	0
Canary Islands	1	0	Ireland	18	3
Cape Verde Islands	5	0	Italy	338	19
French Equatorial Africa	1	0	Italy(?)	0	1
Kenya	0	1	Luxembourg	3	0
Liberia	1	0	Netherlands	89	21
Libya	10	0	Northern Ireland	1	2
Morocco	72	0	Norway	13	2
Morocco(?)	1	0	Poland	6	0
Mozambique	0	1	Portugal	32	4
Nigeria	3	0	Rumania	1	0
Republic of the Congo	3	0	Scotland	21	1
Sudan	7	0	Spain	31	4
Tunisia	1	0	Sweden	10	0
Union of South Africa	26	36	Switzerland	7	33
United Arab Republic	11	0	Union of Soviet Socialist Republics	2	2
Asia:			Yugoslavia	3	1
Asia (country(?))	1	0	North America:		
Burma	2	2	Alaska	0	2
Ceylon	8	0	Bermuda	14	3
China	5	18	Canada	2	7
Cyprus	2	0	Central America:		
Federation of Malaya	1	1	British Honduras	12	2
Formosa	17	9	Canal Zone	9	8
Formosa(?)	1	0	Central America (country(?))		
Hong Kong	26	14	Costa Rica	2	0
India	48	3	El Salvador	16	12
Indonesia	5	0	Guatemala	25	0
Iran	6	1	Honduras	25	12
Israel	22	0	Nicaragua	6	0
Japan	476	382	Panama	17	2
Japan(?)	4	1	Panama	22	3
Korea	2	0	Mexico	417	67
Kuwait	1	0	West Indies:		
Lebanon	8	0	Antigua	5	0
Pakistan	8	1	Bahamas	5	6
Singapore	9	6	Barbados	4	0
Thailand	4	2	British West Indies	1	0
Turkey	7	1	Cuba	69	9
Vietnam	2	0	Curacao	3	0
Australasia:			Dominican Republic	14	0
American Samoa	8	0	Grand Cayman	1	0
Australia	11	33	Haiti	11	2
Australia(?)	1	0	Jamaica	42	2
Fiji Islands	3	0	Netherlands West Indies	1	0
Guam	4	3	Puerto Rico	29	1
Hawaii	423	3	Trinidad	10	2
Hawaii(?)	1	0	South America:		
Kwajalein(?)	1	0	Argentina	6	41
Midway Islands	1	0	Brazil	51	67
Netherlands New Guinea	1	0	British Guiana	4	1
New Guinea	1	0	Chile	102	5
New Zealand	2	21	Colombia	13	2
Norfolk Island	0	8	Ecuador	97	4
Okinawa	2	0	Peru	5	4
Philippines	18	0	Surinam	2	0
Saipan	0	1	Uruguay	0	1
South Pacific	1	0	Venezuela	4	0
Tahiti	3	0	Totals:		
Wake Island(?)	4	0	Africa	145	39
West Pacific	6	0	Asia	665	435
Europe:			Australasia	491	69
Austria	2	1	Europe	851	157
Azores	24	0	North America	762	140
Belgium	22	5	South America	284	125
Czechoslovakia	1	3	Unknown	106	27
Denmark	10	0	Total		
England	46	25	Total incompletely determined pests	3,304	992
England(?)	0	1	Total insect interceptions	2,897	829
Europe (country(?))	1	0	Total disease interceptions	6,201	1,821
Finland	0	1	Grand total*		8,022
France	78	4			
France(?)	1	0			
Germany	43	22			
Germany(?)	1	0			

*This total represents only pests of known or potential plant quarantine importance or organisms of scientific significance. The total of all interceptions made during the year was 30,230.

NOTE.—Interceptions were also made from the American Virgin Islands, Angola, Anguilla, Aruba, Bolivia, British Samoa, British Virgin Islands, Cayman Islands, Christmas Island, Eniwetok, Estonia, Ghana, Guernsey, Johnston Island, Jordan, Madeira Islands, Malta, Martinique, St. Kitts, St. Lucia, Sierra Leone, Tanganyika, Tortola, and Wales.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Acanthoderes circumflexa</i> Jacq. Duv. (Cerambycidae):	Cuba		1		Fla.
<i>Acanthoscelides armitagei</i> (Pic) (Bruchidae):	Panama	1			N.Y.
<i>Cajanus cajan</i> (pigeonpea)	France		2		Mass.
<i>Aceria macrochelus</i> (Nal.) (Eriophyidae):	do		1		Mass.
<i>Acer pseudoplatanus</i> (planetree maple)	Hawaii	1			Hawaii.
<i>Aceria macrohynchus</i> (Nal.) (Eriophyidae):	Chile	1			N.Y.
<i>Acer pseudoplatanus</i> (planetree maple)	Italy, Japan, Netherlands		9		N.Y., Pa., S.C.
<i>Achaea janata</i> (L.) (Noctuidae):	France		2		Mass.
Mail parcel	Switzerland	1			N.Y.
<i>Acedra fraterna</i> (Stal) (Pentatomidae):	Hawaii		1		Hawaii.
<i>Vitis</i> sp. (grape)	do	1			Hawaii.
<i>Acrolepia assectella</i> (Zell.) (Hyponomeutidae):	do	1			Hawaii.
<i>Allium porrum</i> (leek)	do		1		Hawaii.
<i>Aculus aceris</i> (Nal.) (Eriophyidae):	do		1		Hawaii.
<i>Acer pseudoplatanus</i> (planetree maple)	do		1		Hawaii.
<i>Adela oehnsheimeriella</i> (Hbn.) (Adelidae):	do		1		Hawaii.
<i>Pinus</i> sp. (pine)	do		1		Hawaii.
<i>Adoretus sinicus</i> (Burm.) (Scarabaeidae):	do		1		Hawaii.
Airplane	do		1		Hawaii.
<i>Alpinia purpurata</i> (cut flowers)	do		1		Hawaii.
<i>Anthurium</i> sp.	do		1		Hawaii.
Automobile	do		1		Hawaii.
Baggage	do		4		Hawaii.
Clothing	do		1		Hawaii.
Flowers—mixed	do		4		Hawaii.
Mail wrapper	do		1		Hawaii.
Seeds	do		1		Hawaii.
<i>Tillandsia</i> sp.	do		1		Hawaii.
<i>Vanda</i> sp. (orchid) flowers	do		2		Hawaii.
<i>Adoxophyes orana</i> (F.R.) (Tortricidae):	Netherlands	4			N.Y.
<i>Syringa</i> sp. (lilac) cut.	Japan, Philippines, West Pacific		3		Hawaii.
<i>Aethus indicus</i> (Westw.) (Cydnidae):	Jamaica			2	Fla.
Airplane	Spain		1		Pa.
<i>Aganactesis indecora</i> Dyar (Galleriidae):	Union of Soviet Socialist Republics			1	D.C.
<i>Cassia</i> sp. (senna) seed pod	Japan		1		Wash.
<i>Agriotes lineatus</i> (L.) (Elateridae):	Mexico	1			Tex.
<i>Solanum tuberosum</i> (potato)	do	3			Tex.
<i>Agriotes obscurus</i> (L.) (Elateridae):	do	13			Ariz., Tex.
Soil with <i>Prunus maackii</i> (A mur chokecherry)	Cuba	1			Fla.
<i>Aleurocanthus spiniferus</i> (Q.) (Aleyrodidae):	Mexico		1		Calif.*
<i>Citrus sinensis</i> (sweet orange) leaf	Cyprus, Italy		2		N.Y.
<i>Aleurocanthus woglumi</i> Ashby (Aleyrodidae):	Japan			1	D.C.
<i>Citrus aurantifolia</i> (lime) leaf	Mexico	1			Tex.
<i>C. sinensis</i> (sweet orange) leaf	do	1			Tex.
<i>Citrus</i> sp. (leaf)	do	1			Ariz.
<i>Aleuroglandulus emmae</i> Rsl. (Aleyrodidae):	do	1			Ariz.
<i>Gardenia augusta</i> (leaf)	Guatemala	1			Fla.
<i>Mentha</i> sp. (mint) leaf	Japan			1	D.C.
<i>Aleurolobus olivinus</i> Silvestri (Aleyrodidae):	do			1	D.C.
<i>Olea europaea</i> (olive) leaf	do			1	D.C.
<i>Aleurolobus taenabae</i> Kuwana (Aleyrodidae):	do			1	D.C.
<i>Vitis</i> sp. (grape) leaf	do			1	D.C.
<i>Aleuroparadoxus gardeniae</i> Rsl. (Aleyrodidae):	do			1	D.C.
<i>Gardenia</i> sp. (leaf)	do			1	D.C.
<i>Aleuroplatus variegatus</i> Q. & B. (Aleyrodidae):	do			1	D.C.
<i>Chamaedorea elegans</i> (palm) leaf	do			1	D.C.
<i>Chamaedorea</i> sp. (leaf)	do			1	D.C.
Leaf—unidentified	do			1	D.C.
<i>Aleurothrixus myrtacei</i> Bondar (Aleyrodidae):	do			1	D.C.
<i>Gardenia augusta</i> (leaf)	do			1	D.C.
<i>Aleurotuberculatus similis</i> Takah. (Aleyrodidae):	do			1	D.C.
<i>Camellia japonica</i> var. <i>rusticana</i>	do			1	D.C.
<i>Ilex crenata</i> <i>radicans</i>	do			1	D.C.
<i>I. leptacantha</i>	do			1	D.C.
<i>Aleyrodes proletella</i> L. (Aleyrodidae):	do			1	D.C.
<i>Clematis</i> hybrid	England			1	N.J.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Alpheias conspirata</i> Hein. (Galleriidae):	Mexico.....	1	-----	-----	Tex.
<i>Ananas comosus</i> (pineapple)	-----	-----	-----	-----	-----
<i>Amphimallon majalis</i> Raz. (Scarabaeidae):	France, unknown.....	-----	2	-----	N.J., N.Y.
Airplane.....	-----	-----	-----	-----	-----
<i>Amyna natalis</i> (Wlk.) (Noctuidae):	Japan.....	-----	1	-----	Hawaii.
Airplane.....	-----	-----	-----	-----	-----
<i>Anacridium aegyptium</i> L. (Acrididae):	-----	-----	-----	-----	-----
Baggage.....	Italy.....	1	-----	-----	N.Y.
<i>Anastrepha ludens</i> (Loew) (Tephritidae):	-----	-----	-----	-----	-----
<i>Calocarpum sapota</i> (mamey sapote)	Mexico.....	4	-----	-----	Ariz., N.Y.
<i>Casimiroa edulis</i> (white sapote)	do.....	1	-----	-----	Tex.
<i>Citrus aurantifolia</i> (sweet lime)	do.....	8	-----	-----	Ariz., Calif., Tex.
-----	do.....	1	-----	-----	Tex.
<i>C. aurantium</i> (sour orange)	do.....	11	-----	-----	Tex.
<i>C. paradisi</i> (grapefruit)	do.....	93	9	-----	Ala., Ariz., Calif., Fla., La., N.Y., Tex., Va.
<i>C. sinensis</i> (sweet orange)	Guatemala, Mexico, unknown.	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
<i>Cydonia oblonga</i> (quince)	Mexico.....	1	-----	-----	Tex.
<i>Malus sylvestris</i> (apple)	do.....	2	-----	-----	Tex.
<i>Mangifera indica</i> (mango)	Guatemala, Mexico.....	27	1	-----	Ariz., Calif., Fla., Ill., La., Tex.
-----	-----	-----	-----	-----	-----
<i>Prunus persica</i> (peach)	Mexico.....	2	-----	-----	Tex.
<i>Punica granatum</i> (pomegranate)	do.....	4	-----	-----	Ariz., Tex.
<i>Pyrus communis</i> (pear)	do.....	5	1	-----	Tex.
<i>Anastrepha mombinpraetians</i> Sein (Tephritidae):	-----	-----	-----	-----	-----
<i>Achras zapota</i> (sapidilla)	Curacao.....	1	-----	-----	N.Y.
<i>Mangifera indica</i> (mango)	Bahamas, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico.	78	17	-----	Ala., Calif., Fla., La., Ill., Mass., N.Y., Pa., P.R., S.C. Tex.
-----	-----	-----	-----	-----	-----
<i>Psidium guajava</i> (guava)	Puerto Rico.....	1	-----	-----	N.Y.
<i>Spondias mombin</i> (yellow mombin)	Bahamas, Costa Rica, El Salvador, Guatemala, Nicaragua, Puerto Rico.	14	-----	-----	Calif., * Fla., P.R.
-----	-----	-----	-----	-----	-----
<i>Spondias purpurea</i> (purple mombin)	El Salvador, Guatemala, Mexico, Panama.	6	-----	-----	Fla., Tex.
-----	-----	-----	-----	-----	-----
<i>Spondias</i> sp. (mombin)	Guatemala.....	2	-----	-----	La.
<i>Terminalia catappa</i> (tropical almond)	Jamaica.....	1	-----	-----	Calif.*
<i>Anastrepha serpentina</i> (Wied.) (Tephritidae):	-----	-----	-----	-----	-----
<i>Achras zapota</i> (sapidilla)	Nicaragua.....	1	-----	-----	Calif.*
<i>Calocarpum sapota</i> (mamey sapote)	El Salvador.....	1	-----	-----	Calif.*
<i>Anastrepha striata</i> Schin. (Tephritidae):	-----	-----	-----	-----	-----
<i>Psidium guajava</i> (guava)	do.....	1	-----	-----	Calif.*
<i>Anastrepha suspensa</i> (Loew) (?) (Tephritidae):	-----	-----	-----	-----	-----
<i>Psidium guajava</i> (guava)	Puerto Rico.....	1	-----	-----	P.R.
<i>Psidium</i> sp.	Haiti.....	1	-----	-----	Fla.
<i>Anechura vara</i> Scudd. (Forficulidae):	-----	-----	-----	-----	-----
Orchid.....	Mexico.....	-----	-----	1	Tex.
<i>Anomala orientalis</i> Waterh. (Scarabaeidae):	-----	-----	-----	-----	-----
Airplane.....	Haiti, Japan.....	-----	2	-----	Fla., Hawaii.
<i>Iris tingitana</i> x <i>I. xiphioides</i> 'Wedgewood'	Israel.....	-----	1	-----	D.C.
<i>Anthonomus abbotineatus</i> Champ. (Curculionidae):	-----	-----	-----	-----	-----
Bromeliad.....	Mexico.....	-----	-----	1	Tex.
<i>Antonia graminis</i> Mask. (Coccidae):	-----	-----	-----	-----	-----
<i>Pterostylis</i> sp. (orchid)	Singapore.....	-----	-----	1	Hawaii.*
<i>Aonidiella inornata</i> McKenzie (Coccidae):	-----	-----	-----	-----	-----
Palm (leaf)	Japan.....	-----	1	-----	Calif.*
<i>Apion carduorum</i> Kirby (Curculionidae):	-----	-----	-----	-----	-----
<i>Cynara scolymus</i> (globe artichoke)	France, Italy.....	1	2	-----	N.Y.
<i>Araceus teripennis</i> Jord. (Anthribidae):	-----	-----	-----	-----	-----
<i>Leucaena glauca</i>	Hawaii.....	1	-----	-----	Hawaii.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of inter-ceptions in—			Collected in—
		Consump- tion	Nonentry	Propaga- tion	
<i>Archips pronubanus</i> (Hbn.) (?) (Tortricidae):					
<i>Diospyros</i> sp. (persimmon)	Italy	1			N.Y.
<i>Jasminum</i> sp. (jasmine)	do.			2	N.Y.
<i>Prunus domestica</i> (plum)	Portugal	1			N.Y.
<i>Punica granatum</i> (pomegranate)	Greece, Italy	2			N.Y.
<i>Arcte coerula</i> (Guen.) (Noctuidae):					
Airplane	Japan(?)		1		Hawaii.
<i>Ardis sulcata</i> (Cam.) (Tenthredinidae):					
<i>Rosa</i> hybrid	Italy, Portugal	1		1	Mass.
<i>Argyresthia confugella</i> (Zell.) (Hyponomeutidae):					
<i>Malus sylvestris</i> (apple)	France(?), Germany, Norway, Sweden, unknown.	13	1		Calif., *N.Y.
<i>Arion ater</i> (L.) (Arionidae):					
<i>Brassica oleracea capitata</i> (cabbage)	Azores, Portugal		2		Fla., N.Y.
<i>Lactuca sativa</i> (lettuce)	France, Spain		2		N.Y.
<i>Urginea maritima</i> (shore drugsquill)	Portugal			1	D.C.
<i>Aspidiotus palmarum</i> Ckll. (Coccidae):					
<i>Cocos nucifera</i> (coconut)	Mexico	1			Calif. *
<i>Asterolecanium epidendri</i> (Bouché) (Coccidae):					
Orchid	Brazil			1	Fla.
<i>Athesapeuta cyperi</i> Mshl. (Curculionidae):					
<i>Vanda</i> sp. (orchid) flowers	Hawaii	2			Hawaii.
<i>Aulacoscelis melanocera</i> Dup. & Chevr. (Chrysomelidae):					
<i>Dioon edule</i>	Mexico			1	Tex.
<i>Baris lepidii</i> Germ. (Curculionidae):					
<i>Armoracia rusticana</i> (horseradish)	Austria, Yugoslavia	1		1	N.Y.
<i>Batrachedra linearis</i> Clarke (Cosmopterygidae):					
<i>Agave shawii</i>	Mexico			1	Calif.
<i>Bemisia giffardi</i> (Kot.) (Aleyrodidae):					
<i>Citrus sinensis</i> (sweet orange) leaf	Hawaii			1	Hawaii.
<i>Bephrata maculicollis</i> Cam. (Eurytomidae):					
<i>Annona muricata</i> (soursop)	Venezuela		1		Pa.
<i>Bergallia signata</i> (Stal) (Cicadellidae):					
Flowers—mixed	Chile		1		Fla.
<i>Blastodacna atra</i> (Haw.) (Cosmopterygidae):					
<i>Malus sylvestris</i> (apple)	Turkey	1			N.J.
<i>Blissus diplopterus</i> Dist. (Lygaeidae):					
<i>Prunus persica</i> (peach)	Union of South Africa	1			N.Y.
<i>Bothynus cuniculus</i> (Fab.) (Scarabaeidae):					
Quarters (of tanker)	Unknown		1		St. Thomas & St. John.
<i>Brachycerus albidentatus</i> Gyll. (Curculionidae):					
<i>Allium sativum</i> (garlic)	Italy	2			N.Y.
<i>Brachycerus algirus</i> (F.) (Curculionidae):					
<i>Allium sativum</i> (garlic)	Italy, Spain	3			N.Y.
<i>Bradybaena similis</i> (Fer.) (Bradybaenidae):					
<i>Celosia</i> sp. (cockscorn)	Mexico	1			Tex.
<i>Eryngium foetidum</i>	Cuba	1			Fla.
Flowers—mixed	Hawaii	4			Hawaii.
<i>Licuala</i> sp. (palm)	Cuba	1			N.Y.
<i>Mentha</i> sp. (mint)	Bermuda	1			N.Y.
Orchid	Brazil, Hawaii		2		Calif., * Fla.
Soil with plants	Bermuda, Brazil		1		Fla., N.Y.
<i>Tagetes florida</i> (marigold)	Bermuda	1			N.Y.
<i>Vanda joaquimiae</i> (orchid)	Hawaii	2			Hawaii.
<i>Vanda</i> sp.	do.	9		2	Calif., * Ha- wail.
<i>Brevipalpus chilensis</i> Baker (Tenuipalpidae):					
<i>Annona reticulata</i> (custard-apple)	Chile	1			Fla.
<i>Citrus sinensis</i> (sweet orange)	do.		1		Fla.
<i>Vitis</i> sp. (grape)	do.	39			N.Y.
<i>Brevipalpus obovatus</i> Donn. (Tenuipalpidae):					
<i>Citrus reticulata</i> (Mandarin orange)	Argentina		1		Fla.
<i>Crassula</i> sp.	Netherlands			1	D.C.
Palm	Japan		1		Calif. *
<i>Rhododendron</i> sp.	do.			1	D.C.
<i>Rosa</i> hybrid	Argentina		1		Fla.
<i>Vitis</i> sp. (grape)	Chile	2			N.Y.
<i>Bruchidius trifolii</i> (Mots.) (Bruchidae):					
<i>Trifolium incarnatum</i> (crimson clover) seed	Italy			1	S.C.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Bruchus affinis</i> Froel. (Bruchidae):					
<i>Lathyrus latifolius</i> (perennial pea).....	Denmark, France.....			2	Minn., N.J.
<i>Lathyrus</i> sp. (seed).....	Netherlands.....			1	N.J.
<i>Bruchus dentipes</i> (Baudi) (Bruchidae):					
<i>Vicia faba</i> (broadbean).....	Greece.....		1		N.O.
<i>Bruchus guttalis</i> Rey (Bruchidae):					
<i>Vigna sativa</i> (vetch) straw jacket.....	France.....	1			N.Y.
<i>Bruchus lentis</i> Froel. (Bruchidae):					
<i>Lens culinaris</i> (lentil).....	Italy.....		1		N.Y.
<i>Bruchus signaticornis</i> Gyll. (Bruchidae):					
<i>Lens culinaris</i> (lentil).....	do.....	1			N.Y.
<i>Bruchus tristis</i> Boh. (Bruchidae):					
<i>Lathyrus</i> sp. (seed).....	do.....	1			Ill.
<i>Vicia faba</i> (broadbean).....	do.....	1			N.Y.
<i>Cactophagus validirostris</i> (Gyll.) (Curculionidae):					
<i>Philodendron hastatum</i>	Mexico.....	1			Tex.
<i>Callidium rufipenne</i> Motsch. (Cerambycidae):					
<i>Camellia japonica</i>	Japan.....	1			N.J.
Wood—unidentified.....	do.....	1	1		Fla., Hawaii
<i>Callosobruchus analis</i> (F.) (Bruchidae):					
<i>Cicer arietinum</i> (chickpea).....	Hong Kong.....	1			N.Y.
<i>Pisum sativum</i> (pea).....	China.....		1		Wash.
<i>Callosobruchus phaseoli</i> (Gyll.) (Bruchidae):					
<i>Dolichos lablab</i> (hyacinth bean).....	Republic of the Congo.....	1			N.Y.
<i>Phaseolus vulgaris</i> (bean).....	Cape Verde Islands.....	3			N.Y.
<i>Sesbania</i> sp. (flowers).....	Hawaii.....	1			Hawaii.
<i>Callosobruchus subinnotatus</i> (Pic) (Bruchidae):					
<i>Phaseolus vulgaris</i> (bean).....	Cape Verde Islands.....	1			N.Y.
<i>Calyptocephala gerstaeckeri</i> Boh. (Chrysomelidae):					
<i>Chamaedorea oblongata</i> (palm).....	Mexico.....	1			Tex.
<i>Calyptocephala marginipennis</i> Boh. (Chrysomelidae):					
<i>Chamaedorea elegans</i> (palm).....	do.....	2			Tex.
<i>Capaneus tetricus</i> Stal (Coreidae):					
<i>Bromelia</i> sp.....	do.....			1	Tex.
<i>Carposina nipponensis</i> Wghm. (Carposinidae):					
<i>Malus sylvestris</i> (apple).....	Japan.....		2		Calif.,* Hawaii.
<i>Prunus domestica</i> (plum).....	Hong Kong.....	1			Mich.
<i>Caryedon fuscus</i> (Goeze) (Bruchidae):					
<i>Tamarindus indica</i> (tamarind).....	Republic of the Congo, Philippines.....	2			Hawaii, N.Y.
<i>Cassida nebulosa</i> (L.) (Chrysomelidae):					
Moss (packing).....	Netherlands.....			1	N.J.
<i>Cassida sanguinolenta</i> Müll. (Chrysomelidae):					
<i>Cynara scolymus</i> (globe artichoke).....	Italy.....			1	N.Y.
<i>Cassida vibex</i> L. (Chrysomelidae):					
<i>Cynara scolymus</i> (globe artichoke).....	do.....	1			N.Y.
<i>Catacanthus carennoi</i> (LeGuillou) (Pentatomidae):					
Airplane.....	Formosa.....		1		Hawaii.
<i>Catoroma herbarium</i> Gorham (Anobiidae):					
Burlap.....	Hawaii.....	1			Pa.
<i>Ceclioidea acicula</i> (Müller) (Achatinidae):					
Soil.....	Germany.....	1			Mich.
Soil with various plants.....	Italy, Panama, Turkey.....			5	Fla., Mass.
Trifolium sp. (clover).....	Greece.....			1	Mass.
<i>Cepaea nemoralis</i> (L.) (Helicidae):					
Automobile.....	England.....	1			Md.
<i>Cephaloleta pretiosa</i> Baly (Chrysomelidae):					
<i>Musa paradisica</i> (plantain).....	Panama.....	1			N.Y.
<i>Ceratitis capitata</i> (Wied.) (Tephritidae):					
Baggage (with <i>Castanea</i> sp.).....	Italy.....	1			N.Y.
<i>Citrus limon</i> (lemon).....	Greece.....	1			N.Y.
<i>C. paradisi</i> (grapefruit).....	Cyprus, Italy, Turkey.....	1	2		Fla., N.Y., N.C.
<i>C. reticulata</i> (Mandarin orange).....	Algeria, Italy, Spain, Tunisia.....	4	3		Fla., N.Y., Tex.
<i>C. sinensis</i> (sweet orange).....	Brazil, Israel, Italy, Portugal, Spain, Union of South Africa.....	8	10		Fla., Ga., Md., Mass., N.J., N.Y., Pa., Tex.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>eratilis capitata</i> —Continued					
<i>Coffea arabica</i> (Arabian coffee).....	Brazil, Hawaii.....	30	-----	-----	Calif., * Fla., Hawaii.
<i>Coffea</i> sp.....	Brazil.....	4	-----	-----	Fla., N.Y.
<i>Cydonia oblonga</i> (quince).....	Greece, Italy, Lebanon.....	5	-----	-----	N.Y.
<i>Diospyros</i> sp. (persimmon).....	Italy.....	4	-----	-----	N.Y.
<i>Eriobotrya japonica</i> (loquat).....	Azores, Italy.....	3	-----	-----	Mass., N.Y.
<i>Eugenia uniflora</i> (pitanga).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Ficus carica</i> (fig).....	Argentina, Greece, Israel, Italy, United Arab Republic.....	16	-----	-----	Fla., Mass., N.Y.
Fruit—unidentified.....	Hawaii.....	2	-----	-----	Hawaii.
<i>Malus sylvestris</i> (apple).....	Azores, Israel, Italy, Portugal.....	6	4	-----	Fla., Mass., N.Y.
<i>Malus</i> sp.....	Azores, Italy.....	3	1	-----	N.Y.
<i>Opuntia humifusa</i> (pricklypear).....	Italy.....	8	-----	-----	N.Y.
<i>Opuntia</i> sp. (cactus) fruit.....	do.....	2	-----	-----	N.Y.
<i>Phaleria papuana</i> (seed of fruit).....	Indonesia.....	-----	-----	1	D.C.
<i>Prunus armeniaca</i> (apricot).....	Italy.....	-----	1	-----	N.Y.
<i>P. domestica</i> (plum).....	Unknown.....	1	-----	-----	Fla., Mass., N.Y., P.R.
<i>P. persica</i> (peach).....	Azores, Greece, Italy, Portugal, Spain, Union of South Africa, unknown.....	16	14	-----	Mass., N.Y. Hawaii, N.Y. Mass., N.J., N.Y. Fla. N.Y.
<i>Psidium guajava</i> (guava).....	Azores, Israel, Portugal.....	4	-----	-----	Mass., N.Y.
<i>Punica granatum</i> (pomegranate).....	Hawaii, Israel, Italy.....	3	-----	-----	Hawaii, N.Y.
<i>Pyrus communis</i> (pear).....	Azores, Greece, Hungary, Italy, unknown.....	10	2	-----	Mass., N.J., N.Y.
Quarters (on window).....	Unknown.....	-----	1	-----	Fla.
<i>Vitis</i> sp. (grape).....	do.....	-----	1	-----	N.Y.
<i>Ceratitis capitata</i> (Wied.) (?) (Tephritidae):	do.....	-----	1	-----	N.J.
<i>Citrus sinensis</i> (sweet orange).....	Hawaii.....	5	-----	-----	Hawaii.
<i>Coffea arabica</i> (Arabian coffee).....	Greece, Italy.....	3	-----	-----	N.Y.
<i>Ficus carica</i> (fig).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Lycopersicon esculentum</i> (tomato).....	Portugal.....	1	-----	-----	Mass.
<i>Passiflora</i> sp. (passionflower) fruit.....	Italy.....	1	-----	-----	N.Y.
<i>Prunus persica</i> (peach).....	Italy.....	1	-----	-----	N.Y.
<i>Psidium guajava</i> (guava).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Vitis</i> sp. (grape).....	Union of South Africa.....	1	-----	-----	N.Y.
<i>Cercenota anonella</i> (Sepp) (Stenomidae):					
<i>Annona muricata</i> (sourpaw).....	Haiti.....	1	-----	-----	N.Y.
<i>A. reticulata</i> (custard-apple).....	British Honduras.....	1	-----	-----	Fla.
<i>Cerestum unicolor</i> (F.) (Cerambycidae):					
Flowers (leis).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Ceroplastes rubens</i> Mask. (Coccidae):					
<i>Alyxia olivaeformis</i> (maile alyxia).....	do.....	1	-----	-----	Calif. *
<i>Ceratomya ruficornis</i> (Ol.) (Chrysomelidae):					
<i>Cajanus cajan</i> (pigeonpea).....	Puerto Rico.....	1	-----	-----	P.R.
<i>Cucumis sativus</i> (cucumber).....	British West Indies.....	1	-----	-----	St. Croix.
<i>Phaseolus vulgaris</i> (bean).....	Cuba.....	1	-----	-----	Fla.
<i>Ceutorhynchus pleurostigma</i> (Mshl.) (Curculionidae):					
<i>Brassica rapa</i> (turnip).....	France, Italy.....	-----	2	-----	Calif. *
<i>Chalciope hyppasia</i> (Cram.) (Noctuidae):					
Airplane.....	Okinawa.....	-----	1	-----	Hawaii.
<i>Chalepus acuticornis</i> Chap. (Chrysomelidae):					
Airplane.....	Mexico.....	-----	1	-----	Tex.
<i>Chalepus cmoger</i> Cr. (Chrysomelidae):					
Bromeliad.....	Guatemala.....	-----	-----	1	Fla.
<i>Charidotis seminulum</i> (Boh.) (Chrysomelidae):					
<i>Chamaedorea oblongata</i> (palm).....	Mexico.....	1	-----	-----	Tex.
<i>Chamaedorea</i> sp.....	do.....	1	-----	-----	Tex.
<i>Chilo loftini</i> Dyar (Crambidae):					
<i>Saccharum officinarum</i> (sugarcane).....	do.....	14	-----	-----	Ariz., Tex.
<i>Chilo suppressalis</i> (Wlk.) (Crambidae):					
<i>Oryza sativa</i> (rice) straw.....	Hong Kong, Japan, Korea, unknown.....	11	2	-----	Calif., Calif. *, Fla., Hawaii, Tex., Wash.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Chrysolina americana</i> (L.) (Chrysomelidae):					
<i>Rosmarinus officinalis</i> (rosemary).....	Italy.....	1			N.Y.
<i>Chrysomphalus albopictus</i> (Ckll.) (Coccidae):					
<i>Cocos nucifera</i> (coconut).....	Costa Rica.....	1			Calif.*
<i>Chrysomphalus bifasciculatus</i> Ferris (Coccidae):					
<i>Citrus sinensis</i> (sweet orange).....	Japan.....		2		Calif.*
<i>Chrysomphalus calurus</i> (Ckll.) (Coccidae):					
<i>Spondias mombin</i> (yellow mombin).....	Costa Rica, El Salvador, Nicaragua.....	4			Calif.*
<i>Chrysomphalus paulistus</i> (Hempel) (Coccidae):					
<i>Laurus nobilis</i> (Grecian laurel).....	Brazil.....	1			Fla.
<i>Philodendron</i> sp.....	do.....			2	D.C.
<i>Chrysomphalus personatus</i> (Comst.) (Coccidae):					
<i>Citrus aurantifolia</i> (lime).....	Brazil, Costa Rica.....	1	1		Calif.*
<i>Cocos nucifera</i> (coconut).....	Mexico.....	1			Calif.*
<i>Mangifera indica</i> (mango).....	Nicaragua.....	1			Calif.*
<i>Chrysomphalus sphaeroides</i> (Ckll.) (Coccidae):					
<i>Chamaedorea pygmaea</i>	Mexico.....			1	Calif.*
<i>Chrysomphalus umboniferus</i> (Newst.) (Coccidae):					
<i>Cattleya</i> sp. (orchid).....	Costa Rica.....			1	Calif.*
<i>Cigenes delineata</i> (Dist.) (Lygaeidae):					
Bromeliad.....	Mexico.....			1	Tex.
Orchid.....	Central America (country (?)).			1	Tex.
<i>Coccotrypes pygmaeus</i> Eichh. (Scolytidae):					
Palm (seed).....	Brazil.....			1	N.Y.
<i>Coccus pseudomagnoliarum</i> (Kuw.) (Coccidae):					
<i>Citrus aurantium</i> (sour orange).....	Japan.....		1		Calif.*
<i>Coccus viridis</i> (Green) (Coccidae):					
<i>Gardenia augusta</i>	Hawaii.....	16	3	1	Calif.*
<i>G. taitensis</i>	do.....	1			Calif.*
<i>Gardenia</i> sp.....	do.....	1			Calif.*
<i>Cochlicella barbara</i> (L.) (Helicellidae):					
Automobile.....	France.....	1			La.
<i>Citrus limon</i> (lemon).....	Algeria.....		1		Wash.
Military cargo.....	France, Italy, Morocco, Spain.....	26			La., N.Y., S.C., Va.
Seed—mixed.....	Italy.....			1	Mich.
<i>Cochlicella ventrosa</i> (Fer.) (Helicellidae):					
<i>Anthemis nobilis</i> (Roman camomile).....	do.....	1			Calif.*
<i>Citrus limon</i> (lemon).....	Algeria.....		1		Wash.
<i>Lactuca saliva</i> (lettuce).....	Portugal.....	1	1		Mass.
<i>Mentha</i> sp. (mint).....	Bermuda.....	1			N.Y.
Military cargo.....	Bermuda, Italy, Morocco.....	4			Mass., S.C.
<i>Pelargonium</i> sp.....	Azores.....			1	Mass.
<i>Coelonertus nigrirostris</i> Solarí (Curculionidae):					
<i>Chamaedorea</i> sp. (palm).....	Mexico.....	1			Tex.
<i>Conoderus azoricus</i> Farnier (Elateridae):					
Military cargo.....	Azores.....	1			Del.
<i>Conoderus bifoveatus</i> (Palis.) (Elateridae):					
Paper.....	Unknown.....		1		P.R.
<i>Conoderus exsul</i> (Sharp) (Elateridae):					
<i>Anthurium</i> sp.....	Hawaii.....	2			Hawaii.
Foliage.....	do.....	1			Hawaii.
<i>Heliconia</i> sp. (flowers).....	do.....	1			Hawaii.
Mail parcel.....	do.....	1			Hawaii.
Orchid (flowers).....	do.....	1			Hawaii.
<i>Schinus</i> sp. (berry).....	do.....	1			Hawaii.
<i>Vanda</i> sp. (orchid) flowers.....	do.....	3			Hawaii.
<i>Conoderus pallipes</i> (Esch.) (Elateridae):					
Airplane.....	Unknown, Wake Island (?). Chile.....		2		Hawaii.
<i>Conoderus rufangulus</i> (Gyll.) (Elateridae):					
<i>Prunus persica nectarina</i> (nectarine).....	do.....	1			N.Y.
<i>Vitis</i> sp. (grape).....	do.....	11			N.Y.
<i>Conotellus mexicanus</i> Murr. (Nitidulidae):					
<i>Chrysanthemum</i> sp. (flowers).....	Mexico.....	1			Tex.
Herbarium specimens.....	Guatemala.....	1			Tex.
<i>Plumeria</i> sp.....	Hawaii.....	1			Hawaii.
<i>Vanda joaquimiae</i> (orchid) flowers.....	do.....	1			Hawaii.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Conotrachelus aguacatae</i> Barber (Curculionidae):					
<i>Persea americana</i> (avocado).....	Mexico.....	24	1	1	Calif., Tex.
<i>Conotrachelus perseae</i> Barber (Curculionidae):					
<i>Persea americana</i> (avocado).....	Guatemala, Mexico.....	3			Tex.
<i>Copris hispanus</i> L. (Scarabaeidae):					
Crate.....	Morocco (?).....	1			Va.
<i>Coptotermes crossus</i> Snyder (Rhinotermitidae):					
<i>Pinus</i> sp. (pine).....	British Honduras.....	1			La.
<i>Coptotermes vastator</i> Light (Rhinotermitidae):					
<i>Areca catechu</i> (betel palm) nuts.....	Philippines.....	1			Hawaii.
<i>Cordylomera spinicornis</i> (F.) (Cerambycidae):					
<i>Khaya</i> sp. (African mahogany).....	Union of South Africa.....	1			La.
<i>Corythaica carinata</i> Uhler (Tingidae):					
<i>Lippia reptans</i> (leaf).....	Cuba.....	1			Fla.
<i>Cosmopolites sordidus</i> (Germ.) (Curculionidae):					
<i>Musa paradisiaca</i> (plantain).....	Netherlands New Guinea, New Guinea.....			2	D.C.
<i>Crambus ligonellus</i> Zell. (Crambidae):					
Airplane.....	Puerto Rico.....		1		P.R.
<i>Cretonotos gangis</i> (L.) (Arctiidae):					
Airplane.....	Unknown.....		1		Hawaii.
<i>Cryphula apaticus</i> (Dist.) (Lygaeidae):					
Orchid (plant).....	Honduras.....			1	Fla.
<i>Cryphula fasciata</i> (Dist.) (Lygaeidae):					
<i>Isochilus major</i> (orchid).....	Canal Zone.....			1	Hawaii.
<i>Cryptoblabes gnidiella</i> (Mill.) (Phycitidae):					
<i>Citrus limon</i> (lemon).....	Portugal.....		1		Mass.
<i>C. sinensis</i> (sweet orange).....	Italy, Portugal.....	2	2		Fla., N.Y.
<i>Prunus persica</i> (peach).....	Italy.....		1		N.Y.
<i>Punica granatum</i> (pomegranate).....	Greece, Israel, Italy, Lebanon, Portugal, Spain.....	30			N.Y.
<i>Cryptophthalmus zerampelinus</i> Suffr. (Chrysomelidae):					
<i>Gardenia augusta</i> (flower).....	Cuba.....	1			N.Y.
<i>Cryptophlebia illepidia</i> (Btlr.) (Olethreutidae):					
<i>Coffea arabica</i> (Arabian coffee).....	Hawaii.....	1			Hawaii.
<i>Macadamia ternifolia</i>	do.....	1			Hawaii.
<i>Cryptophlebia leucotreta</i> (Meyr.) (Olethreutidae):					
<i>Capsicum frutescens grossum</i> (bell pepper).....	Republic of the Congo.....		1		Md.
<i>Citrus sinensis</i> (sweet orange).....	Union of South Africa.....		1		Fla.
<i>Cryptotermes brevis</i> (Wlk.) (Kalotermitidae):					
Clothing.....	Hawaii.....	1			Hawaii.
<i>Triticum aestivum</i> (wheat).....	Brazil.....	1			Fla.
<i>Ctenochira hectica</i> (Boh.) (Chrysomelidae):					
<i>Chamaedorea elegans</i> (palm).....	Mexico.....	1			Tex.
<i>Ctenochira hierglyphica</i> (Boh.) (Chrysomelidae):					
<i>Chamaedorea elegans</i> (palm).....	do.....	1			Tex.
<i>Ctenochira plicata</i> (Boh.) (Chrysomelidae):					
<i>Chamaedorea oblongata</i> (palm) leaf.....	do.....	1			Tex.
<i>Curculio elephas</i> (Gyll.) (Curculionidae):					
<i>Castanea sativa</i> (European chestnut).....	France, Italy.....	7	1		N.Y., P.R.
<i>Castanea</i> sp. (chestnut).....	Italy, Portugal, Spain.....	12	1		Calif., *N.Y., Pa.
<i>Quercus cerris</i> (European Turkey oak).....	Italy.....			1	N.J.
<i>Curculio nucum</i> L. (Curculionidae):					
<i>Corylus avellana</i> (filbert).....	Italy, Poland.....	1		1	N.J., N.Y.
<i>Corylus</i> sp. (hazelnut).....	Italy.....	2			N.Y.
<i>Cylas formicarius</i> (F.) (Curculionidae):					
<i>Ipomoea batatas</i> (sweetpotato).....	Hong Kong, Philippines.....	6		1	Hawaii.
<i>Cylas formicarius</i> (F.) var. (Curculionidae):					
<i>Ipomoea batatas</i> (sweetpotato).....	Dominican Republic, Federation of Malaya, Hong Kong, Japan, Philippines, Singapore, Thailand, Thailand.....	12	2		Hawaii, N.Y., Oreg.
<i>Ipomoea</i> sp.....		1			Hawaii.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Cylas formicarius elegantulus</i> (Summers) (Curculionidae):					
Baggage (with <i>Ananas comosus</i>)	Hawaii	1			Hawaii.
<i>Ipomoea batatas</i> (sweetpotato)	Antigua, Cuba, Curaçao, Dominican Republic, Guatemala, Haiti, Mexico.	14	12		Ala., Fla., Ga., Mass., N.Y., N.C., Pa., St. Croix, Tex. Tex.
<i>Ipomoea</i> sp.	Cuba		1		
<i>Cylas formicarius formicarius</i> (F.) (Curculionidae):					
<i>Ipomoea batatas</i> (sweetpotato)	China, Hong Kong	3			Hawaii.
<i>Dacus cucurbitae</i> (Coq.) (Tephritidae):	Hawaii		1		Calif.*
<i>Lycopersicon esculentum</i> (tomato):					
<i>Dacus dorsalis</i> Hend. (Tephritidae):	do	1			Hawaii.
<i>Carica papaya</i> (papaya)	do	3	2		Calif.,* Hawaii.
<i>Mangifera indica</i> (mango)	do	2			Calif.*
<i>Persea americana</i> (avocado)	do	1			Calif.*
<i>Psidium guajava</i> (guava)	Guam	1			Calif.*
<i>Terminalia catappa</i> (tropical almond)	Hawaii	1			Hawaii.
<i>Dacus dorsalis</i> Hend. (?) (Tephritidae):					
<i>Coffea arabica</i> (Arabian coffee)	do	2			Hawaii.
<i>Mangifera indica</i> (mango)	do	2			Hawaii.
<i>Passiflora</i> sp. (passionflower) fruit	do	1			Calif.*
<i>Dacus oleae</i> (Gmel.) (Tephritidae):					
<i>Olea europaea</i> (olive)	Greece, Israel, Italy, Lebanon, United Arab Republic.	52			Mass., Mich., N.Y.
<i>Deloyala guttata bohemani</i> Spaeth (Chrysomelidae):					
<i>Chamaedorea oblongata</i> (palm) leaf	Mexico	1			Tex.
Orchid	do		1		Tex.
<i>Delphacodes teapae</i> (Fowler) (Delphacidae):					
<i>Echinodorus</i> sp.	Peru		1		Fla.
<i>Dendrocoris variegatus</i> Nelson (Pentatomidae):					
Bromeliad	Mexico		1		Ariz.
Orchid	do		1		Tex.
<i>Dercynus micronyx</i> Champ. (Curculionidae):					
<i>Brownea grandiflora</i> (seed)	Trinidad		1		Fla.
<i>Deuterocampta atomaculata</i> Stal (Chrysomelidae):					
<i>Chamaedorea elegans</i> (palm) leaf	Mexico	1			Tex.
<i>Diabrotica lepida</i> (Say) (Chrysomelidae):					
Orchid	do		1		Tex.
<i>Diabrotica porracea</i> Har. (Chrysomelidae):					
Bromeliad	do		1		Ariz.
<i>Diachus auratus</i> F. (Chrysomelidae):					
<i>Agave victoriae-reginae</i>	do		1		Tex.
<i>Dialeurodes chittendeni</i> Laing (Aleyrodidae):					
<i>Rhododendron</i> sp.	Netherlands		31		N.J., N.Y.
<i>Dialeurodes citrifolii</i> (Morg.) (Aleyrodidae):					
<i>Citrus sinensis</i> (sweet orange) leaf	Cuba	1			Fla.
<i>Citrus</i> sp. (leaf)	El Salvador, Mexico	2			Calif.,* Tex.
<i>Dialeurodes kirkaldyi</i> (Kot.) (Aleyrodidae):					
<i>Gardenia augusta</i> (leaf)	Lebanon		1		N.Y.
<i>Jasminum sambac</i> (Arabian jasmine)	Hawaii		1		Hawaii.
<i>Jasminum</i> sp.	Hawaii, Hong Kong		2		Hawaii.
<i>Dialeurodes vulgaris</i> Singh (?) (Aleyrodidae):					
<i>Jasminum</i> sp. (jasmine)	India		1		Wash.
<i>Diaphania itysalis</i> (Wlk.) (Pyraustidae):					
Airplane	Japan(?)		1		Hawaii.
<i>Diaprepes abbreviatus</i> (L.) var. (Curculionidae):					
<i>Cajanus cajan</i> (pigeonpea)	Puerto Rico	1			P.R.
<i>Diaprepes famelicus</i> (Ol.) var. (Curculionidae):					
<i>Amaryllis</i> sp. (flower)	Bermuda	1			N.Y.
<i>Dictyophorus spumans</i> (Thunb.) (Acrididae):					
None (live entomological specimen)	Union of South Africa	1			N.Y.
<i>Dicyphus annulatus</i> (Wolff) (Miridae):					
<i>Lactuca sativa</i> (lettuce)	Italy		1		Tex.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Dicyphus stachydis</i> Reut. (Miridae):					
<i>Rumex</i> sp. (dock).....	Ireland.....	-----	-----	1	N.Y.
<i>Dinoderus bifoveolatus</i> (Woll.) (Bostrichidae):					
<i>Lonchocarpus</i> sp. (?).....	Peru.....	1	-----	-----	N.Y.
<i>Diocalandra taitensis</i> (Guer.) (Curculionidae):					
Airplane.....	Unknown.....	-----	1	-----	Hawaii.
<i>Cocos nucifera</i> (coconut).....	Hawaii.....	5	-----	-----	Hawaii.
<i>Dynatopechus calandroides</i> Zimm. (Curculionidae):					
<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	-----do-----	1	-----	-----	Hawaii.
<i>Dyscinetus laevipunctatus</i> Bates (Scarabaeidae):					
Automobile.....	Mexico.....	-----	1	-----	Tex.
<i>Dyspessa ulula</i> (Bkh.) (Cossidae):					
<i>Allium sativum</i> (garlic).....	Italy, Spain.....	12	-----	-----	La., N.Y., P.R.
<i>Ectomyelois ceratoniae</i> (Zell.) (Phycitidae):					
<i>Cassia</i> sp. (senna).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Ceratonia siliqua</i> (carob) bean.....	Italy, Lebanon.....	3	-----	-----	N.Y.
<i>Cydonia oblonga</i> (quince).....	Greece.....	1	-----	-----	N.Y.
<i>Eriobotrya japonica</i> (loquat).....	Italy.....	1	-----	-----	N.Y.
<i>Juglans regia</i> (English walnut).....	Greece.....	1	-----	-----	N.Y.
<i>Juglans</i> sp. (walnut).....	Italy, Portugal.....	2	-----	-----	N.Y.
<i>Punica granatum</i> (pomegranate).....	Greece, Israel, Italy.....	7	-----	-----	Mass., N.Y.
<i>Pyrus communis</i> (pear).....	Italy.....	1	-----	-----	N.Y.
<i>Samanea saman</i> (raintree saman) pod.....	Hawaii.....	1	-----	-----	Hawaii.
<i>Tamarindus indica</i> (tamarind) pod.....	Jamaica, Japan (?), Philippines.....	2	-----	1	Fla., Wash.
<i>Ectomyelois muriscis</i> (Dyar) (Phycitidae):					
<i>Ceratonia siliqua</i> (carob) pod.....	Jamaica.....	1	-----	-----	Tex.
<i>Enterolobium cyclocarpum</i>	Mexico.....	-----	-----	1	Tex.
<i>Edessa rufomarginata</i> (DeGeer) (Pentatomidae):					
Cargo.....	British Honduras.....	1	-----	-----	Fla.
<i>Empoasca flavescens</i> (F.) (Cicadellidae):					
Plants—undetermined.....	Netherlands.....	-----	-----	1	N.J.
<i>Ephestia calidella</i> (Guen.) (Phycitidae):					
<i>Ceratonia siliqua</i> (carob).....	Italy.....	1	-----	-----	N.Y.
<i>Epichorista ionephela</i> (Meyr.) (Tortricidae):					
<i>Ornithogalum thyrsoides</i> (Cape chinkerichee).....	Union of South Africa.....	3	-----	-----	N.Y.
<i>Epilachna borealis</i> (F.) var. (Coccinellidae):					
Orchid.....	Mexico.....	-----	-----	1	Tex.
<i>Epilachna mexicana</i> (Guer.) (Coccinellidae):					
<i>Pinus</i> sp. (pine) cone.....	-----do-----	1	-----	-----	Tex.
<i>Epinotia aporema</i> (Wism.) (Olethreutidae):					
<i>Lycopersicon esculentum</i> (tomato).....	-----do-----	1	-----	-----	Tex.
<i>Phaseolus vulgaris</i> var. (string bean).....	-----do-----	1	1	-----	Tex.
<i>Vigna sinensis</i> (cowpea).....	Argentina.....	1	-----	-----	Fla.
<i>Eriophyes canestrinii</i> (Nal.) (Eriophyidae):					
<i>Buxus sempervirens</i> (common boxwood).....	Netherlands.....	-----	-----	3	N.J.
<i>Ernobius abietis</i> F. (Anobiidae):					
<i>Picea</i> sp. (?) cones.....	Germany.....	1	-----	-----	Md.
<i>Eutheola rugiceps</i> (LeC.) (Scarabaeidae):					
Airplane.....	Unknown.....	-----	1	-----	Hawaii.
<i>Euleia heraclei</i> (F.) (?) (Tephritidae):					
<i>Apium graveolens</i> (celery).....	England.....	-----	1	-----	N.Y.
<i>Euricania splendida</i> (Fab.) (Ricanidae):					
Airplane.....	Unknown.....	-----	1	-----	Hawaii.
<i>Euscepes postfasciatus</i> (Fairm.) (Curculionidae):					
Baggage (with <i>Ananas comosus</i>).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Ipomoea batatas</i> (sweetpotato).....	Barbados, Brazil, Japan, Puerto Rico, Trinidad.....	4	8	-----	Ala., Hawaii, N.Y., Pa.
Mail (peanuts and cut flowers).....	Hawaii.....	3	-----	-----	Hawaii.
<i>Eteres comyntas</i> (Godt.) (Lycenidae):					
<i>Phaseolus vulgaris</i> var. (string bean).....	Mexico.....	2	-----	-----	Tex.
<i>Evergessis forficata</i> (L.) (Pyraustidae):					
<i>Brassica oleracea</i>	Belgium.....	-----	1	-----	Tex.
<i>B. oleracea botrytis</i> (cauliflower).....	France, Norway.....	-----	2	-----	N.Y.
<i>B. oleracea capitata</i> (cabbage).....	Belgium, France.....	-----	2	-----	N.Y., Tex.
<i>Ectelia tessulata</i> Stmgr. (?) (Olethreutidae):					
<i>Cupressus</i> sp. (cypress) cones.....	France.....	1	-----	-----	N.Y.
<i>Erptophiomera formosa</i> (Dist.) (Lygaeidae):					
Orchid.....	Mexico.....	-----	-----	2	Tex.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Exptochiomeria oblonga</i> (Stal) (Lygaeidae):					
<i>Gossypium</i> sp. (cottonseed)	Mexico	1			Ariz.
<i>Fieberocapsus flaveolus</i> (Reut.) (?) (Miridae):					
<i>Calluna vulgaris</i> (heather)	Scotland	1			N.Y.
<i>Fiorinia theae</i> Green (Coccidae):					
<i>Camellia granthaminana</i>	Hong Kong			1	D.C.
<i>Forficula aetolica</i> Brunn. (Forficulidae):					
<i>Punica granatum</i> (pomegranate)	Greece	1			N.Y.
<i>Frankliniella formosae</i> Mlt. (Thripidae):					
<i>Arctotis stoechadifolia</i>	Japan	1			Hawaii.
<i>Chrysanthemum</i> sp.	do	5	2		Hawaii.
<i>Citrus</i> sp. (peel)	Hong Kong	1	1		Hawaii.
<i>Dianthus caryophyllus</i> (carnation)	Japan	20	3		Hawaii.
<i>Dianthus</i> sp.	do		3		Hawaii.
Flowers (lei)	Fiji Islands	1			Hawaii.
<i>Gardenia augusta</i>	West Pacific		1		Hawaii.
<i>Gladiolus</i> hybrid	Japan		1		Hawaii.
<i>Hyacinthus orientalis</i> (common hyacinth)	do	1			Hawaii.
<i>Lilium longiflorum</i> (Easter lily)	do	1			Hawaii.
<i>L. medeoloides</i> (wheel lily) bulb	do			1	D.C.
<i>Lilium</i> sp.	do	1			Hawaii.
<i>Rosa</i> hybrid	do	2			Hawaii.
<i>Frankliniella intonsa</i> (Tryb.) (Thripidae):					
<i>Callistephus chinensis</i> (China aster)	France	1			N.Y.
<i>Calluna vulgaris</i> (heather) flowers	Germany	1			N.Y.
<i>Chrysanthemum</i> sp. (flowers)	England, Germany, unknown	3	1		N.Y., Pa.
<i>Dianthus caryophyllus</i> (carnation) flowers	Germany, Netherlands, Norway	3			Mass., N.Y.
Flowers—mixed	Denmark, England, France, Germany, Netherlands, Sweden, unknown	8	5		Mass., N.Y.
<i>Gladiolus</i> hybrid (flowers)	Germany	1			N.Y.
<i>Lactuca sativa</i> (lettuce)	Unknown		1		N.Y.
<i>Lathyrus odoratus</i> (sweetpea) flowers	Netherlands		1		N.Y.
Malvaceae (flowers)	France	1			N.Y.
Plants—unidentified	Netherlands			3	N.J.
<i>Rosa</i> hybrid (flowers)	Austria, England, Germany, Poland, Sweden, unknown	9	1	1	Mass., N.Y.
<i>Viola</i> sp. (violet) flowers	Belgium, France	2			N.Y.
<i>Zinnia</i> sp. (flowers)	England	1			Pa.
<i>Frankliniella schultzei</i> (Tryb.) (Thripidae):					
<i>Ornithogalum thyrsoides</i> (Cape chinkerichee)	Union of South Africa	2			N.Y.
<i>Frankliniella tenuicornis</i> (Uzel) (Thripidae):					
<i>Allium sativum</i> (garlic)	Italy	1			P.R.
<i>Oryza sativa</i> (rice) straw rope	Japan	1			Hawaii.
<i>Frankliniella tritici</i> (Fitch) (Thripidae):					
Flowers—mixed	France		1		Mass.
<i>Frankliniella williamsi</i> Hood (Thripidae):					
<i>Eryngium</i> sp.	Mexico	1			N.Y.
<i>Fundella pellucens</i> (Zell.) (Phycitidae):					
<i>Cajanus cajan</i> (pigeonpea)	Barbados, Haiti	2			N.Y.
<i>Gelechia ericetella</i> (Hbn.) (Gelechiidae):					
<i>Calluna vulgaris</i> (heather)	Scotland	2			N.Y.
<i>Geniocremnis chilensis</i> (Boh.) (Curculionidae):					
<i>Prunus domestica</i> (plum)	Chile	2			N.Y.
<i>Prunus persica nectarina</i> (nectarine)	do	1			N.Y.
<i>Geotomus pygmaeus</i> (Dall.) (Cydnidae):					
<i>Biza orellana</i> (anatto tree) seeds	Guam	1			Hawaii.
<i>Gnaphalocrocis medinalis</i> (Guen.) (Pyraustidae):					
Airplane	Midway		1		Hawaii.
<i>Gnorimoschema gudmanella</i> (Wism.) (Gelechiidae):					
<i>Capsicum frutescens</i> (pepper)	Mexico	5			Ariz., Calif.
<i>Gnorimoschema ocellatella</i> (Boyd) (Gelechiidae):					
<i>Beta vulgaris</i> (beet)	France, Israel, United Arab Republic		3		N.Y., Pa., Tex.
Stores	Israel		1		N.Y.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Grapholitha packardii</i> Zell. (Olethreutidae):					
<i>Cydonia oblonga</i> (quince).....	Mexico.....	2			Tex.
<i>Pyrus communis</i> (pear).....	do.....	1			Tex.
<i>Gymnandrosoma aurantianum</i> Costa Lima (Olethreutidae):					
<i>Citrus sinensis</i> (sweet orange).....	Curacao.....		1		N.Y.
<i>Gynaikothrips ficorum</i> (Marchal) (Phlaeothripidae):					
<i>Ficus religiosa</i> (botree fig).....	Mexico.....			1	Ariz.
Soil on automobile fender.....	Cuba.....	1			Fla.
<i>Haplothrips aculeatus</i> (F.) (Phlaeothripidae):					
Plants—unidentified.....	Netherlands.....			1	N.J.
<i>Salix</i> sp. (willow) dwarf tree.....	Japan.....			1	Calif.*
<i>Haplothrips cottei</i> (Vuillet) (Phlaeothripidae):					
<i>Dianthus caryophyllus</i> (carnation).....	Azores.....	1			Mass.
<i>Haplothrips dianthinus</i> Pr. (Phlaeothripidae):					
<i>Zinnia</i> sp. (flowers).....	Unknown.....		1		N.Y.
<i>Haplothrips gowdeyi</i> (Frankl.) (Phlaeothripidae):					
<i>Agapanthus africanus</i> (African agapanthus).....	Japan.....	1			Hawaii.
<i>Begonia</i> sp. (flowers).....	Bermuda.....			1	N.Y.
<i>Canavalia</i> sp. (flowers).....	Hawaii.....	1			Calif.*
<i>Chrysanthemum</i> sp.....	Japan.....	2			Hawaii.
<i>Coffea</i> sp. (cuttings).....	Guatemala.....	1			Fla.
<i>Dianthus caryophyllus</i> (carnation).....	Japan.....	2			Hawaii.
Flowers—mixed.....	American Samoa, Belgium, Israel.....	3			Hawaii, N.Y.
<i>Nerium oleander</i> (oleander).....	Bermuda.....	1			N.Y.
<i>Ornithogalum thyrsoides</i> (Cape chinkerichee).....	Union of South Africa.....	1			N.Y.
<i>Haplothrips nigricornis</i> Bagn. (Phlaeothripidae):					
<i>Ornithogalum thyrsoides</i> (Cape chinkerichee) flowers.....	do.....	1			N.Y.
<i>Haplothrips tritici</i> (Kurdj.) (Phlaeothripidae):					
<i>Triticum aestivum</i> (wheat) spikes.....	Poland.....	1			N.Y.
<i>Helipus lauri</i> Boh. (Curculionidae):					
<i>Persea americana</i> (avocado) seed.....	Costa Rica.....		1		Calif.*
<i>Helicella caperata</i> (Montagu) (Helicellidae):					
<i>Carthamus tinctorius</i> (safflower) seed.....	Portugal.....			1	D.C.
Flowers—mixed.....	France.....	1			N.Y.
Military cargo.....	France, Morocco.....	5			Del., La., Va.
<i>Rubus</i> sp. (blackberry).....	Ireland.....			1	N.Y.
<i>Helicella cespitum</i> (Draparnaud) (Helicellidae):					
Military cargo.....	Libya.....	1			S.C.
<i>Helicella conspurcata</i> (Draparnaud) (Helicellidae):					
<i>Brassica oleracea capitata</i> (cabbage).....	Italy.....		1		N.Y.
<i>Helicella cretica</i> (Fer.) (Helicellidae):					
Military cargo.....	Greece.....	1			La.
<i>Helicella derbentina</i> (Andrezjowski) (Helicellidae):					
Military cargo.....	Turkey.....	3			N.Y., S.C.
<i>Helicella itala</i> (L.) (Helicellidae):					
Baggage.....	Italy.....	1			N.Y.
<i>Petroselinum crispum</i> (parsley).....	do.....	1			N.Y.
<i>Helicella lornacensis</i> Kobelt (?) (Helicellidae):					
Military cargo.....	Greece.....	1			N.Y.
<i>Helicella maritima</i> (Draparnaud) (Helicellidae):					
Military cargo.....	France, Italy, Morocco.....	5			La., N.Y., S.C., Va.
Soil with <i>Chrysanthemum</i> sp. and <i>Dianthus</i> sp. plants.....	Greece.....			1	Mass.
<i>Helicella neglecta</i> (Draparnaud) (Helicellidae):					
Automobiles.....	France.....	1			La.
Cargo—general.....	do.....	1			La.
Military cargo.....	do.....	1			La.
<i>Helicella profuga</i> (Schmidt) (Helicellidae):					
Military cargo.....	Greece.....	1			La.
<i>Helicella pyramidata</i> (Draparnaud) (Helicellidae):					
<i>Lathyrus</i> sp. (seed).....	Italy.....	1			N.Y.
Seed—unidentified.....	do.....			1	Mich.
<i>Helicella striata</i> (Müller) (?) (Helicellidae):					
<i>Capsicum frutescens grossum</i> (bell pepper).....	Spain.....		1		N.Y.
Soil with <i>Commelina</i> sp. and <i>Lonicera</i> sp.....	Greece.....			1	N.Y.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Helicella variabilis</i> (Draparnaud) (Helicellidae):					
Automobiles.....	France.....	1			Tex.
<i>Brassica oleracea capitata</i> (cabbage).....	Portugal.....		1		Fla.
Military cargo.....	France, Libya, Turkey.....	4			N.Y., S.C., Va.
<i>Lathyrus</i> sp. (seed).....	Italy.....	1			N.Y.
<i>Helicella virgata</i> DaCosta (Helicellidae):					
Military cargo.....	Spain.....	1			N.Y.
<i>Helicina zephyrina</i> Duclou (Helicinidae):					
<i>Chamaedorea elegans</i> (palm).....	Mexico.....	1			Tex.
<i>Helix aperta</i> Born (Helicidae):					
Baggage.....	Italy.....	1			N.Y.
<i>Brassica oleracea botrytis</i> (cauliflower).....	do.....		1		N.Y.
<i>B. oleracea capitata</i> (cabbage).....	do.....		1		N.Y.
<i>Helix aspersa</i> (Müller) (Helicidae):					
Automobile.....	Mexico.....		1		Tex.
Baggage.....	Italy.....	2			N.Y.
<i>Brassica oleracea capitata</i> (cabbage).....	Azores.....		1		N.Y.
Cactus.....	Mexico.....			1	N.Y.
<i>Citrus sinensis</i> (sweet orange).....	Azores.....		1		N.Y.
<i>Dianthus caryophyllus</i> (carnation).....	Italy.....	1			N.Y.
Herbs.....	do.....	1			N.Y.
<i>Lactuca sativa</i> (lettuce).....	Spain.....		2		N.Y.
Military cargo.....	France.....	4			La., Va.
None (brought as food).....	Italy.....	1			N.Y.
<i>Rosa</i> hybrid.....	Colombia.....		1		Fla.
<i>Sedum</i> sp.....	England.....		1		N.Y.
<i>Helix figulina</i> Parreyss (?) (Helicidae):					
<i>Brassica oleracea capitata</i> (cabbage).....	Israel.....	1			N.Y.
<i>Helix pomatia</i> L. (Helicidae):					
None (brought as food).....	France.....	1			N.Y.
Soil with <i>Viola</i> sp. (violet).....	Germany.....			1	N.Y.
<i>Helicula undalis</i> (F.) (Pyraustidae):					
<i>Brassica rapa</i> (turnip).....	United Arab Republic.....		2		Md., Pa.
<i>Hemimene juliana</i> (Curt.) (Olethreutidae):					
<i>Castanea</i> sp. (chestnut).....	Italy.....	3			N.Y.
<i>Heterobostrychus aequalis</i> (Waterh.) (Bostrichidae):					
Wood (crate).....	India, Vietnam.....	2			Calif.*
<i>Heterobostrychus brunneus</i> (Murray) (Bostrichidae):					
<i>Zanthoxylum senegalense</i>	Nigeria.....	1			N.Y.
<i>Heterotermes convexinotatus</i> (Snyder) (Rhinotermitidae):					
Bromeliad.....	Mexico.....			2	Tex.
<i>Zamia</i> sp. (cycad).....	do.....			1	Tex.
<i>Hileithia decostalis</i> (Guen.) (Pyraustidae):					
<i>Monstera deliciosa</i>	do.....			1	Tex.
<i>Holcostethus vernalis</i> (Wolff) (Pentatomidae):					
Airplane.....	France.....	1			N.J.
<i>Homoeopamia mexicana</i> (Burm.) (Polyphagidae):					
Orchid.....	Mexico.....			1	Tex.
<i>Hygromia hispida</i> (L.) (Helicellidae):					
Fern.....	Denmark.....			1	N.Y.
<i>Hylurgops palliatus</i> (Gyll.) (Scolytidae):					
<i>Pinus</i> sp. (pine) bark.....	Japan.....		1		Fla.
<i>Hypera nigristris</i> (F.) (Curculionidae):					
<i>Prunus persica</i> (peach).....	Unknown.....		1		N.Y.
<i>Hypera postica</i> (Gyll.) (Curculionidae):					
<i>Aucuba</i> sp.....	Netherlands.....			1	N.J.
<i>Hypoborus ficus</i> Er. (Scolytidae):					
<i>Ficus carica</i> (fig).....	Israel.....			1	N.Y.
<i>Ficus</i> sp.....	Yugoslavia.....			1	N.Y.
<i>Iridomyrmex iniquus</i> Mayr (Formicidae):					
Bromeliad.....	Mexico.....			4	Ariz.
<i>Iridomyrmex pilifer</i> Mayr (Formicidae):					
Orchid.....	Colombia.....			1	N.Y.
<i>Iridothrips iridis</i> (Wats.) (Thripidae):					
<i>Iris</i> sp.....	England.....			1	N.J.
<i>Kaloterms flavicollis</i> (F.) (Kalotermitidae):					
<i>Cydonia oblonga</i> (quince).....	Greece.....	1			Mass.
<i>Lamellaris gracilis</i> (Hutton) (?) (Achatinidae):					
Soil with ferns and palms.....	Ecuador.....			1	Fla.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of in- terceptions in—			Collected in—
		Consump- tion	Nonentry	Propaga- tion	
<i>Lameliazis micra</i> (Orbigny) (Achatinidae):					
Herbs.....	Barbados.....	1			N.Y.
Orchid.....	British Honduras.....			1	Tex.
Soil.....	Dominican Republic.....	1			Fla.
Soil with palm plants.....	Bermuda.....		1		Fla.
Soil with unidentified plants.....	Cuba.....			1	Fla.
<i>Lampides boeticus</i> (L.) (Lycanidae):					
<i>Canavalia</i> sp. (mauna loa) lei.....	Hawaii.....	21			Calif.*
Legume.....	do.....	1			Hawaii.
<i>Pisum sativum</i> (pea).....	Japan.....		3		Calif.*
<i>Sesbania grandiflora</i>	Hawaii.....	1			Calif.*
<i>Sesbania</i> sp.....	do.....	1			Wash.
<i>Strongylodon lucidus</i>	do.....	1			Hawaii.
<i>Lamprolonchaea aurea</i> (Macq.) (Lonchaeidae):					
Airplane.....	do.....		1		Hawaii.
<i>Laspeyresia dorsana</i> (F.) (?) (Olethreutidae):					
<i>Phaseolus vulgaris</i> (bean).....	Italy.....	1			N.Y.
<i>Laspeyresia fabivora</i> Meyr. (Olethreutidae):					
<i>Phaseolus vulgaris</i> var. (string bean).....	Ecuador.....		1		Fla.
<i>Laspeyresia splendana</i> (Hbn.) (Olethreutidae):					
Baggage (with <i>Lilium</i> sp. bulbs).....	Italy.....	1			N.Y.
<i>Castanea sativa</i> (European chestnut).....	do.....	1			N.Y.
<i>Castanea</i> sp. (chestnut).....	Canary Islands, France, Germany, Israel, Italy, Portu- gal, Spain, Yugosla- via.....	62	1		Ala., Mass., N.Y.
<i>Quercus</i> sp. (oak) acorn.....	France.....	1			La.
<i>Laspeyresia strobilella</i> (L.) (Olethreutidae):					
<i>Picea abies</i> (Norway spruce) cone.....	Switzerland.....	1			N.Y.
<i>Picea</i> sp. (spruce) cone.....	England.....	1			N.Y.
<i>Lema erichsoni</i> Suffr. (Chrysomelidae):					
<i>Dahlia</i> hybrid (flower).....	Germany.....	1			N.Y.
<i>Lema melanopa</i> L. (Chrysomelidae):					
<i>Convallaria majalis</i> (lily-of-the-valley).....	Denmark.....			1	N.Y.
<i>Rosa</i> hybrid.....	England.....			1	N.J.
<i>Lepidosaphes philococcus</i> (Ckll.) (Coccidae):					
Cactus.....	Mexico.....			1	Tex.
<i>Lepidosaphes pini</i> (Mask.) (Coccidae):					
<i>Pinus</i> sp. (pine) needles.....	Japan.....		2		Calif.*
<i>Lepidosaphes tokionis</i> (Kuw.) (Coccidae):					
<i>Codiaeum variegatum</i> (variegated codiaeum).....	Hawaii.....	1	1	1	Calif.*
<i>Lepidosaphes tuberculata</i> Mal. (Coccidae):					
<i>Cymbidium suave</i> (orchid).....	Australia.....			1	Calif.*
<i>Cymbidium</i> vars.....	Japan, New Zealand.....			4	Calif.*
<i>Leptoglossus chilensis</i> (Spin.) (Coreidae):					
<i>Vitis</i> sp. (grape).....	Chile.....	38			N.Y.
<i>Leucania loreyi</i> (Dup.) (Noctuidae):					
Packing with <i>Lilium</i> sp. bulbs.....	Japan.....			1	Oreg.
<i>Leucinodes orbonalis</i> Guen. (Pyraustidae):					
<i>Solanum melongena</i> (eggplant).....	Indonesia.....		1		Mass.
<i>Solanum</i> sp.....	Liberia.....	1			N.Y.
<i>Leucoptera coffeella</i> G.-M. (Lyonetiidae):					
<i>Coffea</i> sp. (coffee) leaf.....	Brazil, Costa Rica.....	3			Fla.
<i>Ligurocoris auritilliana</i> (Dist.) (Lygaeidae):					
<i>Cucumis melo cantalupensis</i> (cantaloupe).....	Mexico.....	1			Tex.
<i>Limothrips denticornis</i> (Hal.) (Thripidae):					
<i>Dianthus</i> sp.....	Hungary.....	1			N.Y.
Soil with unidentified grass.....	Germany.....			1	N.Y.
Soil with <i>Petroselinum crispum</i> (parsley).....	Unknown.....		1		N.Y.
Soil with <i>Picea</i> sp. (spruce).....	Germany.....	1			Mass.
<i>Listroderes subcinctus</i> (Boh.) (Curculionidae):					
<i>Prunus domestica</i> (plum).....	Chile.....	1			N.Y.
<i>Vitis</i> sp. (grape).....	do.....	1			N.Y.
<i>Lobesia botrana</i> (Schiff.) (Olethreutidae):					
<i>Vitis</i> sp. (grape).....	Italy, United Arab Re- public.....	5			N.Y.
<i>Lyctus africanus</i> Lesne (Lyctidae):					
Roots—unidentified.....	China.....	1			Mich.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Lyctus brunneus</i> (Steph.) (Lyctidae):					
Airplane	El Salvador, Jamaica		2		Fla.
Mail parcel	Hawaii	1			Hawaii.
Plywood—unidentified	Unknown	1			Mass.
<i>Lygaeus albo-ornatus</i> Blanch. (Lygaeidae):					
<i>Allium cepa</i> (onion)	Chile	1			N.Y.
<i>Lygus lineolaris</i> (P. deB.) (Miridae):					
<i>Beta</i> sp.	Mexico	1			Ariz.
<i>Chrysanthemum</i> sp.	do	2			Ariz.
<i>Lygus rugulipennis</i> Poppius (Miridae):					
<i>Lactuca sativa</i> (lettuce)	England		1		Mich.
Plants—unidentified	England, Netherlands			9	N.J., Wash.
<i>Macroscytus japonensis</i> Scott (Cydniidae):					
Airplane	Japan		1		Wash.
<i>Mamestra brassicae</i> (L.) (Noctuidae):					
<i>Brassica chinensis</i> (Chinese cabbage)	do		1		Ga.
<i>B. oleracea botrytis</i> (cauliflower)	Belgium, France, Germany, Italy		6		Ga., N.Y., Tex.
<i>B. oleracea capitata</i> (cabbage)	Italy		1		N.Y.
<i>Lactuca sativa</i> (lettuce)	France		1		N.Y.
<i>Maruca testulalis</i> (Geyer) (Pyraustidae):					
Baggage	Hong Kong			1	Hawaii.
<i>Cajanus cajan</i> (pigeonpea)	Puerto Rico	2			Ill., P.R.
<i>Canavalia microcarpa</i>	Hawaii	2			Hawaii.
<i>Canavalia</i> sp. (mauna loa) lei	do	11			Calif.*
Legume (flower)	do				Hawaii.
<i>Phaseolus lunatus macrocarpus</i> (lima bean)	Puerto Rico	1			Calif.*
<i>P. vulgaris</i> (bean)	do	1			Ill.
<i>P. vulgaris</i> var. (string bean)	do	2			Ill., P.R.
<i>Sesbania grandiflora</i> (flowers)	do	2			Ill., P.R.
<i>Strongylodon lucidus</i>	Hawaii	3			Hawaii.
<i>Strongylodon</i> sp.	do	1			Hawaii.
<i>Strongylodon</i> sp.	do	1			Hawaii.
<i>Megacerus alternatus</i> Bridw. (Bruchidae):					
<i>Ipomoea pes-caprae</i> (soilbind morningglory)	do		1		Hawaii.
<i>Ipomoea</i> sp. (seed)	do		1		Calif.*
<i>Megacyllene spinifera</i> (Newn.) (Cerambycidae):					
Log	Argentina	1			N.Y.
<i>Megasoma elephas</i> (Fab.) (Scarabaeidae):					
Airplane	Panama		1		Fla.
<i>Megastigmus limoni</i> (Grlt.) (Torymidae):					
<i>Eremocitrus glauca</i> (desertlime) seed	Australia			1	D.C.
<i>Megastigmus strobilobius</i> Ratz. (Torymidae):					
<i>Picea abies</i> (Norway spruce) seed	Germany			1	N.J.
<i>Megastigmus tsugaphilus</i> Kamiyo (Torymidae):					
<i>Tsuga sieboldii</i> (Siebold hemlock) seed	Japan			1	N.J.
<i>Melanoxanthus melanocephalus</i> (F.) (Elatridae):					
<i>Vanda</i> hybrid (orchid) flower	Hawaii	1			Hawaii.
<i>Metamasius hemipterus hemipterus</i> (L.) (Curculionidae):					
<i>Cajanus cajan</i> (pigeonpea)	Puerto Rico	1			P.R.
<i>Metamasius hemipterus sericeus</i> (Ol.) (Curculionidae):					
<i>Ananas comosus</i> (pineapple)	Cuba	1			Fla.
<i>Musa paradisiaca sapientum</i> (banana)	Colombia, Ecuador, Panama	61			Fla., La., N.Y., Pa., S.C., Tex.
<i>Metanema ategua</i> (Druce) (Geometridae):					
Airplane	Central America (country?)		1		Fla.
<i>Metopoplax ditomoides</i> (Costa) (Lygaeidae):					
Compositae (head)	Morocco	1			N.J.
<i>Miccotrogus picirostris</i> (F.) (Curculionidae):					
<i>Juniperus</i> sp. (juniper)	England			1	N.Y.
<i>Micrapate labialis</i> Lesne (Bostrichidae):					
Wood—unidentified	Mexico	1			N.Y.
<i>Micrelus ericae</i> (Gyll.) (Curculionidae):					
<i>Calluna vulgaris</i> (heather)	Scotland	5			Mass.
<i>Mirperus ferrugineus</i> Stal (Coreidae):					
Airplane	Philippines		1		Hawaii.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of inter- ceptions in—			Collected in—
		Consump- tion	Nonentry	Propaga- tion	
<i>Monacha carthusiana</i> (Müller) (Helicellidae):					
Military cargo.....	France.....	1			Del.
<i>Rosa</i> hybrid.....	do.....	1			N.Y.
<i>Monomorium destructor</i> (Jerd.) (Formicidae):					
<i>Cajanus cajan</i> (pigeonpea).....	Jamaica.....	1			N.Y.
<i>Citrus sinensis</i> (sweet orange).....	Vietnam.....	1			Hawaii.
Food.....	Philippines.....	1			Hawaii.
Herbs.....	Dominican Republic.....	1			Fla.
Orchid.....	Jamaica.....			1	Fla.
Soil with automobile.....	Germany(?).....	1			Fla.
<i>Moodna bisinuella</i> Hamp. (?) (Phycitidae):					
<i>Zea mays</i> (corn).....	Mexico.....	1			Tex.
<i>Mordellistena cattleyana</i> Champ. (Mordellidae):					
<i>Cattleya</i> sp. (orchid).....	Brazil.....			1	Fla.
<i>Morganella longispina</i> (Morg.) (Coccidae):					
<i>Citrus aurantium</i> (sour orange).....	Japan.....		1		Calif.*
<i>C. paradisi</i> (pomelo).....	Tahiti.....	1			Calif.*
<i>C. reticulata</i> (Mandarin orange).....	Japan.....		3		Calif.*
<i>C. sinensis</i> (sweet orange).....	do.....		1		Calif.*
<i>Macadamia ternifolia</i> (Queenslandnut macadamia) nut.	Hawaii.....	1			Calif.*
<i>Myelobia smerintha</i> (Hbn.) (Galleriidae):					
Bamboo.....	Mexico.....	1			Tex.
<i>Myzus ascalonicus</i> Donc. (Aphidae):					
<i>Chrysanthemum</i> sp.....	Netherlands.....			1	N.Y.
<i>Lactuca sativa</i> (lettuce).....	Unknown.....	3			N.Y.
<i>Nasutitermes corniger</i> (Motsch.) (Termitidae):					
Bark.....	Panama.....	1			Fla.
<i>Nasutitermes costalis</i> (Holmgr.) (Termitidae):					
Aquatic plants.....	Cuba.....			2	Fla., N.Y.
<i>Cabomba</i> sp.....	do.....			1	N.Y.
Mail.....	Puerto Rico.....	1			Ill.
<i>Naupactus xanthographus</i> (Germ.) (Curculionidae):					
<i>Vitis</i> sp. (grape).....	Chile.....	1			N.Y.
<i>Neodryocoetes caribaeus</i> Bkrm. (Scolytidae):					
<i>Hymenaea courbaril</i> (pod).....	Jamaica.....	1			Fla.
<i>Neodryocoetes hubbardi</i> Bkrm. (Scolytidae):					
<i>Mucuna</i> sp., probably <i>urens</i> (pod).....	Cuba.....			1	Fla.
<i>Neoleucinodes elegantalis</i> (Guen.) (Pyraustidae):					
<i>Lycopersicon esculentum</i> (tomato).....	Mexico.....	5			Tex.
<i>Solanum</i> sp.....	Colombia.....	1			N.Y.
<i>Neolobophora inopinata</i> (Burr) (Forficulidae):					
Orchid.....	Mexico.....			1	Calif.*
<i>Nephotettix bipunctatus</i> (F.) (Cicadellidae):					
Airplane.....	Guam.....		1		Hawaii.
<i>Nezara antennata</i> Scott (Pentatomidae):					
<i>Brassica chinensis</i> (Chinese cabbage).....	Japan.....		1		Wash.
<i>Nipponaclerda biwaensis</i> (Kuw.) (Coccidae):					
<i>Phragmites</i> sp. (reed).....	do.....	1			Calif.*
<i>Nomophila noctuella</i> (D. & S.) (Pyraustidae):					
Airplane.....	Japan, Wake Island(?).....		5		Hawaii.
<i>Nysius clevelandensis</i> Evans (Lygaeidae):					
Stores.....	Australia.....		1		Hawaii.
<i>Nysius terrestris</i> Usinger (Lygaeidae):					
<i>Vanda jonquimiae</i> (orchid) flowers.....	Hawaii.....	1			Hawaii.
<i>Ogdoecosta binocularis</i> (Boh.) (Chrysomelidae):					
Bromeliad.....	Mexico.....			1	Tex.
<i>Ogdoecosta catenulata</i> (Boh.) (Chrysomelidae):					
<i>Chamaedorea oblongata</i> (palm).....	do.....	1			Tex.
<i>Oligonychus perditus</i> P. & B. (Tetranychidae):					
<i>Juniperus</i> sp.....	Japan.....			1	Hawaii.
<i>Oopsis nulator</i> (Fab.) (Cerambycidae):					
<i>Hibiscus</i> sp.....	Hawaii.....	1			Hawaii.
<i>Opeas pumila</i> (Pfeiffer) (Achatinidae):					
Orchid.....	British Honduras.....			1	Tex.
<i>Opeas pyrgula</i> Schmacker & Boettger (Achatinidae):					
<i>Iris</i> spp.....	Japan.....		1		Hawaii.
Soil with plants.....	Bermuda.....			1	N.Y.
<i>Ophraea maculicollis</i> Blake (Chrysomelidae):					
Orchid.....	Mexico.....			1	Calif.*

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Opogona purpuricollis</i> Sw. (Tineidae):					
<i>Zingiber officinale</i> (ginger)	Hawaii	1			Hawaii.
<i>Opogona sacchari</i> (Bojer) (Tineidae):					
Cycad	Union of South Africa			1	N.J.
<i>Dahlia</i> hybrid	Azores			1	Mass.
<i>Musa paradisiaca sapientum</i> (banana)	do	1			Mass.
<i>Saccharum officinarum</i> (sugarcane)	Cape Verde Islands	1			N.Y.
Soil with <i>Allium sativum</i> (garlic) and <i>Colocasia esculenta</i> (dasheen)	Azores	1			N.Y.
<i>Orchidophilus aterrimus</i> (Waterh.) (Curculionidae):					
<i>Epidendrum</i> sp. (orchid) flowers	Hawaii	1			Hawaii.
<i>Vanda joaquini</i> (orchid) flowers	do	5			Hawaii.
<i>Vanda</i> hybrid	do	1			Hawaii.
<i>Vanda</i> sp.	do	9			Hawaii.
<i>Orphanotrips bianchii</i> Hood (Thripidae):					
<i>Colocasia</i> sp.	American Samoa			1	Hawaii.
<i>Orthops cervinus</i> (H.-S.) (Miridae):					
<i>Chrysanthemum</i> sp. (flowers)	England		1		N.Y.
<i>Orthotylus ericetorum</i> (Fall.) (Miridae):					
<i>Calluna vulgaris</i> (heather)	Scotland	1			N.Y.
<i>Otala lactea</i> (Muller) (Helicidae):					
<i>Apium graveolens</i> (celery)	Italy		1		N.Y.
<i>Brassica oleracea botrytis</i> (cauliflower)	do		2		N.Y.
Debris	Morocco		1		Ohio.
Military cargo	do	1			S.C.
<i>Otala vermiculata</i> (Muller) (Helicidae):					
<i>Citrus limon</i> (lemon)	do		1		N.Y.
<i>Lactuca sativa</i> (lettuce)	Italy		1		N.Y.
Military cargo	Greece, Italy, Morocco	7			La., N.Y., S.C.
None (brought as food)	Italy	1			N.Y.
<i>Otosema odorata</i> (L.) (Noctuidae):					
Airplane	Hawaii		1		Hawaii.
<i>Ozya velox</i> (F.) (Acrididae):					
Airplane	Formosa(?)		1		Hawaii.
<i>Orycaenus hyalinipennis</i> (Costa) (Lygaeidae):					
<i>Zinnia</i> sp. (flowers)	Unknown		1		N.Y.
<i>Orycaenus rufiventris</i> (Germ.) (Lygaeidae):					
Cargo (with <i>Prunus persica</i>)	Union of South Africa	1			N.Y.
<i>Orydema fusiforme</i> Woll. (Curculionidae):					
<i>Cordylone terminalis</i> (ti)	Hawaii	1		1	Hawaii.
Mail parcel	do	2			Hawaii.
Orchid (flowers)	do	1			Hawaii.
<i>Pachybrachius nigricipes</i> (Dallas) (Lygaeidae):					
Airplane	Fiji Islands, Wake Island(?)		2		Hawaii.
<i>Pagiocerus fiorii</i> (Egg.) (Scolytidae):					
<i>Zea mays</i> (corn)	Ecuador, Peru	4			Fla., N.Y.
<i>Palaeopus costicollis</i> Mshl. (Curculionidae):					
<i>Dioscorea alata</i> (winged yam)	Jamaica	1			Pa.
<i>Dioscorea</i> sp.	do	4			Fla., N.Y.
<i>Palpita unionalis</i> (Hbn.) (Pyraustidae):					
<i>Jasminum</i> sp. (flowers)	France	1			N.Y.
<i>Pangaeus rugiceps</i> Horvath (Pentatomidae):					
<i>Epidendrum</i> sp. (orchid)	Guatemala			1	N.J.
<i>Paraschoenus flavolimbatus</i> Champ. (Curculionidae):					
<i>Chamaedorea oblongata</i> (palm)	Mexico	5			Tex.
<i>Parlatoria cinerea</i> Hadden (Coccidae):					
<i>Citrus aurantifolia</i> (lime)	Brazil		1		Calif.*
<i>C. limon</i> (lemon)	do		2		Calif.*
<i>C. sinensis</i> (sweet orange)	Brazil, unknown	1	13		Calif.*
<i>Parlatoria crotonis</i> Dougl. (Coccidae):					
<i>Codiaeum variegatum</i> (variegated codiaeum)	Hawaii	1			Calif.*
<i>Parlatoria zizyphus</i> (Lucas) (Coccidae):					
<i>Citrus aurantifolia</i> (lime)	Philippines, Singapore, Tahiti	1	2		Calif.*
<i>C. grandis</i> (pummelo)	Formosa, Hong Kong, Japan		8		Calif.*
<i>C. limon</i> (lemon)	Italy		5		Calif.*

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

{An asterisk indicates State inspection.}

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Parlatoria zizyphus</i> —Continued					
<i>C. paradisi</i> (grapefruit and pomelo).....	Hawaii, Hong Kong, Italy, Spain.	-----	4	-----	Calif.*
<i>C. reticulata</i> (Mandarin orange).....	Formosa, Japan, Philippines.	2	1	-----	Calif.,* Hawaii.
<i>C. sinensis</i> (sweet orange).....	Formosa, Japan, Spain, unknown.	1	9	-----	Calif.*
<i>Fortunella</i> sp. (kumquat).....	Unknown.	1	-----	-----	Calif.*
<i>Pealius azaleae</i> (B. & M.) (Aleyrodidae):					
<i>Rhododendron</i> sp. (azalea) leaf.....	England.	-----	-----	2	N.J., N.Y.
<i>Pectinophora gossypiella</i> (Saund.) (Gelechiidae):					
<i>Gossypium barbadense</i> (cotton; boll).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Gossypium</i> sp. (cotton; boll).....do.....	2	-----	-----	Hawaii.
<i>Gossypium</i> sp. (cotton; leaf).....	Jamaica.....	1	-----	-----	N.Y.
<i>Gossypium</i> sp. (cottonseed).....	Dominican Republic, Hawaii, Mexico.	3	-----	3	D.C., Fla., Hawaii, Tex.
<i>Gossypium</i> sp. (seed cotton).....	Mexico.....	2	1	-----	Tex.
<i>Hibiscus esculentus</i> (okra).....	Brazil, Dominican Republic.	1	1	-----	P.R., Tex.
<i>Perkinsiella titiensis</i> Kirk. (Delphacidae):					
Airplane.....	Fiji Islands.....	-----	1	-----	Hawaii.
<i>Petrova resinella</i> (L.) (Olethreutidae):					
<i>Pinus sylvestris</i> (Scotch pine).....	Union of Soviet Socialist Republics.	-----	-----	1	D.C.
<i>Petrusa epilepsis</i> (Kirk.) (Flatidae):					
Quarters.....	Bahamas.....	-----	1	-----	Fla.
<i>Phalonia zephyrana</i> (Treit.) (Phalonidae):					
<i>Daucus carota sativa</i> (carrot).....	Italy.....	-----	4	-----	N.C., Pa.
<i>Pheidole megacephala</i> (F.) (Formicidae):					
Airplane.....	Japan(?).....	-----	1	-----	Hawaii.
<i>Ananas comosus</i> (pineapple).....	Puerto Rico.....	-----	1	-----	Pa.
Aquatic plants.....	Cuba.....	-----	-----	3	Fla., N.Y.
<i>Cabomba caroliniana</i> (Carolina fanwort).....do.....	-----	-----	3	Fla.
<i>Cocos nucifera</i> (coconut).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Coix lacryma-jobii</i> (Jobs-tears).....	American Samoa.....	1	-----	-----	Hawaii.
<i>Colocasia antiquorum</i> (taro).....do.....	1	-----	-----	Hawaii.
Coral.....	Bermuda.....	1	-----	-----	N.Y.
Cuttings—unidentified.....do.....	-----	-----	1	N.Y.
Cycad.....	Okinawa.....	-----	-----	1	Hawaii.
<i>Dahlia</i> hybrid (flowers).....	Bermuda.....	1	-----	-----	N.Y.
<i>Mentha</i> sp. (mint).....	Puerto Rico.....	1	-----	-----	Ill.
Mollusks.....	Hawaii.....	1	-----	-----	Hawaii.
<i>Nerium oleander</i>	Bermuda.....	1	-----	-----	N.Y.
Orchid.....	Costa Rica.....	-----	-----	1	Hawaii.
<i>Plumeria</i> sp. (el).....	American Samoa.....	1	-----	-----	Hawaii.
<i>Saccharum officinarum</i> (sugarcane).....	Cuba.....	-----	-----	1	Fla.
<i>Sesbania</i> sp. (flowers).....	Hawaii.....	1	-----	-----	Hawaii.
<i>Sesuvium portulacastrum</i>	American Samoa.....	-----	-----	1	Hawaii.
Soil with automobile.....	Cuba.....	2	-----	-----	Fla.
Soil with <i>Mentha</i> sp. (mint).....	Haiti.....	-----	-----	1	N.Y.
<i>Phelypera distigma</i> Boh. (Curculionidae):					
Bromeliad.....	Mexico.....	-----	-----	1	Tex.
Orchid.....do.....	-----	-----	5	Tex.
<i>Phenacaspis dendrobii</i> Kuw. (Coccidae):					
Orchid.....	Indonesia.....	-----	-----	1	D.C.
<i>Phenacoccus hirsutus</i> Green (Coccidae):					
<i>Annona squamosa</i> (sweetsop).....	Philippines.....	1	-----	-----	Hawaii.
<i>Phlegyas annulicrus</i> Stal (Lygaeidae):					
Wood (crate for pottery).....	Mexico.....	1	-----	-----	Ariz.
<i>Phloeotribus scarabaeoides</i> (Bern.) (Scolytidae):					
<i>Olea europaea</i> (olive) wooden plaques.....	Israel.....	2	-----	-----	N.Y.
<i>Phlyctinus callosus</i> Boh. (Curculionidae):					
<i>Vitis</i> sp. (grape).....	Union of South Africa.....	6	-----	-----	N.Y.
<i>Phyrrus immunis</i> Guen. (Noctuidae):					
Airplane.....	Cuba.....	-----	1	-----	Fla.
<i>Phyllostictis citrella</i> Staint.(?) (Gracilaridae):					
<i>Citrus</i> sp.....	Thailand.....	1	-----	-----	Hawaii.
<i>Physanota alutacea</i> Boh. (Chrysomelidae):					
Bromeliad.....	Mexico.....	-----	-----	1	Tex.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Phytomyza rufipes</i> Meig. (Agromyzidae):					
<i>Allium porrum</i> (leek)	Belgium		1		S.C.
<i>Brassica oleracea botrytis</i> (cauliflower)	England, Germany, Ireland, Netherlands, Northern Ireland.		10		N.Y., Pa.
<i>B. oleracea capitata</i> (cabbage)	Belgium, England, Italy		4		N.Y., Pa., Tex.
<i>Cichorium endivia</i> (endive)	Belgium	14			Mass., N.Y.
<i>C. intybus</i> (chicory)	do	1			N.Y.
<i>Raphanus sativus</i> (radish)	Denmark, Sweden		2		N.Y.
<i>Pieris brassicae</i> (L.) (Pieridae):					
<i>Brassica oleracea botrytis</i> (cauliflower)	Azores, Italy		2		N.Y.
<i>B. oleracea capitata</i> (cabbage)	Azores, France		2		N.Y.
Cargo (with wooden crates)	Spain	1			N.J.
<i>Pieris rapae crucivora</i> Bdv. (Pieridae):					
Airplane	Japan		1		Hawaii.
<i>Pinnaspis buzi</i> (Bouché) (Coccidae):					
<i>Dendrobium</i> sp. (orchid)	Australia			1	Calif.*
<i>Pinnaspis orchidarum</i> (Ferris) (Coccidae):					
<i>Vanda</i> 'Deborah' (orchid)	Singapore			1	Hawaii.
<i>Plagiodera congesta</i> Stal (Chrysomelidae):					
Orchid	Mexico			1	Tex.
<i>Plagiognathus albipennis</i> (Fallén) (Miridae):					
<i>Lactuca sativa</i> (lettuce)	Unknown		1		N.Y.
<i>Planococcus dorsospinosus</i> Ezzat & McConnell (Coccidae):					
<i>Litchi chinensis</i> (lychee) stem	Japan	1			Hawaii.
<i>Platoceticus symmetrica</i> Dyar (Psychidae):					
<i>Ananas comosus</i> (pineapple)	Mexico	1			Tex.
<i>Platycarenum humilis</i> (Hsiao-Saller) (Pentatomidae):					
Cargo (with <i>Musa paradisiaca sapientum</i>)	Ecuador	1			La.
<i>Platypus rugulosus</i> Chap. (Platypodidae):					
Airplane	Panama		1		Fla.
<i>Nectandra rodirei</i> (log)	British Guiana	1			Tex.
<i>Prioria copaifera</i> (cattivo) log	Colombia	3			Ga.
<i>Plusia chalcites</i> (Esp.) (Noctuidae):					
<i>Kalanchoe calycinum</i>	Hawaii	1			Hawaii.
<i>Lactuca sativa</i> (lettuce)	New Zealand		1		Hawaii.
Orchid	Australia	1			N.Y.
<i>Vanda</i> hybrid (orchids) flowers	Hawaii	1			Hawaii.
<i>Podagrica fuscicornis</i> (L.) (Chrysomelidae):					
Soil	Rumania	1			N.Y.
<i>Poecilips persicae</i> (Hopk.) (Scolytidae):					
<i>Eugenia malaccensis</i>	Hawaii			1	Hawaii.
<i>Polytus mellerborgii</i> (Boh.) (Curculionidae):					
<i>Musa acuminata</i>	Philippines			1	D.C.
<i>Porphyrabaphe iostoma</i> (Sowerby) (Bulimulidae):					
<i>Musa paradisiaca sapientum</i> (banana)	Ecuador, Honduras	23			La., Md., N.Y., Vt.
<i>Prays fulvocanellus</i> Wghm. (Hyponomeutidae):					
<i>Pelea anisota</i> (pod)	Hawaii	1			Hawaii.
<i>Prays oleellus</i> (F.) (Hyponomeutidae):					
<i>Olea europaea</i> (olive)	Italy	3			N.Y.
<i>Prosopodonta balyi</i> Weise (Chrysomelidae):					
Orchid	Costa Rica			1	Hawaii.
<i>Pseudonidia clavigera</i> (Ckll.) (Coccidae):					
<i>Gardenia augusta</i>	Hawaii	1			Calif.*
<i>Gardenia</i> sp.	do			1	Calif.*
<i>Macadamia</i> sp. (bark)	Australia			1	Calif.*
<i>Pseudonidia paeoniae</i> (Ckll.) (Coccidae):					
<i>Eurya emarginata microphylla</i>	Japan			1	D.C.
<i>Pseudonidia trilobitiformis</i> (Green) (Coccidae):					
<i>Citrus aurantifolia</i> (lime)	Brazil		3		Calif.*
<i>C. limon</i> (lemon)	do		6		Calif.*
<i>C. sinensis</i> (sweet orange)	do		1		Calif.*
<i>Mangifera indica</i> (mango)	Colombia	1			Calif.*
<i>Pseudiaschnaspis longissima</i> (Ckll.) (Coccidae):					
<i>Mangifera indica</i> (mango)	Nicaragua	1	1		Calif.*
<i>Pseudococcus citricus</i> (Ezzat & McConnell) (Coccidae):					
<i>Citrus sinensis</i> (sweet orange)	Spain		1		N.J.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Pseudococcus halli</i> (Ezzat & McConnell) (Coccidae):					
<i>Dioscorea</i> sp. (yam).....	British Guiana.....	1			N.Y.
<i>Pseudococcus neobrevipes</i> (Beardsley) (Coccidae):					
Bromeliad.....	Jamaica.....			1	Fla.
<i>Pseudococcus palmarum</i> (Ehrh.) (Coccidae):					
<i>Cocos nucifera</i> (coconut).....	Hawaii.....	3		1	Calif.,* Hawaii.
<i>Pseudococcus pini</i> (Kuwr.) (Coccidae):					
<i>Pinus</i> sp. (2-needle pine).....	Japan.....			1	Hawaii.
<i>Psylla rhododendri</i> Puton (Psyllidae):					
<i>Rhododendron</i> sp.....	Switzerland.....	2			Ill., N.Y.
<i>Puto mexicanus</i> (Ckll.) (Coccidae):					
<i>Dianthus</i> sp.....	Mexico.....			1	Tex.
<i>Stanhopea</i> sp. (orchid).....	do.....			1	Tex.
<i>Tillandsia usneoides</i> (Spanish moss).....	do.....	1			Tex.
<i>Puto ulter Ferris</i> (Coccidae):					
<i>Laelia anceps</i> (orchid).....	do.....			1	Calif.*
<i>Oncidium incurvum</i> (orchid).....	do.....			1	Calif.*
Orchid.....	Guatemala.....			3	Fla.
<i>Pyrausta nubilalis</i> (Hbn.) (Pyraustidae):					
Airplane.....	Kwajalein(?), Wake Is- land(?), West Pacific.....		3		Hawaii.
Baggage (with <i>Prunus persica</i>).....	Italy.....	1			N.Y.
<i>Capsicum frutescens</i> (pepper).....	Italy, Portugal.....	1	1		N.Y.
<i>Dahlia</i> hybrid.....	Japan.....	1			Hawaii.
<i>Phaseolus vulgaris</i> var. (string beans).....	do.....		2		Wash.
<i>Solanum melongena</i> (eggplant).....	Italy.....		1		N.Y.
<i>Sorghum vulgare technicum</i> (broomcorn).....	Italy, Japan.....	2			Calif.,* N.Y.
<i>Zea mays</i> (corn).....	Italy.....	1			N.Y.
<i>Rhagoletis cerasi</i> (L.) (Tephritidae):					
<i>Prunus</i> sp. (cherry).....	Czechoslovakia, Den- mark, France, Hun- gary, Italy, unknown.....	14	6		Calif.,* Mass., N.Y., Tex.
<i>Rhagoletis cerasi</i> (L.) (?) (Tephritidae):					
<i>Prunus</i> sp. (cherry).....	Germany, Italy, un- known.....	2	1		N.Y.
<i>Ribua innozia</i> Hein. (Phycitidae):					
<i>Ananas comosus</i> (pineapple).....	Cuba.....	17			Fla., La., N.Y.
<i>Ripersiella cacticans</i> Hambleton (Coccidae):					
Cactus.....	Switzerland.....			1	N.Y.
<i>Rotruda mucidella olivaceella</i> (Rag.) (Phycitidae):					
Plant—unidentified.....	Bahamas.....			1	Fla.
<i>Rumina decollata</i> (L.) (Achatinidae):					
Orchid.....	Mexico.....			1	Tex.
<i>Schoenobius incertulus</i> (Wlk.) (Schoenobiidae):					
Airplane.....	West Pacific.....		1		Hawaii.
<i>Sehirus sermaculatus</i> Rambur (Pentatomidae):					
Forest litter with <i>Ficus carica</i> cutting.....	Italy.....			1	N.Y.
<i>Selenothrips rubrocinctus</i> (Giard) (Thripidae):					
<i>Bixa orellana</i> (anatto tree).....	Hawaii.....	1			Hawaii.
<i>Codiaeum</i> sp.....	do.....	2			Hawaii.
<i>Nephelium lappaceum</i> (rambutan).....	Tahiti.....	1			Hawaii.
<i>Petroselinum crispum</i> (parsley).....	Japan.....		1		Hawaii.
<i>Sesamia cretica</i> Led. (Noctuidae):					
<i>Sorghum vulgare technicum</i> (broomcorn).....	Italy.....	1			S.C.
<i>Zea mays</i> (corn) stalk.....	do.....	1			Md.
<i>Sinozylon anale</i> Lesne (Bostrichidae):					
Wood—unidentified.....	India, Pakistan.....	2	1		Mass., N.Y., Minn.
<i>Sinozylon conigerum</i> Gerst. (Bostrichidae):					
Wood (crate).....	India.....	3			Calif.,* Oreg.
<i>Siphanta acuta</i> (Wik.) (Flatidae):					
<i>Cordylone terminalis</i> (ti).....	Hawaii.....			1	Hawaii.
Flowers.....	do.....	1			Hawaii.
<i>Vanda</i> sp. (orchid).....	do.....	1		1	Hawaii.
<i>Sitona lineata</i> (L.) (?) (Curculionidae):					
Mollusks.....	Morocco.....	1			N.J.
<i>Smerinthus ocellata</i> (L.) (Sphingidae):					
<i>Convallaria majalis</i> (lily-of-the-valley).....	Denmark.....			1	N.J.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Solaropsis monile</i> (Broderip) (Camaenidae): <i>Musa paradisiaca sapientum</i> (banana)-----	Costa Rica, Ecuador-----	10	-----	-----	Calif., * Fla., La., N.Y., S.C.
<i>Sphenarches caffer</i> (Zell.) (Pterophoridae): <i>Cajanus cajan</i> (pigeonpea)-----	Barbados, Haiti-----	2	-----	-----	N.Y.
<i>Spodoptera mauritia</i> (Bdv.) (Noctuidae): Airplane-----	Japan-----	-----	1	-----	Hawaii.
Baggage-----	Hawaii-----	1	-----	-----	Hawaii.
<i>Spodoptera mauritia acronyctoides</i> (Guen.) (Noctuidae): Airplane-----	Japan, South Pacific-----	-----	3	-----	Hawaii
Automobile-----	Hawaii-----	1	-----	-----	Hawaii.
Mail parcel-----	do-----	1	-----	-----	Hawaii.
<i>Spodoptera pecten</i> Guen. (?) (Noctuidae): Airplane-----	Unknown-----	-----	1	-----	Hawaii.
<i>Spondylis buprestoides</i> L. (Cerambycidae): Excelsior (packing with dishes)-----	Germany-----	1	-----	-----	N.Y.
<i>Stenotarsonemus laticeps</i> (Halb.) (Tarsonemidae): <i>Narcissus</i> 'Lanarth'-----	England-----	-----	-----	1	N.J.
<i>Narcissus</i> sp.-----	England, Ireland, Netherlands-----	-----	-----	5	N.J., N.Y.
<i>Stenoma catenifer</i> Wlsm. (Stenomidae): <i>Persea americana</i> (avocado)-----	Colombia, Ecuador, El Salvador, Guatemala, Honduras, Mexico, Venezuela-----	20	4	-----	Fla., N.Y., Tex.
<i>Stenoptilia stigmatodactyla</i> Zell. (Pterophoridae): <i>Gentiana</i> sp. (flowers)-----	France, Switzerland-----	2	-----	-----	N.Y.
<i>Stephanoderes hampei</i> (Ferr.) (Scolytidae): <i>Coffea</i> sp.-----	Brazil-----	2	-----	-----	La.
<i>Sternochetus mangiferae</i> (F.) (Curculionidae): <i>Mangifera indica</i> (mango)-----	Australia, French Equatorial Africa, Guam, Hawaii, India, unknown-----	83	5	5	Calif., * Hawaii, Mass., N.Y., Pa.
<i>Stictoptera subobliqua</i> Wlk. (Noctuidae): Airplane-----	Japan-----	-----	1	-----	Hawaii.
<i>Subulina octona</i> (Bruguiere) (Achatinidae): <i>Broughtonia</i> sp. (orchid)-----	Jamaica-----	-----	-----	1	Fla.
Orchid-----	Mexico-----	-----	-----	4	Tex.
Soil with <i>Kalanchoe</i> sp. plant-----	Panama-----	-----	-----	1	Fla.
Soil with <i>Chrysanthemum</i> sp.-----	Venezuela-----	-----	-----	1	N.Y.
Soil with unidentified plants-----	Brazil-----	-----	-----	1	N.Y.
Soil with <i>Rosa</i> hybrid plant-----	Ecuador-----	-----	-----	1	Fla.
<i>Sybra alternans</i> (Wied.) (Cerambycidae): Baggage-----	Hawaii-----	1	-----	-----	Hawaii.
<i>Cordylina terminalis</i> (ti)-----	do-----	-----	-----	1	Hawaii.
Flowers-----	do-----	2	-----	-----	Hawaii.
<i>Operculina tuberosa</i> (wood-rose)-----	do-----	1	-----	-----	Hawaii.
<i>Vanda</i> sp. (orchid) (flowers)-----	do-----	1	-----	-----	Hawaii.
<i>Sylepta elevata</i> (F.) (Pyraustidae): <i>Ipomoea batatas</i> (sweetpotato)-----	Trinidad-----	-----	1	-----	Ala.
<i>Sylepta reginalis</i> (Cram.) (Pyraustidae): <i>Chamaedorea oblongata</i> (palm)-----	Mexico-----	1	-----	-----	Tex.
<i>Taeniothrips atratus</i> (Hal.) (Thripidae): <i>Callistephus chinensis</i> (China aster)-----	France-----	1	-----	-----	N.Y.
<i>Calluna vulgaris</i> (heather) flowers-----	Germany, Scotland-----	3	-----	-----	N.Y.
<i>Chrysanthemum</i> sp.-----	England, Germany-----	2	-----	-----	N.Y.
<i>Dahlia</i> hybrid-----	Scotland-----	1	-----	-----	N.Y.
<i>Dianthus caryophyllus</i> (carnation) flowers-----	England, Germany, Netherlands, Norway, Poland, unknown-----	11	2	-----	Mass., N.Y.
Flowers—mixed-----	England, Germany, Ireland, Israel, Netherlands, Poland, Scotland, Sweden, unknown-----	14	7	-----	Mass., N.Y., Pa.
<i>Gladiolus</i> hybrid (flowers)-----	Ireland-----	1	-----	-----	N.Y.
<i>Gypsophila</i> sp.-----	Netherlands-----	-----	-----	1	N.Y.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Taeniothrips atratus</i> —Continued					
<i>Lathyrus odoratus</i> (sweetpeas)	England, Netherlands	---	2	---	N.Y.
<i>Pinus</i> sp. (pine)	Switzerland	1	---	---	N.Y.
Plants—unidentified	Netherlands	---	---	2	N.Y.
<i>Rosa</i> hybrid (rose)	England	1	---	---	N.Y.
Soil with <i>Viola tricolor hortensis</i> (pansy) plants	Ireland	---	---	1	Mass.
<i>Vernonia fasciculata</i> (western ironweed)	Germany	1	---	---	N.Y.
<i>Taeniothrips dianthi</i> Pr. (Thripidae):	England	---	1	---	N.Y.
<i>Dianthus caryophyllus</i> (carnation)					
<i>Taeniothrips ericae</i> (Hal.) (Thripidae):	Germany, Ireland, Norway, Scotland.	7	4	---	Mass., N.Y.
<i>Calluna vulgaris</i> (heather)					
<i>Hydrangea</i> sp.	Norway	---	---	1	N.Y.
<i>Taeniothrips gracilis</i> Mlt. (Thripidae):					
<i>Lycoris alba</i> (white lycoris)	Japan	1	---	---	N.Y.
<i>L. albiflora</i>	do	---	---	2	N.Y.
<i>L. aurea</i> (golden lycoris)	do	---	---	8	Calif., * N.Y.
<i>L. radiata</i> (shorttube lycoris)	do	---	---	2	N.Y.
<i>L. sanguinea</i> (orange lycoris)	do	1	---	1	N.Y.
<i>L. squamigera</i> (autumn lycoris)	do	---	---	5	Calif., * N.Y.
<i>Lycoris</i> sp.	do	---	---	7	Calif., * N.Y.
<i>Taeniothrips hawaiiensis</i> (Morg.) (Thripidae):					
<i>Canavalia</i> sp. (mauna loa) flower	Hawaii	1	---	---	Calif.*
<i>Dianthus caryophyllus</i> (carnation)	Hawaii, Japan	2	---	---	Hawaii.
<i>Dianthus</i> sp.	Australia	1	---	---	Hawaii.
Flowers	Hawaii	1	---	---	Hawaii.
<i>Gardenia augusta</i>	Hawaii, West Pacific	56	1	---	Hawaii.
<i>G. taitensis</i>	Hawaii	1	---	---	Hawaii.
<i>Operculina tuberosa</i> (wood-rose)	do	1	---	---	Hawaii.
<i>Plumeria</i> sp.	do	1	---	---	Hawaii.
<i>Sesbania grandiflora</i>	do	2	---	---	Hawaii.
Sphagnum moss	Japan	1	---	---	Hawaii.
<i>Taeniothrips kellyanus</i> (Bagn.) (Thripidae):					
<i>Gardenia augusta</i>	Australia	1	---	---	Hawaii.
<i>Taeniothrips vitticornis</i> (Ky.) (Thripidae):					
<i>Canavalia</i> sp. (mauna loa)	Hawaii	1	---	---	Hawaii.
<i>Talponia batesi</i> Hein. (Olethreutidae):					
<i>Annona cherimola</i> (cherimoya)	Mexico	3	---	---	Tex.
<i>A. muricata</i> (sourpomp)	do	1	---	---	Tex.
<i>Annona</i> sp.	do	1	---	---	Tex.
<i>Talurus rugosus</i> (Jac.) (Chrysomelidae):					
Airplane	Venezuela	---	1	---	Fla.
" <i>Targionia</i> " <i>hartii</i> (Ckll.) (Coccidae):	Netherlands West Indies.	---	---	1	Calif.*
<i>Dioscorea</i> sp. (yam)					
<i>Tenthoris angustimarginatus</i> Hsiao & Sailer (Miridae):					
Orchid	Mexico	---	---	3	Tex.
<i>Tenthoris balloui</i> Hsiao & Sailer (Miridae):					
Orchid	Colombia	---	---	1	N.Y.
<i>Tenthoris bicolor</i> Scott (Miridae):					
Orchid	Guatemala, Mexico	---	---	3	Tex.
<i>Tenthoris confusus</i> Hsiao & Sailer (Miridae):					
<i>Epidendrum</i> sp. (orchid)	Canal Zone	---	---	1	Fla.
<i>Laelia anceps</i> (orchid)	Mexico	---	---	1	Calif.*
<i>L. autumnalis</i>	do	---	---	1	Calif.*
Orchid	do	---	---	2	Tex.
<i>Tenthoris vestitus</i> (Dist.) (Miridae):					
Orchid	Guatemala	---	---	1	Fla.
<i>Tenuipalpus punicea</i> P. & B. (Tenuipalpidae):					
<i>Crassula lycopodioides</i> (clubmoss crassula)	Netherlands	---	---	1	D.C.
<i>Tetranychus cinnabarinus</i> (Bois.) (Tetranychidae):					
<i>Cymbidium</i> sp. (orchid)	Australia	---	---	1	Hawaii.
<i>Dianthus caryophyllus</i> (carnation)	Unknown	---	1	---	N.Y.
<i>Rosa</i> hybrid	Italy	---	---	1	Mass.
<i>Tetranychus viennensis</i> Zacher (Tetranychidae):					
<i>Rhododendron</i> sp.	Netherlands	---	---	1	N.Y.
<i>Theba pisana</i> (Müller) (Helicidae):					
<i>Anthemis nobilis</i> (Roman camomile)	Italy	1	---	---	Calif.*
Automobile	France, Spain	2	---	---	La., Tex.
<i>Begonia</i> sp.	Morocco	---	---	1	N.Y.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consump- tion	Nonentry	Propaga- tion	
<i>Phaba pisana</i> —Continued					
<i>Capsicum frutescens grossum</i> (bell pepper)	Spain		1		N.Y.
Flowers	France	1			N.Y.
Herbs	Unknown	1			Fla.
Military cargo	Azores, France, Italy, Libya, Morocco, Spain	63			La., Mass., N.J., N.Y., S.C., Va.
Mollusks (with <i>Helix aspersa</i>)	Italy	1			N.Y.
None (brought as food)	Greece, Italy	3			N.Y.
Quarters (ship)	Spain		1		Tex.
<i>Theretra tryoni</i> Misk. (Sphingidae):					
Airplane	West Pacific		1		Hawaii.
<i>Thrips angusticeps</i> Uzel (Thripidae):					
<i>Cynara scolymus</i> (globe artichoke)	Italy	1			N.Y.
<i>Dianthus caryophyllus</i> (carnation) flowers	Spain	1			N.Y.
<i>Gladiolus</i> hybrid (flowers)	Israel	1			N.Y.
<i>Lactuca sativa</i> (lettuce)	Denmark, unknown	1	5		N.Y.
<i>Prunus</i> sp. (blooms)	Israel	1			N.Y.
<i>Thrips flavus</i> Schrank (Thripidae):					
<i>Acacia</i> sp.	France	1			Mass.
<i>Callistephus chinensis</i> (China aster)	do	1			N.Y.
<i>Calluna vulgaris</i> (heather) flowers	Germany	1			N.Y.
<i>Chrysanthemum</i> sp. (flowers)	England, Germany, Ireland	4			Mass., Mich., N.Y., Pa.
<i>Dahlia</i> hybrid	Scotland	1			N.Y.
<i>Dianthus caryophyllus</i> (carnation)	Germany	1			N.Y.
Flowers—mixed	England, Germany, Ireland, unknown	3	2		Mass., N.Y., Pa.
<i>Gladiolus</i> hybrid (flowers)	Ireland	1			N.Y.
<i>Lilium</i> sp.	Japan	1			Hawaii.
<i>Narcissus</i> sp.	Scotland	1			N.Y.
Plants—unidentified	Netherlands		3		N.J.
<i>Polianthes tuberosa</i> (tuberose) flowers	Denmark	1			N.Y.
Soil with <i>Viola tricolor hortensis</i> (pansy)	Ireland		1		Mass.
<i>Rosa</i> hybrid	Luxembourg	1			N.Y.
<i>Zinnia</i> sp. (flowers)	England, Germany	2			Mass., Pa.
<i>Thrips imaginis</i> Bagn. (Thripidae):					
<i>Gladiolus</i> hybrid	Australia	1			Hawaii.
<i>Thrips major</i> Uzel (Thripidae):					
<i>Acacia</i> sp.	France	1			Mass.
<i>Callistephus chinensis</i> (China aster)	do	1			N.Y.
<i>Calluna vulgaris</i> (heather) flowers	Denmark, Germany	2			N.Y.
<i>Chrysanthemum</i> sp. (flowers)	England, Germany	2			Mich., Pa.
<i>Dianthus caryophyllus</i> (carnation) flowers	Unknown		1		N.Y.
Flowers—mixed	England, Ireland, Scot- land, unknown	2	2		N.Y., Pa.
<i>Lonicera</i> sp. (honeysuckle) flowers	Italy	1			N.Y.
Plants—unidentified	Netherlands		1		N.J.
<i>Rosa</i> hybrid (flowers)	England	1			N.Y.
<i>Thrips praetermissus</i> Fr. (Thripidae):					
<i>Callistephus chinensis</i> (China aster)	France	1			N.Y.
<i>Chrysanthemum</i> sp. (flowers)	England	1			Mich.
<i>Trialeurodes lauri</i> (Sign.) (Aleyrodidae):					
<i>Laurus nobilis</i> (Grecian laurel)	Luxembourg	2			N.Y.
<i>Trialeurodes similis</i> Rsl. (Aleyrodidae):					
<i>Citrus</i> sp. (leaves)	Mexico	1			Tex.
<i>Psidium guajava</i> (guava)	do	1			Tex.
<i>Trialeurodes vitrinellus</i> Ckll. (Aleyrodidae):					
<i>Citrus</i> sp. (leaves)	do	2			Ariz., Ill.
<i>Trionymus sacchari</i> (Ckll.) (Coccidae):					
<i>Miscanthus japonicus</i> (Japanese silvergrass)	Formosa			1	D.C.
<i>Saccharum officinarum</i> (sugarcane)	Cuba, Hawaii, Mexico	4		1	Calif.,* D.C., Fla.
<i>Trochuda raspa</i> (Druce) (Diptidae):					
Orchid	Mexico			1	Tex.
<i>Trogoderma glabrum</i> (Hbst.) (Dermestidae):					
Cellulose	do		1		Tex.
Grain	do		3		Ariz., Tex.
<i>Hordeum vulgare</i> (barley)	do		1		Ariz.
<i>Pistacia</i> sp. (nuts)	Iran	1			N.Y.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Trogoderma glabrum</i> —Continued					
Railway car	Mexico		2		Tex.
<i>Sorghum vulgare</i> (sorghum)	do.		1		Tex.
<i>Triticum aestivum</i> (wheat)	do.		2		Calif., Tex.
<i>Trogoderma granarium</i> Everts (Dermestidae):					
<i>Acacia senegal</i> (gum arabic)	Singapore, Sudan, United Arab Republic	8			N.Y.
<i>Arachis hypogaea</i> (peanut)	Singapore		1		Oreg.
Automobile (contamination)	Unknown	1			Tex.
Bagging (including used burlap wrappers of baled rubber, gum arabic, guar gum, and seedlac, and sacks used for lentils, pigeonpeas rice, turmeric, etc.).	Asia (country(?)), Ceylon, England, Formosa, India, Pakistan, Singapore, Sudan, unknown.	14	7		Calif.,* N.Y., N.C., Tex.
<i>Cajanus cajan</i> (pigeonpea)	India		5		Md., Tex.
<i>Capsicum frutescens</i> (pepper)	do.		1		Tex.
Cargo (with steel, tuna fish cartons, etc.)	Ceylon, Portugal, unknown.	2	1		La., Md., N.Y.
<i>Cuminum cyminum</i> (cumin) seed	Iran		3		N.Y.
<i>Cyamopsis tetragonoloba</i> (guar gum)	India, Pakistan	12			Ill., N.Y., S.C.
Debris	Unknown		3		N.C., Tex.
<i>Glycine max</i> (soybean)	do.		1		Ohio.
Goat skins	Nigeria, Pakistan	2			N.Y., Pa.
<i>Hordeum vulgare</i> (barley)	Unknown		1		Ohio.
Karaya gum	India	4			N.Y.
<i>Oryza sativa</i> (rice)	Burma, China, Formosa, Hong Kong, India, Iran, Japan, Kuwait, Singapore, Union of South Africa, United Arab Republic.		24		Ala., Calif.,* Hawaii, La., Md., N.Y., N.C., Oreg., Pa., Tex.
<i>Papaver</i> sp. (poppyseed)	Iran	1			N.Y.
<i>Phaseolus aureus</i> (mung bean)	Unknown		1		La.
<i>P. vulgaris</i> (bean)	India, Netherlands, United Arab Republic.		3		Calif.,* Tex.
Quarters (cargo hold of ship)	Europe (country?), Sudan, unknown.		3		Calif.,* Pa.
Seedlac	India	2			N.Y.
Stores (including chickpea, coffee, flour, macaroni, mixed grain, peas, spaghetti, sugar, tapioca, etc.).	Formosa, India, Indonesia, Japan, Lebanon, Netherlands, unknown.		26		Ala., Calif.,* Fla., Hawaii, La., Minn., N.Y., Oreg., Pa., Tex., Va., Wash.
<i>Terminalia</i> sp. (myrobalan)	India	3			N.C., S.C.
<i>Triticum aestivum</i> (wheat) flour	Germany, unknown		2		La., N.C.
<i>Trogoderma inclusum</i> LeConte (Dermestidae):					
Automobile	Morocco	1			S.C.
<i>Cuminum cyminum</i> (cumin) seed	India		1		Md.
Grain—mixed	Mexico		1		Ariz.
Herb	Italy	1			N.Y.
Quarters	Unknown		1		Tex.
Stores	Canal Zone, unknown		3		Ala., Calif.,* La.
<i>Trogoderma ornatum</i> (Say) (Dermestidae):					
Airplane	Bahamas		1		Fla.
Bromeliad	Mexico			1	Tex.
Mail	Germany, unknown	2			Minn., N.J.
Military cargo	Morocco	1			S.C.
<i>Oryza sativa</i> (rice)	Unknown		1		La.
<i>Phaseolus vulgaris</i> (bean)	Canada	1			Mich.
Stores	Unknown		1		Mich.
<i>Vicia faba</i> (broadbean)	Canada			1	Mich.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Trogoderma parable</i> Beal (Dermestidae):					
Automobile.....	Mexico.....		1		Ariz.
Bagging.....	do.....		1		Tex.
<i>Gossypium</i> sp. (cottonseed).....	do.....		1		Tex.
<i>Elettaria cardamomum</i> (cardamon).....	Unknown.....		1		Tex.
Macaroni.....	do.....		1		N.Y.
<i>Oryza sativa</i> (rice).....	do.....		1		Tex.
Quarters.....	do.....		1		Pa.
Railway car.....	Mexico.....		1		Tex.
Stores.....	Unknown.....		1		Pa.
<i>Trogosyllum aequale</i> (Woll.) (Lyctidae):					
Wood (chair).....	Mexico.....	1			Tex.
<i>Trogosyllum prostomoides</i> (Gorh.) (Lyctidae):					
Wood.....	do.....	1			Tex.
<i>Tropidacris latreillei</i> (Perty) (Acrididae):					
Orchid.....	Costa Rica.....			1	Fla.
<i>Trypsetus incarnatus</i> (Gyll.) (Curculionidae):					
<i>Entada</i> sp. (seed).....	Burma.....	1			N.Y.
<i>Udea ferrugalis</i> (Hbn.) (Pyraustidae):					
<i>Brassica oleracea capitata</i> (cabbage).....	Italy.....		1		N.Y.
<i>Lactuca sativa</i> (lettuce).....	do.....	1			N.Y.
<i>Unaspis citri</i> (Comst.) (Coccidae):					
<i>Citrus aurantifolia</i> (lime).....	Japan.....		1		Calif.*
<i>C. aurantium</i> var.....	do.....		2		Calif.*
<i>C. ichangensis</i> x <i>C. reticulata</i> (ichangarin).....	do.....		2		Calif.*
<i>C. reticulata</i> (Mandarin orange).....	do.....		3		Calif.*
<i>C. sinensis</i> (sweet orange).....	Japan, unknown.....		5		Calif.*
<i>Unaspis euonymi</i> (Comst.) (Coccidae):					
<i>Euonymus phellomanus</i>	Netherlands.....			1	N.J.
<i>Unaspis yanonensis</i> (Kuw.) (Coccidae):					
<i>Citrus aurantifolia</i> (lime).....	Japan.....	2	1		Hawaii.
<i>C. aurantium</i> (sour orange).....	do.....		7		Calif.,*
					Hawaii.
<i>C. grandis</i> (pummelo).....	do.....		1		Hawaii.
<i>C. hystrix</i> (mauritus).....	do.....		1		Hawaii.
<i>C. limon</i> (lemon).....	do.....		4		Calif.*
<i>C. paradisi</i> (grapefruit).....	do.....		15		Calif.,*
					Hawaii.
<i>C. paradisi</i> x <i>C. reticulata</i> (tangelo).....	do.....		2		Hawaii.
<i>C. reticulata</i> (Mandarin orange).....	Formosa, Japan, Philippines.....	10	110		Calif.,*
					Hawaii.
<i>C. reticulata</i> var. (King orange).....	Japan.....	1	2		Hawaii.
<i>C. sinensis</i> (sweet orange).....	Australia (?), Hong Kong, Japan, Philippines.....	13	138		Calif.,*
					Hawaii,
					Pa.
<i>Citrus</i> sp.....	Japan.....		6		Calif.,*
					Hawaii.
<i>Veronicella moreleti</i> (Crosse & Fischer) (?) (Veronicellidae):					
Orchid.....	Canal Zone.....			1	Fla.
<i>Vilga dissimilis</i> Dist. (Coreidae):					
Orchid.....	do.....			1	Fla.
<i>Vinsonia stellifera</i> (Westw.) (Coccidae):					
<i>Brassia</i> sp. (orchid).....	Canal Zone, El Salvador.....			2	Calif.,* Fla.
<i>Broughtonia</i> sp. (orchid).....	Grand Cayman, Jamaica.....			8	Fla.
<i>Cattleya</i> sp. (orchid).....	Antigua, British Honduras.....			2	Fla.
<i>Epidendrum</i> sp. (orchid).....	Canal Zone.....			1	Fla.
Leaf—unidentified.....	do.....			1	Fla.
<i>Mangifera indica</i> (mango) leaf.....	Cuba, Pakistan.....		1		Fla.
<i>Oncidium</i> sp. (orchid).....	British Guiana, Trinidad.....			2	Fla.
Orchid.....	Antigua, British Guiana, British Honduras, Canal Zone, Costa Rica, Jamaica, Panama, Surinam.....			20	Fla., N.Y.
Plant—unidentified.....	Jamaica.....			1	Fla.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

[An asterisk indicates State inspection]

Pest and host	Country of origin	Number of in- terceptions in—			Collected in—
		Consump- tion	Nonentry	Propaga- tion	
<i>Xeroleuca mograbina</i> (Morelet) (Helicellidae): Military cargo	Morocco	1			S.C.
<i>Xiphidiopsis lita</i> Heb. (Tettigoniidae): Flowers (tropical)	Hawaii	1			Hawaii.
<i>Xyleborus bionicus</i> Egg. (Scolytidae): <i>Guettarda</i> sp. ("tala") log	Argentina	1			N.Y.
<i>Xyleborus testaceus</i> (Wlk.) (Scolytidae): Orchid	Hawaii	1			Hawaii.
<i>Xylomeira torquata</i> (F.) (Bostrichidae): Airplane	Unknown		2		P.R.
<i>Xyloperthella picea</i> (Ol.) (Bostrichidae): <i>Zanthoxylum senegalense</i> (Senegal pricklyash)	Nigeria	1			N.Y.
<i>Xylothrips religiosus</i> (Boisd.) (Bostrichidae): Airplane	Hawaii(?)		1		Hawaii.
Wood (canoe)	American Samoa	2			Calif.*

Hosts and Insects

- ACACIA:
Thrips flavus (Thysanoptera)
T. major (Thysanoptera)
Trogoderma granarium (Coleoptera)
- ACER:
Aceria macrochelus (Acarina)
A. macrorhynchus (Acarina)
Aculus aceris (Acarina)
- ACHRAS:
Anastrepha mombinpraeoptans (Diptera)
A. serpentina (Diptera)
- AGAPANTHUS:
Haplothrips gowdeyi (Thysanoptera)
- AGAVE:
Batrachedra linaria (Lepidoptera)
Diachus auratus (Coleoptera)
- ALLIUM CEPA:
Lygaeus albo-ornatus (Hemiptera)
- ALLIUM PORRUM:
Acrolepia assectella (Lepidoptera)
Phytomyza rufipes (Diptera)
- ALLIUM SATIVUM:
Brachymerus albidentatus (Coleoptera)
B. algeris (Coleoptera)
Dyspessa ulula (Lepidoptera)
Frankliniella tenuicornis (Thysanoptera)
- ALPINIA:
Adoretus sinicus (Coleoptera)
- ALYXIA:
Ceroptastes rubens (Homoptera)
- AMARYLLIS:
Diaprepes famelicus var. (Coleoptera)
- ANANAS:
Alpheias conspirata (Lepidoptera)
Metamasius hemipterus sericeus (Coleoptera)
Pheidole megacephala (Hymenoptera)
Platoceticus symmicta (Coleoptera)
Ribua innoxia (Lepidoptera)
- ANNONA:
Bephrata maculicollis (Hymenoptera)
Brevipalpus chilensis (Acarina)
Cerconota anonella (Lepidoptera)
Phenacoccus hirsutus (Homoptera)
Talponia batesi (Lepidoptera)
- ANTHEMIS:
Cochlicella ventrosa (Mollusca)
Theba pisana (Mollusca)
- ANTHURIUM:
Adoretus sinicus (Coleoptera)
Conoderus erzsi (Coleoptera)
- APIUM:
Euleia heraclei (?) (Diptera)
Otala lactea (Mollusca)
- ARACHIS:
Trogoderma granarium (Coleoptera)
- ARCTOTIS:
Frankliniella formosae (Thysanoptera)
- ARECA:
Coptotermes vastator (Isoptera)
- ARMORACIA:
Baris lepidii (Coleoptera)
- AUCUBA:
Hypera postica (Coleoptera)
- BAMBOO:
Myelobia smerintha (Lepidoptera)
- BEGONIA:
Haplothrips gowdeyi (Thysanoptera)
Theba pisana (Mollusca)
- BETA:
Gnorimoschema ocellatella (Lepidoptera)
Lygus lineolaris (Hemiptera)
- BIXA:
Geotomus pygmaeus (Hemiptera)
Selenothrips rubrocinctus (Thysanoptera)
- BRASSIA:
Vinsonia stellifera (Homoptera)
- BRASSICA CHINENSIS:
Mamestra brassicae (Lepidoptera)
Nezara antennata (Hemiptera)
- BRASSICA OLERACEA:
Evergestis forficalis (Lepidoptera)
- BRASSICA OLERACEA BOTRYTIS:
Evergestis forficalis (Lepidoptera)
Helix aperta (Mollusca)
Mamestra brassicae (Lepidoptera)
Otala lactea (Mollusca)
- BRASSICA OLERACEA BOTRYTIS—Con.
Phytomyza rufipes (Diptera)
Pieris brassicae (Lepidoptera)
- BRASSICA OLERACEA CAPITATA:
Arion ater (Mollusca)
Evergestis forficalis (Lepidoptera)
Helicella conspurcata (Mollusca)
H. variabilis (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
H. figulina (?) (Mollusca)
Mamestra brassicae (Lepidoptera)
Phytomyza rufipes (Diptera)
Pieris brassicae (Lepidoptera)
Udea ferrugalis (Lepidoptera)
- BRASSICA RAPA:
Ceutorhynchus pleurostigma (Coleoptera)
Hellula undalis (Lepidoptera)
- BROMELIA:
Capaneus tetricus (Hemiptera)
- BROMELIAD:
Anthonomus alboblineatus (Coleoptera)
Chalepus omoger (Coleoptera)
Cligenes delineata (Hemiptera)
Dendrocoris variegatus (Hemiptera)
Diabrotica porracea (Coleoptera)
Heterotermes convexinotatus (Isoptera)
Iridomyrmex iniquus (Hymenoptera)
Ogdocoesta biannularis (Coleoptera)
Phelypera distigma (Coleoptera)
Physonota alutacea (Coleoptera)
Pseudococcus neobrevipes (Homoptera)
Trogoderma ornatum (Coleoptera)
- BROUGHTONIA:
Subulina octona (Mollusca)
Vinsonia stellifera (Homoptera)
- BROWNEA:
Dercynus micronyz (Coleoptera)
- BUXUS:
Friophyes canestrinii (Acarina)
- CABOMBA:
Nasutitermes costalis (Isoptera)
Pheidole megacephala (Hymenoptera)
- CACTUS:
Helix aspersa (Mollusca)
Lepidosaphes philococcus (Homoptera)
Ripersella cacticans (Homoptera)
- CAJANUS:
Acanthoscelides armitagei (Coleoptera)
Cerotoma ruficornis (Coleoptera)
Diaprepes abbreviatus var. (Coleoptera)
Fundella pellucens (Lepidoptera)
Maruca testulalis (Lepidoptera)
Metamasius hemipterus hemipterus (Coleoptera)
Monomorium destructor (Hymenoptera)
Sphenarches caffer (Lepidoptera)
Trogoderma granarium (Coleoptera)
- CALLISTEPHUS:
Frankliniella intonsa (Thysanoptera)
Taeniothrips atratus (Thysanoptera)
Thrips flavus (Thysanoptera)
T. major (Thysanoptera)
T. praetermissus (Thysanoptera)
- CALLUNA:
Fieberocapsus flaeolus (?) (Hemiptera)
Frankliniella intonsa (Thysanoptera)
Gelechia ericetella (Lepidoptera)
Micrelus ericae (Coleoptera)
Orthotylus ericetorum (Hemiptera)
Taeniothrips atratus (Thysanoptera)
T. ericae (Thysanoptera)
Thrips flavus (Thysanoptera)
T. major (Thysanoptera)
- CALOCARPUM:
Anastrepha ludens (Diptera)
A. serpentina (Diptera)
- CAMELLIA:
Aleurotuberculatus similis (Homoptera)
Callidium rufipenne (Coleoptera)
Fiorinia theae (Homoptera)
- CANAVALIA:
Haplothrips gowdeyi (Thysanoptera)
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)
Taeniothrips hawaiiensis (Thysanoptera)
T. ritticornis (Thysanoptera)

Hosts and Insects—Continued

CAPSICUM:

- Cryptophlebia leucotreta* (Lepidoptera)
- Gnorimoschema gudmanella* (Lepidoptera)
- Helicella striata* (?) (Mollusca)
- Pyrausta nubilalis* (Lepidoptera)
- Theba pisana* (Mollusca)
- Trogoderma granarium* (Coleoptera)

CARICA:

- Dacus dorsalis* (Diptera)

CARTHAMUS:

- Helicella caperata* (Mollusca)

CASIMIROA:

- Anastrepha ludens* (Diptera)

CASSIA:

- Aganactesis indecora* (Lepidoptera)
- Ectomyelois ceratoniae* (Lepidoptera)

CASTANEA:

- Curculio elephas* (Coleoptera)
- Hemimele juliana* (Lepidoptera)
- Laspeyresia splendana* (Lepidoptera)

CATTLEA:

- Chrysomphalus umboniferus* (Homoptera)
- Mordellistena cattleyana* (Coleoptera)
- Vinsonia stellifera* (Homoptera)

CELOSIA:

- Bradybaena similis* (Mollusca)

CERATONIA:

- Ectomyelois ceratoniae* (Lepidoptera)
- E. muricis* (Lepidoptera)
- Ephestia calidella* (Lepidoptera)

CHAMAEDOREA:

- Aleuroplatys parvatus* (Homoptera)
- Calyptoccephala gerstaeckeri* (Coleoptera)
- C. marginipennis* (Coleoptera)
- Charidotis seminulum* (Coleoptera)
- Chrysomphalus sphaeroides* (Homoptera)
- Ctenonertus nigritrosus* (Coleoptera)
- Ctenochira helicia* (Coleoptera)
- C. hierglyphica* (Coleoptera)
- C. plicata* (Coleoptera)
- Deloyala guttata bohemani* (Coleoptera)
- Deuterocampa aromaculata* (Coleoptera)
- Helicina zephyrina* (Mollusca)
- Ogdocoesta catenulata* (Coleoptera)
- Parisoschoenus flavolimbatus* (Coleoptera)
- Sylepta reginalis* (Lepidoptera)

CHRYSANTHEMUM:

- Conotelus mexicanus* (Coleoptera)
- Frankliniella formosae* (Thysanoptera)
- F. intonsa* (Thysanoptera)
- Haplothrips gowdeyi* (Thysanoptera)
- Lygus lineolaris* (Hemiptera)
- Myzus ascalonicus* (Homoptera)
- Orthops cerinus* (Hemiptera)
- Taeniothrips atratus* (Thysanoptera)
- Thrips flavus* (Thysanoptera)
- T. major* (Thysanoptera)
- T. praetermissus* (Thysanoptera)

CICER:

- Collosobruchus analis* (Coleoptera)

CICORIUM:

- Phytomyza rufipes* (Diptera)

CITRUS AURANTIFOLIA:

- Aleurocanthus woglumi* (Homoptera)
- Anastrepha ludens* (Diptera)
- Chrysomphalus personatus* (Homoptera)
- Parlatoria cinerea* (Homoptera)
- P. zizyphus* (Homoptera)
- Pseudonidia trilobitiformis* (Homoptera)
- Unaspis citri* (Homoptera)
- U. yanonenis* (Homoptera)

CITRUS AURANTIUM:

- Anastrepha ludens* (Diptera)
- Coccus pseudomagnoliarum* (Homoptera)
- Morganella longispina* (Homoptera)
- Unaspis yanonenis* (Homoptera)

CITRUS AURANTIUM VAR.:

- Unaspis citri* (Homoptera)

CITRUS GRANDIS:

- Parlatoria zizyphus* (Homoptera)
- Unaspis yanonenis* (Homoptera)

CITRUS HYSTRIX:

- Unaspis yanonenis* (Homoptera)

CITRUS ICHANGENSIS X C. RETICULATA:

- Unaspis citri* (Homoptera)

CITRUS LIMON:

- Ceratitidis capitata* (Diptera)
- Cochlicella barbara* (Mollusca)
- C. ventrosa* (Mollusca)
- Cryptoblabes gnidiella* (Lepidoptera)
- Otala vermiculata* (Mollusca)
- Parlatoria cinerea* (Homoptera)
- P. zizyphus* (Homoptera)
- Pseudonidia trilobitiformis* (Homoptera)
- Unaspis yanonenis* (Homoptera)

CITRUS PARADISI:

- Anastrepha ludens* (Diptera)
- Ceratitidis capitata* (Diptera)
- Morganella longispina* (Homoptera)
- Parlatoria zizyphus* (Homoptera)
- Unaspis yanonenis* (Homoptera)

CITRUS PARADISI X C. RETICULATA:

- Unaspis yanonenis* (Homoptera)

CITRUS RETICULATA:

- Brevipalpus oblongatus* (Acarina)
- Ceratitidis capitata* (Diptera)
- Morganella longispina* (Homoptera)
- Parlatoria zizyphus* (Homoptera)
- Unaspis citri* (Homoptera)
- U. yanonenis* (Homoptera)

CITRUS RETICULATA VAR.:

- Unaspis yanonenis* (Homoptera)

CITRUS SINENSIS:

- Aleurocanthus spiniferus* (Homoptera)
- A. woglumi* (Homoptera)
- Anastrepha ludens* (Diptera)
- Bemisia giffardi* (Homoptera)
- Brevipalpus chilensis* (Acarina)
- Ceratitidis capitata* (Diptera)
- Chrysomphalus bifusciculatus* (Homoptera)
- Cryptoblabes gnidiella* (Lepidoptera)
- Cryptophlebia leucotreta* (Lepidoptera)
- Dialeurodes citrifolii* (Homoptera)
- Gymnandrosoma aurantianum* (Lepidoptera)
- Helix aspersa* (Mollusca)
- Monomorium destructor* (Hymenoptera)
- Morganella longispina* (Homoptera)
- Parlatoria cinerea* (Homoptera)
- P. zizyphus* (Homoptera)
- Pseudonidia trilobitiformis* (Homoptera)
- Pseudococcus citricus* (Homoptera)
- Unaspis citri* (Homoptera)
- U. yanonenis* (Homoptera)

CITRUS SP.:

- Aleurocanthus woglumi* (Homoptera)
- Dialeurodes citrifolii* (Homoptera)
- Frankliniella formosae* (Thysanoptera)
- Phyllocnistis citrella* (?) (Lepidoptera)
- Trialeurodes similis* (Homoptera)
- T. vitrinellus* (Homoptera)
- Unaspis yanonenis* (Homoptera)

CLEMATIS:

- Aleyrodes proletella* (Homoptera)

COCOS:

- Aspidiotus palmarum* (Homoptera)
- Chrysomphalus albopictus* (Homoptera)
- C. personatus* (Homoptera)
- Diocalandra taitensis* (Coleoptera)
- Phéidole megacephala* (Hymenoptera)
- Pseudococcus palmarum* (Homoptera)

CODIAEUM:

- Lepidosaphes tokionis* (Homoptera)
- Parlatoria crotonis* (Homoptera)
- Selenothrips rubrocinctus* (Thysanoptera)

COFFEA:

- Ceratitidis capitata* (Diptera)
- Cryptophlebia illepidia* (Lepidoptera)
- Dacus dorsalis* (?) (Diptera)
- Haplothrips gowdeyi* (Thysanoptera)
- Leucoptera coffeella* (Lepidoptera)
- Stephanoderes hampei* (Coleoptera)

COIX:

- Phéidole megacephala* (Hymenoptera)

COLOCASIA:

- Organothrips bianchii* (Thysanoptera)
- Phéidole megacephala* (Hymenoptera)

COMPOSITAE:

- Metopoplax ditomoides* (Hemiptera)

CONVALLARIA:

- Lema melanopa* (Coleoptera)
- Smerinthus ocellata* (Lepidoptera)

Hosts and Insects—Continued

CORDYLINE:

Oxydema fusiforme (Coleoptera)*Siphanta acuta* (Homoptera)*Sybra alternans* (Coleoptera)

CORYLUS:

Curculio nucum (Coleoptera)

CRASSULA:

Brevipalpus oboratus (Acarina)*Tenuipalpus punicea* (Acarina)

UCUMIS:

Cerotoma ruficornis (Coleoptera)*Ligyrocoris aurivilliana* (Hemiptera)

CUMINUM:

Trogoderma granarium (Coleoptera)*T. inclusum* (Coleoptera)

CUPRESSUS:

Ecetria tessulata (?) (Lepidoptera)

CYAMOPSIS:

Trogoderma granarium (Coleoptera)

CYCAD:

Opogona sacchari (Lepidoptera)*Pheidole megacephala* (Hymenoptera)

CYDONIA:

Anastrepha ludens (Diptera)*Ceratitis capitata* (Diptera)*Ectomyelois ceratoniae* (Lepidoptera)*Grapholitha packardii* (Lepidoptera)*Kaloterpes flavicollis* (Isoptera)

CYMBIDIUM:

Lepidosaphes tuberculata (Homoptera)*Tetranychus cinnabarinus* (Acarina)

CYNARA:

Apion carduorum (Coleoptera)*Cassida sanguinolenta* (Coleoptera)*C. vibex* (Coleoptera)*Thrips angusticeps* (Thysanoptera)

DAHLIA:

Lema erichsoni (Coleoptera)*Opogona sacchari* (Lepidoptera)*Pheidole megacephala* (Hymenoptera)*Pyrausta nubilalis* (Lepidoptera)*Taeniothrips atratus* (Thysanoptera)*Thrips flavus* (Thysanoptera)

DAUCUS:

Phalonia zephyrana (Lepidoptera)

DENDROBIUM:

Pinnaspis buxi (Homoptera)

DIANTHUS:

Frankliniella formosae (Thysanoptera)*F. intonsa* (Thysanoptera)*Haplothrips cottei* (Thysanoptera)*H. gowdeyi* (Thysanoptera)*Helix aspersa* (Mollusca)*Lamiothrips denticornis* (Thysanoptera)*Puto mexicanus* (Homoptera)*Taeniothrips atratus* (Thysanoptera)*T. dianthi* (Thysanoptera)*T. hawaiiensis* (Thysanoptera)*Tetranychus cinnabarinus* (Acarina)*Thrips angusticeps* (Thysanoptera)*T. flavus* (Thysanoptera)*T. major* (Thysanoptera)

DIOON:

Aulacoscelis melanocera (Coleoptera)

DIOSPYROS:

Archips pronubanus (?) (Lepidoptera)*Ceratitis capitata* (Diptera)*Palaeopus costicollis* (Coleoptera)*Pseudococcus halli* (Homoptera)*"Targionia" hartii* (Homoptera)

DOLICHOS:

Callosobruchus phaseoli (Coleoptera)

ECHINODORUS:

Delphacodes teapae (Homoptera)

ELETTERIA:

Trogoderma parabile (Coleoptera)

ENTADA:

Trypsetus incarnatus (Coleoptera)

ENTEROLOBIUM:

Ectomyelois muricis (Lepidoptera)

EPIDENDRUM:

Orchidophilus aterrimus (Coleoptera)*Pangaeus rugiceps* (Hemiptera)*Tenthecoris confusus* (Hemiptera)*Vinsonia stellifera* (Homoptera)

EREMOCITRUS:

Megastigmus limoni (Hymenoptera)

ERIOBOTRYA:

Ceratitis capitata (Diptera)*Ectomyelois ceratoniae* (Lepidoptera)

ERYNGIUM:

Bradybaena similis (Mollusca)*Frankliniella williamsi* (Thysanoptera)

EUGENIA:

Ceratitis capitata (Diptera)*Poecilips persicae* (Coleoptera)

EUONYMUS:

Unaspis euonymi (Homoptera)

EURYA:

Pseudoanidia paeoniae (Homoptera)

FICUS:

Ceratitis capitata (Diptera)*Gynaikothrips ficorum* (Thysanoptera)*Hypoborus ficus* (Coleoptera)

FORTUNELLA:

Parlatoria zizyphus (Homoptera)

GARDENIA:

Aleuroglandulus emmae (Homoptera)*Aleuroparadoxus gardeniae* (Homoptera)*Aleurothrixus myrtacei* (Homoptera)*Coccus viridis* (Homoptera)*Cryptoccephalus zerampelinus* (Coleoptera)*Dialeurodes kirkaldyi* (Homoptera)*Frankliniella formosae* (Thysanoptera)*Pseudoanidia clavigera* (Homoptera)*Taeniothrips hawaiiensis* (Thysanoptera)*T. kellyanus* (Thysanoptera)

GENTIANA:

Stenopitillia stigmatodactyla (Lepidoptera)

GLADIOLUS:

Frankliniella formosae (Thysanoptera)*F. intonsa* (Thysanoptera)*Taeniothrips atratus* (Thysanoptera)*Thrips angusticeps* (Thysanoptera)*T. flavus* (Thysanoptera)*T. imaginis* (Thysanoptera)

GLYCINE:

Trogoderma granarium (Coleoptera)

GOSSYPIMUM:

Erptochiomeria oblonga (Hemiptera)*Pectinophora gossypiella* (Lepidoptera)*Trogoderma parabile* (Coleoptera)

GUETTARDA:

Xyleborus biconicus (Coleoptera)

GYPSOPHILA:

Taeniothrips atratus (Thysanoptera)

HELICONIA:

Conoderus exsul (Coleoptera)

HIBISCUS:

Oopsis nutator (Coleoptera)*Pectinophora gossypiella* (Lepidoptera)

HORDEUM:

Trogoderma glabrum (Coleoptera)*T. granarium* (Coleoptera)

HYACINTHUS:

Frankliniella formosae (Thysanoptera)

HYDRANGEA:

Taeniothrips ericae (Thysanoptera)

HYMENAEA:

Neodryocetes caribaeus (Coleoptera)

ILEX:

Aleurotuberculatus similis (Homoptera)

IPOMOEA:

Cylas formicarius (Coleoptera)*C. formicarius* var. (Coleoptera)*C. formicarius elegantulus* (Coleoptera)*C. formicarius formicarius* (Coleoptera)*Euscepes postfasciatus* (Coleoptera)*Megacerus alternatus* (Coleoptera)*Sylepta elevata* (Lepidoptera)

IRIS:

Anomala orientalis (Coleoptera)*Iridothrips iridis* (Thysanoptera)*Opeas pyrgula* (Mollusca)

ISOCHILUS:

Cryphula fasciata (Hemiptera)

JASMINUM:

Archips pronubanus (?) (Lepidoptera)*Dialeurodes kirkaldyi* (Homoptera)*D. vulgaris* (?) (Homoptera)*Palpita unionalis* (Lepidoptera)

Hosts and Insects—Continued

JUGLANS:

Ectomyelois ceratoniae (Lepidoptera)

JUNIPERUS:

Miccotrogus picirostris (Coleoptera)

Oligonychus perditus (Acarina)

KALANCHOE:

Plusia chalcites (Lepidoptera)

KHAYA:

Cordylomera spinicornis (Coleoptera)

LACTUCA:

Arion ater (Mollusca)

Cochlicella ventrosa (Mollusca)

Dicyphus annulatus (Hemiptera)

Frankliniella intonsa (Thysanoptera)

Helix aspersa (Mollusca)

Lugus rugulipennis (Hemiptera)

Mamestra brassicae (Lepidoptera)

Myzus ascalonicus (Homoptera)

Otala vermiculata (Mollusca)

Plagiognathus albipennis (Hemiptera)

Plusia chalcites (Lepidoptera)

Thrips angusticeps (Thysanoptera)

Udea ferrugalis (Lepidoptera)

LAELIA:

Puto ulter (Homoptera)

Tenthecoris confusus (Homoptera)

LATHYRUS:

Bruchus affinis (Coleoptera)

B. tristis (Coleoptera)

Frankliniella intonsa (Thysanoptera)

Helicella pyramidata (Mollusca)

H. variabilis (Mollusca)

Taeniothrips atratus (Thysanoptera)

LAURUS:

Chrysomphalus paulistus (Homoptera)

Trialeurodes lauri (Homoptera)

LENS:

Bruchus lentis (Coleoptera)

B. signaticornis (Coleoptera)

LEUCAENA:

Araecerus levipennis (Coleoptera)

LICUALA:

Bradybaena similis (Mollusca)

LILIUM:

Frankliniella formosae (Thysanoptera)

Thrips flavus (Thysanoptera)

LIPPIA:

Corythaica carinata (Hemiptera)

LITCHEI:

Planococcus dorsospinosus (Homoptera)

LONCHOCARPUS(?):

Dinoderus bifoveolatus (Coleoptera)

LONICERA:

Thrips major (Thysanoptera)

LYCOPERSICON:

Ceratitis capitata (?) (Diptera)

Dacus cucurbitae (Diptera)

Epinotia aporema (Lepidoptera)

Neoleucinodes elegantalis (Lepidoptera)

LYCORIS:

Taeniothrips gracilis (Thysanoptera)

MACADAMIA:

Cryptophlebia illepidia (Lepidoptera)

Morganella longispina (Homoptera)

Pseudonidia clavifera (Homoptera)

MALUS:

Anastrepha ludens (Diptera)

Argyresthia conjugella (Lepidoptera)

Blastodacna atra (Lepidoptera)

Carpocapsa niponensis (Lepidoptera)

Ceratitis capitata (Diptera)

MALVACEAE:

Frankliniella intonsa (Thysanoptera)

MANGIFERA:

Anastrepha ludens (Diptera)

A. mombinpraeptans (Diptera)

Chrysomphalus personatus (Homoptera)

Dacus dorsalis (Diptera)

Pseudonidia trilobitiformis (Homoptera)

Pseudischinaspis longissima (Homoptera)

Sternonchetus mangiferae (Coleoptera)

Vinsonia stellifera (Homoptera)

MENTHA:

Aleuroglandulus emmae (Homoptera)

Bradybaena similis (Mollusca)

Cochlicella ventrosa (Mollusca)

MENTHA—Continued

Pheidole megacephala (Hymenoptera)

MISCANTHUS:

Trionymus sacchari (Homoptera)

MONSTERA:

Hileithia decostalis (Lepidoptera)

MUCUNA:

Neodryocetes hubbardi (Coleoptera)

MUSA:

Cephaloleia pretiosa (Coleoptera)

Cosmopolites sordidus (Coleoptera)

Metamasius hemipterus sericeus (Coleoptera)

Opogona sacchari (Lepidoptera)

Polytus mellerborgii (Coleoptera)

Porphyrobaphe iostoma (Mollusca)

Solaropsis monile (Mollusca)

NARCISUS:

Stenotarsonemus laticeps (Acarina)

Thrips flavus (Thysanoptera)

NECTANDRA:

Platypus rugulosus (Coleoptera)

NEPHELIUM:

Selenothrips rubrocinctus (Thysanoptera)

NERIUM:

Haplothrips gowdeyi (Thysanoptera)

Pheidole megacephala (Hymenoptera)

OLEA:

Aleurilobus olivinus (Homoptera)

Dacus oleae (Diptera)

Phloeotribus scarabaeoides (Coleoptera)

Prays oleellus (Lepidoptera)

ONCIDIUM:

Puto ulter (Homoptera)

Vinsonia stellifera (Homoptera)

OPERCULINA:

Sybra alternans (Coleoptera)

Taeniothrips hawaiiensis (Thysanoptera)

OPUNTIA:

Ceratitis capitata (Diptera)

ORCHID:

Anechura vara (Dermaptera)

Asterolecanium epidendri (Homoptera)

Bradybaena similis (Mollusca)

Cligenes delineata (Hemiptera)

Conoderus exsul (Coleoptera)

Cryphula apaticus (Hemiptera)

Deloyala guttata bohemani (Coleoptera)

Dendrocoris variegatus (Hemiptera)

Diabrotica lepidia (Coleoptera)

Epilachna borealis var. (Coleoptera)

Explotiomera formosa (Hemiptera)

Homoeogamia mexicana (Orthoptera)

Iridomyrmex pilifer (Hymenoptera)

Lamellaris miera (Mollusca)

Monomorium destructor (Hymenoptera)

Neolobophora inopinata (Dermaptera)

Opeas pumila (Mollusca)

Ophraea maculicollis (Coleoptera)

Orydema fusiforme (Coleoptera)

Pheidole megacephala (Hymenoptera)

Phelypera distigma (Coleoptera)

Phenacaspis dendrobii (Homoptera)

Plagioderma congesta (Coleoptera)

Plusia chalcites (Lepidoptera)

Protopodonta balgi (Coleoptera)

Puto ulter (Homoptera)

Rumina decollata (Mollusca)

Subulina octona (Mollusca)

Tenthecoris angustimarginatus (Hemiptera)

T. balloui (Hemiptera)

T. bicolor (Hemiptera)

T. confusus (Hemiptera)

T. restitus (Hemiptera)

Trochuda raspa (Lepidoptera)

Tropidacris latreillei (Orthoptera)

Veronicella moreleti (?) (Mollusca)

Vilga dissimilis (Hemiptera)

Vinsonia stellifera (Homoptera)

Xyleborus testaceus (Coleoptera)

ORNITHOGALUM:

Epichorista ionephela (Lepidoptera)

Frankliniella schultzei (Thysanoptera)

Haplothrips gowdeyi (Thysanoptera)

H. nigricornis (Thysanoptera)

ORYZA:

Chilo suppressalis (Lepidoptera)

Hosts and Insects—Continued

ORYZA—Continued

- Frankliniella tenuicornis* (Thysanoptera)
Trogoderma granarium (Coleoptera)
T. ornatum (Coleoptera)
T. parvum (Coleoptera)

PALM:

- Aonidiella inornata* (Homoptera)
Brevipalpus obovatus (Acarina)
Coccotrypes pygmaeus (Coleoptera)

PAPAYER:

- Trogoderma granarium* (Coleoptera)

PASSIFLORA:

- Ceratitidis capitata* (?) (Diptera)
Dacus dorsalis (?) (Diptera)

PELARGONIUM:

- Cochlicella ventrosa* (Mollusca)

PELEA:

- Prays fulvocanellus* (Lepidoptera)

PERSEA:

- Conotrachelus aguacatae* (Coleoptera)
C. perseae (Coleoptera)
Dacus dorsalis (Diptera)
Helipus lauri (Coleoptera)
Stenomoma catenifer (Lepidoptera)

PETROSELINUM:

- Helicella itala* (Mollusca)
Selenothrips rubrocinctus (Thysanoptera)

PHALERIA:

- Ceratitidis capitata* (Diptera)

PHASEOLUS:

- Callosobruchus phaseoli* (Coleoptera)
C. subinnotatus (Coleoptera)
Ceratomyza ruficornis (Coleoptera)
Dynalopechus calandrodus (Coleoptera)
Epinotia aporema (Lepidoptera)
Eversomyia (Lepidoptera)
Laspeyresia dorsana (?) (Lepidoptera)
L. fabivora (Lepidoptera)
Maruca testulalis (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
Trogoderma granarium (Coleoptera)
T. ornatum (Coleoptera)

PHILODENDRON:

- Cactophagus validirostris* (Coleoptera)
Chrysomphalus paulistinus (Homoptera)

PHRAGMITES:

- Nipponaclerda biwakensis* (Homoptera)

PICEA:

- Laspeyresia strobilella* (Lepidoptera)
Megastigmus strobilobius (Hymenoptera)

PICEA(?):

- Ernobius abietis* (Coleoptera)

PINUS:

- Adela ochensheimeriella* (Lepidoptera)
Coptotermes crassus (Isoptera)
Epilachna mexicana (Coleoptera)
Hylurgops palliatus (Coleoptera)
Lepidosaphes pini (Homoptera)
Petrova resinella (Lepidoptera)
Pseudococcus pini (Homoptera)
Taeniothrips atratus (Thysanoptera)

PISTACIA:

- Trogoderma glabrum* (Coleoptera)

PISUM:

- Callosobruchus analis* (Coleoptera)
Lampides boeticus (Lepidoptera)

PLUMERIA:

- Conotelus mexicanus* (Coleoptera)
Pheidole megacephala (Hymenoptera)
Taeniothrips hawaiiensis (Thysanoptera)

POLIANTHES:

- Thrips flavus* (Thysanoptera)

PRIORIA:

- Platypus rugulosus* (Coleoptera)

PRUNUS ARMENIACA:

- Ceratitidis capitata* (Diptera)

PRUNUS DOMESTICA:

- Archips pronubanus* (?) (Lepidoptera)
Carpodina niponensis (Lepidoptera)
Ceratitidis capitata (Diptera)
Geniocremeris chilensis (Coleoptera)
Listroderes subcinctus (Coleoptera)

PRUNUS PERSICA:

- Anastrepha ludens* (Diptera)
Blissus diplopterus (Hemiptera)
Ceratitidis capitata (Diptera)

PRUNUS PERSICA—Continued

- Cryptoblabes gnidiella* (Lepidoptera)
Hypera nigristrostris (Coleoptera)
Oryzocarenum rufiventris (Hemiptera)

PRUNUS PERSICA NECTARINA:

- Conoderus rufangulus* (Coleoptera)
Geniocremeris chilensis (Coleoptera)
PRUNUS SP. (cherry):
Rhagoletis cerasi (Diptera)

PRUNUS SP.:

- Thrips angusticeps* (Thysanoptera)

PSIDIUM:

- Anastrepha mombinpraepotans* (Diptera)
A. striata (Diptera)
A. suspensa (?) (Diptera)
Ceratitidis capitata (Diptera)
Dacus dorsalis (Diptera)
Trialeurodes similis (Homoptera)

PTEROSTYLIS:

- Antonina graminis* (Homoptera)

PUNICA:

- Archips pronubanus* (?) (Lepidoptera)
Anastrepha ludens (Diptera)
Ceratitidis capitata (Diptera)
Cryptoblabes gnidiella (Lepidoptera)
Ectomyeosis ceratoniae (Lepidoptera)
Forficula aetolica (Dermaptera)

PYRUS:

- Anastrepha ludens* (Diptera)
Ceratitidis capitata (Diptera)
Ectomyeosis ceratoniae (Lepidoptera)
Grapholitha packardii (Lepidoptera)

QUERCUS:

- Curlculio elephas* (Coleoptera)
Laspeyresia splendana (Lepidoptera)

RAPHANUS:

- Phytomyza rufipes* (Diptera)

RHODODENDRON:

- Brevipalpus obovatus* (Acarina)
Dialeurodes chittendeni (Homoptera)
Pealius azaleae (Homoptera)
Psylla rhododendri (Homoptera)
Tetranychus viennensis (Acarina)

ROSA:

- Ardis sulcata* (Hymenoptera)
Brevipalpus obovatus (Acarina)
Frankliniella formosae (Thysanoptera)
F. intonsa (Thysanoptera)
Helix aspersa (Mollusca)
Lema melanopa (Coleoptera)
Monacha carthusiana (Mollusca)
Taeniothrips atratus (Thysanoptera)
Tetranychus cinnabarinus (Acarina)
Thrips flavus (Thysanoptera)
T. major (Thysanoptera)

ROSMARINUS:

- Chrysolina americana* (Coleoptera)

RUBUS:

- Helicella caperata* (Mollusca)

RUMEX:

- Dicyphus stachydus* (Hemiptera)

SACCHARUM:

- Chilo loftini* (Lepidoptera)
Opogona sacchari (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Trionymus sacchari (Homoptera)

SALIX:

- Haplorthrips aculeatus* (Thysanoptera)

SAMANEA:

- Ectomyeosis ceratoniae* (Lepidoptera)

SCHINUS:

- Conoderus exsul* (Coleoptera)

SEDUM:

- Helix aspersa* (Mollusca)

SESBANIA:

- Callosobruchus phaseoli* (Coleoptera)
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Taeniothrips hawaiiensis (Thysanoptera)

SESUVIUM:

- Pheidole megacephala* (Hymenoptera)

SOIL:

- Agriotes obscurus* (Coleoptera)
Bradybaena similis (Mollusca)
Cecilioides acicula (Mollusca)

Hosts and Insects—Continued

SOIL—Continued

- Gynaikothrips ficorum* (Thysanoptera)
- Helicella maritima* (Mollusca)
- H. striata* (?) (Mollusca)
- Helix pomatia* (Mollusca)
- Lamellaris gracilis* (?) (Mollusca)
- L. micra* (Mollusca)
- Limothrips denticornis* (Thysanoptera)
- Monomorium destructor* (Hymenoptera)
- Opeas pyrgula* (Mollusca)
- Opogona sacchari* (Lepidoptera)
- Pheidole megacephala* (Hymenoptera)
- Podagricra fuscicornis* (Coleoptera)
- Subulina octona* (Mollusca)
- Taeniothrips atratus* (Thysanoptera)
- Thrips flavus* (Thysanoptera)

SOLANUM MELONGENA:

- Leucinodes orbonalis* (Lepidoptera)

- Pyrausta nubilalis* (Lepidoptera)

SOLANUM TUBEROSUM:

- Agriotes lineatus* (Coleoptera)

SOLANUM SP.:

- Leucinodes orbonalis* (Lepidoptera)

- Neoleucinodes elegantalis* (Lepidoptera)

SORGHUM:

- Pyrausta nubilalis* (Lepidoptera)

- Sesamia cretica* (Lepidoptera)

- Trogoderma glabrum* (Coleoptera)

SPONDIAS:

- Anastrepha mombinpraeoptans* (Diptera)

- Chrysomphalus calurus* (Homoptera)

STANTHOPEA:

- Puto mexicanus* (Homoptera)

STRONGYLODON:

- Lampides boeticus* (Lepidoptera)

- Maruca testulalis* (Lepidoptera)

SYRINGA:

- Adoxophyes orana* (Lepidoptera)

TAGETES:

- Bradybaena similis* (Mollusca)

TAMARINDUS:

- Caryedon fuscus* (Coleoptera)

- Ectomyelois ceratoniae* (Lepidoptera)

TERMINALIA:

- Anastrepha mombinpraeoptans* (Diptera)

- Dacus dorsalis* (Diptera)

- Trogoderma granarium* (Coleoptera)

TILLANDSIA:

- Adoretus sinicus* (Coleoptera)

- Puto mexicanus* (Homoptera)

TRIFOLIUM:

- Bruchidius trifolii* (Coleoptera)

- Cecilioides acicula* (Mollusca)

TRITICUM:

- Cryptotermes brevis* (Isoptera)

- Haplothrips tritici* (Thysanoptera)

- Trogoderma glabrum* (Coleoptera)

- T. granarium* (Coleoptera)

TSUGA:

- Megastigmus tsugaphilus* (Hymenoptera)

URGINEA:

- Arion ater* (Mollusca)

VANDA:

- Adoretus sinicus* (Coleoptera)

- Athesapeuta cyperi* (Coleoptera)

- Bradybaena similis* (Mollusca)

- Conoderus exsul* (Coleoptera)

- Conotelus mexicanus* (Coleoptera)

- Melanozanthus melanocephalus* (Coleoptera)

- Nysius terrestris* (Hemiptera)

- Orchidophilus aterrimus* (Coleoptera)

- Pinnaaspis orchidarum* (Homoptera)

- Plusia chalcites* (Lepidoptera)

- Siphanta acuta* (Homoptera)

- Sybra alternans* (Coleoptera)

VERNONIA:

- Taeniothrips atratus* (Thysanoptera)

VICIA:

- Bruchus dentipes* (Coleoptera)

- B. tristis* (Coleoptera)

- Trogoderma ornatum* (Coleoptera)

VIGNA:

- Bruchus guttalis* (Coleoptera)

- Epinotia aporema* (Lepidoptera)

VIOLA:

- Frankliniella intonsa* (Thysanoptera)

VITIS:

- Acladra fraterna* (Hemiptera)

- Aleurolobus taonabae* (Homoptera)

- Brevipalpus chilensis* (Acarina)

- B. obovatus* (Acarina)

- Ceratitidis capitata* (Diptera)

- Conoderus rufangulus* (Coleoptera)

- Leptoglossus chilensis* (Hemiptera)

- Listroderes subcinctus* (Coleoptera)

- Lobesia botrana* (Lepidoptera)

- Naupactus xanthographus* (Coleoptera)

- Phlyctinus callosus* (Coleoptera)

ZAMIA:

- Heterotermes convexinotatus* (Isoptera)

ZANTHOXYLUM:

- Heterobostrychus brunneus* (Coleoptera)

- Xyloperthella picea* (Coleoptera)

ZEA:

- Moodna bisinuella* (?) (Lepidoptera)

- Pagiocerus flori* (Coleoptera)

- Pyrausta nubilalis* (Lepidoptera)

- Sesamia cretica* (Lepidoptera)

ZINGIBER:

- Opogona purpuricella* (Lepidoptera)

ZINNIA:

- Frankliniella intonsa* (Thysanoptera)

- Haplothrips dianthinus* (Thysanoptera)

- Orycaenus hyalinipennis* (Hemiptera)

- Thrips flavus* (Thysanoptera)

Hosts Unknown

AIRPLANE:

Acanthoderes circumflexa (Coleoptera)
Adoretus sinicus (Coleoptera)
Aethus indicus (Hemiptera)
Amphimallon majalis (Coleoptera)
Amyna natalis (Lepidoptera)
Anomala orientalis (Coleoptera)
Arctia coerula (Lepidoptera)
Catacanthus carrenoi (Hemiptera)
Chalciope hyppasia (Lepidoptera)
Chalepus acuticornis (Coleoptera)
Conoderus pallipes (Coleoptera)
Crambus ligonellus (Lepidoptera)
Cretonotos ganpis (Lepidoptera)
Diaphania thysalis (Lepidoptera)
Diocalandra taiensis (Coleoptera)
Euthella rugiceps (Coleoptera)
Euricania splendida (Homoptera)
Gnaphalocrocis medinalis (Lepidoptera)
Holcostethus vernalis (Hemiptera)
Lamprolonchea aurea (Diptera)
Lyctus brunneus (Coleoptera)
Macroscytus japonensis (Hemiptera)
Megasoma elephas (Coleoptera)
Melanema alegua (Lepidoptera)
Mirperus ferrugineus (Homoptera)
Nepholetix bipunctatus (Homoptera)
Nomophila noctuella (Lepidoptera)
Otosema odorata (Lepidoptera)
Oryza velox (Orthoptera)
Pachybrachius nigriceps (Hemiptera)
Perkinsiella vitensis (Homoptera)
Pheidole megacephala (Hymenoptera)
Phyryx immutis (Lepidoptera)
Pieris rapae crucifera (Lepidoptera)
Platypus rugulosus (Coleoptera)
Pyrausta nubilalis (Lepidoptera)
Schoenobius incertulus (Lepidoptera)
Spodoptera mauritia (Lepidoptera)
S. mauritia acronyctoides (Lepidoptera)
S. pecten (?) (Lepidoptera)
Stictoptera subobliqua (Lepidoptera)
Talurus rugosus (Coleoptera)
Theretra tryoni (Lepidoptera)
Trogoderma ornatum (Coleoptera)
Xylomeira torquata (Coleoptera)
Xylotrips religiosus (Coleoptera)

AQUATIC PLANTS:
Nasutitermes costalis (Isoptera)
Pheidole megacephala (Hymenoptera)

AUTOMOBILE:
Adoretus sinicus (Coleoptera)
Cepaea nemoralis (Mollusca)
Cochlicella barbara (Mollusca)
Dyscinetus laevi-punctatus (Coleoptera)
Helicella neglecta (Mollusca)
H. variabilis (Mollusca)
Helix aspersa (Mollusca)
Spodoptera mauritia acronyctoides (Lepidoptera)
Theba pisana (Mollusca)
Trogoderma granarium (Coleoptera)
T. inclusum (Coleoptera)
T. parabile (Coleoptera)

BAGGAGE:
Adoretus sinicus (Coleoptera)
Anacridium aegyptium (Orthoptera)
Ceratitis capitata (Diptera)
Cylas formicarius elegantulus (Coleoptera)
Euscepes postfasciatus (Coleoptera)
Helicella itala (Mollusca)
Helix aspersa (Mollusca)
H. aspersa (Mollusca)
Laspesyesia splendana (Lepidoptera)
Maruca testulalis (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
Spodoptera mauritia (Lepidoptera)
Sybra alternans (Coleoptera)

BAGGING:
Trogoderma granarium (Coleoptera)
T. parabile (Coleoptera)

BARK:
Nasutitermes corniger (Isoptera)

BURLAP:
Catorama herbarium (Coleoptera)

CARGO—GENERAL:
Edessa rufomarginata (Hemiptera)

CARGO—GENERAL—Continued

Helicella neglecta (Mollusca)
Pieris brassicae (Lepidoptera)
Platycarenum humilis (Hemiptera)
Trogoderma granarium (Coleoptera)

CELLULOSE:
Trogoderma glabrum (Coleoptera)

CLOTHING:
Adoretus sinicus (Coleoptera)
Cryptotermes brevis (Isoptera)

CORAL:
Pheidole megacephala (Hymenoptera)

CRATE:
Copris hispanus (Coleoptera)

CUTTINGS—UNIDENTIFIED:
Pheidole megacephala (Hymenoptera)

DEBRIS:
Otala lactea (Mollusca)
Trogoderma granarium (Coleoptera)

EXCELSIOR:
Spondylis buprestoides (Coleoptera)

FERN:
Hygrobia hispida (Mollusca)

FLOWERS:
Adoretus sinicus (Coleoptera)
Bergallia signata (Homoptera)
Bradybaena similis (Mollusca)
Ceresium unicolor (Coleoptera)
Frankliniella formosae (Thysanoptera)
F. intonsa (Thysanoptera)
F. tritici (Thysanoptera)
Haplothrips gowdeyi (Thysanoptera)
Helicella caperata (Mollusca)
Siphanta acuta (Homoptera)
Sybra alternans (Coleoptera)
Taeniothrips atratus (Thysanoptera)
T. hawaiiensis (Thysanoptera)
Theba pisana (Mollusca)
Thrips flavus (Thysanoptera)
T. major (Thysanoptera)
Xiphidopsis lita (Orthoptera)

FOLIAGE:
Conoderus exsul (Coleoptera)

FOOD:
Monomorium destructor (Hymenoptera)

FOREST LITTER:
Schirrus sermaculatus (Hemiptera)

FRUIT—UNIDENTIFIED:
Ceratitis capitata (Diptera)

GOAT SKINS:
Trogoderma granarium (Coleoptera)

GRAIN:
Trogoderma glabrum (Coleoptera)
T. inclusum (Coleoptera)

HERBARIUM SPECIMENS:
Conotelus mexicanus (Coleoptera)

HERBS:
Helix aspersa (Mollusca)
Lamellaxis micra (Mollusca)
Monomorium destructor (Hymenoptera)
Theba pisana (Mollusca)
Trogoderma inclusum (Coleoptera)

KARAYA GUM:
Trogoderma granarium (Coleoptera)

LEAF—UNIDENTIFIED:
Ateuropatus variegatus (Homoptera)
Vinsonia stellifera (Homoptera)

LEGUME:
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)

LOG:
Megacyllene spinifera (Coleoptera)

MACARONI:
Trogoderma parabile (Coleoptera)

MAIL PARCEL:
Achaea janata (Lepidoptera)
Adoretus sinicus (Coleoptera)
Conoderus exsul (Coleoptera)
Euscepes postfasciatus (Coleoptera)
Lyctus brunneus (Coleoptera)
Nasutitermes costalis (Isoptera)
Oryzidema fusiforme (Coleoptera)
Spodoptera mauritia acronyctoides (Lepidoptera)
Trogoderma ornatum (Coleoptera)

MILITARY CARGO:
Cochlicella barbara (Mollusca)

Hosts Unknown—Continued

MILITARY CARGO—Continued

C. ventrosa (Mollusca)
Conoderus azoricus (Coleoptera)
Helicella caperata (Mollusca)
H. cespitum (Mollusca)
H. cretica (Mollusca)
H. derbentina (Mollusca)
H. lornacensis (?) (Mollusca)
H. maritima (Mollusca)
H. neglecta (Mollusca)
H. profuga (Mollusca)
H. variabilis (Mollusca)
H. virgata (Mollusca)
Helix aspersa (Mollusca)
Monacha carthusiana (Mollusca)
Otala lactea (Mollusca)
O. vermiculata (Mollusca)
Theba pisana (Mollusca)
Trogoderma ornatum (Coleoptera)
Xeroleuca mograbina (Mollusca)

MOLLUSKS:

Pheidole megacephala (Hymenoptera)
Sitona lineata (?) (Coleoptera)
Theba pisana (Mollusca)

MOSS:

Cassida nebulosa (Coleoptera)

NONE:

Dictyophorus spumans (Orthoptera)
Helix aspersa (Mollusca)
H. pomatia (Mollusca)
Otala vermiculata (Mollusca)
Theba pisana (Mollusca)

PACKING:

Leucania loreyi (Lepidoptera)

PAPER:

Conoderus bifoveatus (Coleoptera)

PLANTS—UNIDENTIFIED:

Empoasca flarescens (Homoptera)
Frankliniella intonsa (Thysanoptera)
Haplothrips aculeatus (Thysanoptera)
Lygus rugulipennis (Hemiptera)
Rotruda mucidella olivaceella (Lepidoptera)
Taeniothrips atratus (Thysanoptera)
Thrips flavus (Thysanoptera)

PLANTS—UNIDENTIFIED—Continued

T. major (Thysanoptera)
Vinsonia stellifera (Homoptera)

PLYWOOD:

Lyctus brunneus (Coleoptera)

QUARTERS:

Bothynus cuniculus (Coleoptera)
Ceratitis capitata (Diptera)
Petrusa epilepsis (Homoptera)
Theba pisana (Mollusca)
Trogoderma granarium (Coleoptera)
T. inclusum (Coleoptera)
T. parabile (Coleoptera)

RAILWAY CAR:

Trogoderma glabrum (Coleoptera)
T. parabile

ROOTS—UNIDENTIFIED:

Lyctus africanus (Coleoptera)

SEEDLAC:

Trogoderma granarium (Coleoptera)

SEEDS:

Adoretus sinicus (Coleoptera)
Cochlicella barbara (Mollusca)
Helicella pyramidata (Mollusca)

SPHAGNUM MOSS:

Taeniothrips hawaiiensis (Thysanoptera)

STORES:

Gnorimoschema ocellatella (Lepidoptera)
Nysius clevelandensis (Hemiptera)
Trogoderma granarium (Coleoptera)
T. inclusum (Coleoptera)
T. ornatum (Coleoptera)
T. parabile (Coleoptera)

WOOD:

Callidium rufipenne (Coleoptera)
Heterobostrychus aequalis (Coleoptera)
Micrapate labialis (Coleoptera)
Phlegyas annulicrus (Hemiptera)
Sinoxylon anale (Coleoptera)
S. conigerum (Coleoptera)
Trogozylon aequale (Coleoptera)
T. prostomoides (Coleoptera)
Xylothrips religiosus (Coleoptera)

Countries of Origin and Insects

ALGERIA:

Ceratitis capitata
Cochlicella barbara
C. ventrosa

AMERICAN SAMOA:

Haplothrips gowdeyi
Organothrips bianchii
Pheidole megacephala
Xylothrips religiosus

ANTIGUA:

Cylas formicarius elegantulus
Vinsonia stellifera

ARGENTINA:

Brevipalpus obovatus
Ceratitis capitata
Epinotia aporema
Megacyllene spinifera
Xyleborus biconicus

ASIA (country(?)):

Trogoderma granarium

AUSTRALIA:

Lepidosaphes tuberculata
Megastigmus limoni
Nysius clelandensis
Pinnaspis buzi
Plusia chalcites
Pseudoanidia clarigera
Sternonchetus mangiferae
Taeniothrips hawaiiensis
T. kellyanus
Tetranychus cinnabarinus
Thrips imaginis

AUSTRALIA(?):

Unaspis yanonensis

AUSTRIA:

Baris lepidii
Frankliniella intonsa

AZORES:

Arion ater
Ceratitis capitata
Cochlicella ventrosa
Conoderus azoricus
Haplothrips cotti
Helix aspersa
Opogona sacchari
Pieris brassicae
Theba pisana

BAHAMAS:

Anastrepha mombinpraeoptans
Petrusa epilepsis
Rotruda mucidella olivaceella
Trogoderma ornatum

BARBADOS:

Euscepes postfasciatus
Fundella pellucens
Lamellaxis micra
Sphenarches caffer

BELGIUM:

Evergestis forficatis
Frankliniella intonsa
Haplothrips gowdeyi
Mamestra brassicae
Phytomyza rufipes

BERMUDA:

Bradybaena similaris
Cochlicella ventrosa
Diaprepes famelicus var.
Haplothrips gowdeyi
Lamellaxis micra
Opeas pyrgula
Pheidole megacephala

BRAZIL:

Asterolecanium epidendri
Bradybaena similaris
Ceratitis capitata
Chrysomphalus paulistus
C. personatus
Coccotrypes pygmaeus
Cryptotermes brevis
Euscepes postfasciatus
Leucoptera coffeella
Mordellistena cattlejana
Parlatoria cinerea
Pectinophora gossypiella
Pseudoanidia trilobitiformis
Stephanoderes hampei

BRAZIL—Continued

Subulina octona

BRITISH GUIANA:

Platypus rugulosus
Pseudococcus halli
Vinsonia stellifera

BRITISH HONDURAS:

Cerconota anonella
Coptotermes crassus
Edessa rufo-marginata
Lamellaxis micra
Opeas pumila
Vinsonia stellifera

BRITISH WEST INDIES:

Ceratomyza ruficornis

BURMA:

Trogoderma granarium
Trypethus incarnatus

CANADA:

Trogoderma ornatum

CANAL ZONE:

Cryphula fasciata
Tentecoris confusus
Trogoderma inclusum
Veronicella moreleti (?)
Vilga dissimilis
Vinsonia stellifera

CANARY ISLANDS:

Laspeyresia splendana

CAPE VERDE ISLANDS:

Callosobruchus phaseoli
C. subinnotatus
Opogona sacchari

CENTRAL AMERICA (country(?)):

Cligenes delineata
Metanema ategua

CEYLON:

Trogoderma granarium

CHILE:

Acletra fraterna
Bergallia signata
Brevipalpus chilensis
B. obovatus
Conoderus rufangulus
Geniocremonis chilensis
Leptoglossus chilensis
Listroderes subcinctus
Lygaeus albo-ornatus
Naupactus zanthographus

CHINA:

Callosobruchus analis
Cylas formicarius formicarius
Lyctus africanus
Trogoderma granarium

COLOMBIA:

Helix aspersa
Iridomyrmex pilifer
Metamasius hemipterus sericeus
Neoleucinodes elegantalis
Platypus rugulosus
Pseudoanidia trilobitiformis
Stenomoma catenifer
Tentecoris balloui

COSTA RICA:

Anastrepha mombinpraeoptans
Chrysomphalus albopictus
C. calurus
C. personatus
C. umboniferus
Heilipus lauri
Leucoptera coffeella
Pheidole megacephala
Prosopodonta balyi
Solaropsis monile
Tropidacris latreillei
Vinsonia stellifera

CUBA:

Acanthoderes circumflexa
Aleuroglandulus emmae
Anastrepha mombinpraeoptans
Bradybaena similis
Ceratomyza ruficornis
Corythaica carinata
Cryptoccephalus zerpampelinus
Cylas formicarius elegantulus
Dialeurodes citrifolii

Countries of Origin and Insects—Continued

CUBA—Continued

Gynaikothrips ficorum
Lamellaris micra
Metamasius hemipterus sericeus
Nasutitermes costalis
Neodryocoetes hubbardi
Pheidole megacephala
Phurys immunis
Ribua innoria
Trionymus sacchari
Vinsonia stellifera

CURACAO:

Anastrepha mombinpraeoptans
Cylas formicarius elegantulus
Gymnandrosoma aurantianum

CYPRUS:

Aleurolobus olivinus
Ceratitis capitata

CZECHOSLOVAKIA:

Rhagoletis cerasi

DENMARK:

Bruchus affinis
Frankliniella intonsa
Hygromia hispida
Lema melanopa
Phytomyza rufipes
Rhagoletis cerasi
Smerinthus ocellata
Thrips angusticeps
T. flavus
T. major

DOMINICAN REPUBLIC:

Anastrepha mombinpraeoptans
Cylas formicarius var.
C. formicarius elegantulus
Lamellaris micra
Monomorium destructor
Pectinophora gossypiella

ECUADOR:

Anastrepha mombinpraeoptans
Lamellaris gracilis(?)
Laspeyresia fabivora
Metamasius hemipterus sericeus
Pagiocerus fiorii
Platycarenum humilis
Porphyrobaphe tostoma
Solaropsis monile
Stenoma catenifer
Subulna octona

EL SALVADOR:

Anastrepha mombinpraeoptans
A. serpentina
A. striata
Chrysomphalus calurus
Dialeurodes citrifolii
Lyctus brunneus
Stenoma catenifer
Vinsonia stellifera

ENGLAND:

Aleyrodes proletella
Cepaea nemoralis
Euleia heraclei(?)
Frankliniella intonsa
Helix aspersa
Iridothrips iridis
Laspeyresia strobilella
Lema melanopa
Lygus rugulipennis
Miccotrogus picirostris
Orthops cervinus
Pealius azaleae
Phytomyza rufipes
Steneotarsonemus laticeps
Taeniothrips atratus
T. dianthi
Thrips flavus
T. major
T. praetermissus
Trogoderma granarium

EUROPE(country(?)):

Trogoderma granarium

FEDERATION OF MALAYA:

Cylas formicarius var.

FIJI ISLANDS:

Frankliniella formosae
Pachybrachius nigriceps

FIJI ISLANDS—Continued

Perkinsiella ritiensis

FORMOSA:

Catacanthus carrenoi
Parlatoria zizyphus
Trionymus sacchari
Trogoderma granarium
Unaspis yanonensis

FORMOSA(?):

Oryza veloz

FRANCE:

Aceria macrochelus
A. macrorhynchus
Aculus aceris
Amphimallon majalis
Apion carduorum
Arion ater
Bruchus affinis
B. guttalis
Ceutorhynchus pleurostigma
Cochlicella barbara
Curculio elephas
Evergestis forficulis
Evetria tessulata(?)
Frankliniella intonsa
F. tritici
Gnorimoschema ocellatella
Helicella caperata
H. maritima
H. neglecta
H. variabilis
Helix aspersa
H. pomatia
Holcostethus vernalis
Laspeyresia splendana
Mamestra brassicae
Monacha carthusiana
Palpita unionalis
Pieris brassicae
Rhagoletis cerasi
Stenophylla stigmatodactyla
Taeniothrips atratus
Theba pisana
Thrips flavus
T. major
T. praetermissus

FRANCE(?):

Argyresthia conjugella

FRENCH EQUATORIAL AFRICA:

Sternonochus mangiferae

GERMANY:

Argyresthia conjugella
Cecilioides acicula
Ernobius abietis
Frankliniella intonsa
Helix pomatia
Laspeyresia splendana
Lema erichsoni
Limothrips denticornis
Mamestra brassicae
Megastigmus strobilobius
Phytomyza rufipes
Rhagoletis cerasi(?)
Spondylis buprestoides
Taeniothrips atratus
T. ericae
Thrips flavus
T. major
Trogoderma granarium
T. ornatum

GERMANY(?):

Monomorium destructor

GRAND CAYMAN:

Vinsonia stellifera

GREECE:

Archips prunbanus(?)
Bruchus dentipes
Cecilioides acicula
Ceratitis capitata
Cryptoblabes gnidiella
Dacus oleae
Ectomyelois ceratoniae
Forficula aetolica
Helicella cretica
H. lornacensis(?)
H. maritima

Countries of Origin and Insects—Continued

GREECE—Continued

H. profuga
H. striata(?)
Kaloterpes flavicollis
Otala vermiculata
Theba pisana

GUAM:

Dacus dorsalis
Geotomus pygmaeus
Nephrotettix bipunctatus
Sternochetus mangiferae

GUATEMALA:

Aleurothrixus myrtacei
Anastrepha ludens
A. mombinpraeoptans
Chalepus omiger
Conotrachelus perseae
Cylas formicarius elegantulus
Haplothrips gowdeyi
Pangaeus rugiceps
Puto ulter
Stenoma catenifer
Tenthorax bicolor
T. vestitus

HAITI:

Anastrepha mombinpraeoptans
A. suspensa(?)
Anomala orientalis
Cerconota anonella
Cylas formicarius elegantulus
Fundella pellucens
Pheidole megacephala
Sphenarches caffer

HAWAII:

Achaea janata
Adoretus sinicus
Araecerus levipennis
Athesapeuta cyperi
Bemisia giffardi
Bradybaena similis
Callosobruchus phaseoli
Catorama herbarium
Ceratitidis capitata
Cerestium unicolor
Ceroptastes rubens
Coccus viridis
Conoderus exsul
Conotelus mexicanus
Cryptophlebia illepidia
Cryptotermes brevis
Cylas formicarius elegantulus
Dacus cucurbitae
D. dorsalis
Dialeurodes kirkaldyi
Diocalandra taitensis
Dynatoscebus calandrodus
Ectomyelois ceratoniae
Euscepes postfasciatus
Haplothrips gowdeyi
Lampides boeticus
Lamprolonchaea aurea
Lepidosaphes tokionis
Lyctus brunneus
Maruca testulalis
Megacerus alternatus
Melanoxanthus melanocephalus
Morganella longispina
Nysius terrestris
Oopsis nutator
Opogona purpuricollis
Orchidophilus aterrimus
Otosema odorata
Oxydema fusiforme
Parlatoria crotonis
P. zizyphus
Pectinophora gossypiella
Pheidole megacephala
Plusia chalcites
Poecilips persicae
Prays fulvocanellus
Pseudonidia clarigera
Pseudococcus palmarum
Selenothrips rubrocinctus
Siphanta acuta
Spodoptera mauritia

HAWAII—Continued

S. mauritia acronyctoides
Sternochetus mangiferae
Sybra alternans
Taeniothrips hawaiiensis
T. vitticornis
Trionymus sacchari
Xiphidiopsis lila
Xyleborus testaceus

HAWAII(?):

Xylothrips religiosus

HONDURAS:

Anastrepha mombinpraeoptans
Cryphula apaticus
Porphyrobaphis iostoma
Stenoma catenifer

HONG KONG:

Callosobruchus analis
Carpodina niponensis
Chilo suppressalis
Cylas formicarius
C. formicarius var.
C. formicarius formicarius
Dialeurodes kirkaldyi
Fiorinia theae
Frankliniella formosae
Maruca testulalis
Parlatoria zizyphi
Trogoderma granarium
Unaspis yanonensis

HUNGARY:

Ceratitidis capitata
Limothrips denticornis
Rhagoletis cerasi

INDIA:

Dialeurodes vulgaris(?)
Heterostrobus aequalis
Sinoxylon anale
S. conigerum
Sternochetus mangiferae
T. inclusum

INDONESIA:

Ceratitidis capitata
Leucinodes orbonalis
Phenacaspis dendrobii
Trogoderma granarium

IRAN:

Trogoderma glabrum
T. granarium

IRELAND:

Dicyphus stachydis
Helicella caperata
Stenoleptus nemus laticeps
Taeniothrips atratus
T. ericae
Thrips flavus
T. major

ISRAEL:

Anomala orientalis
Ceratitidis capitata
Cryptoblabes gnidiella
Dacus oleae
Ectomyelois ceratoniae
Gnorimoschema ocellatella
Haplothrips gowdeyi
Helix figulina(?)
Hypoborus ficus
Laspeyresia splendana
Phloeotribus scarabaeoides
Taeniothrips atratus
Thrips angusticeps

ITALY:

Acrolepis assectella
Aleurabus olivinus
Anacridium aegyptium
Apion carduorum
Archips prunivorus(?)
Ardis sulcata
Brachycerus albidentatus
B. alpinus
Bruchidius trifolii
Bruchus lentis
B. signaticornis
B. tristis
Cassida sanguinolenta

Countries of Origin and Insects—Continued

ITALY—Continued

C. viber
Cecilioides acicula
Ceratitis capitata
Ceutorhynchus pleurostigma
Chrysolina americana
Cochlicella barbara
C. ventrosa
Cryptoblabes gnidiella
Curculio elephas
C. nucum
Dacus oleae
Dicyphus annulatus
Dyspessa ulula
Ectomyelois ceratoniae
Ephesia calidella
Frankliniella tenuicornis
Helicella conspurcata
H. itala
H. maritima
H. pyramidata
H. variabilis
Helix aperta
H. aspersa
Hemimene juliana
Laspeyresia dorsana (?)
L. splendana
Lobesia botrana
Mamestra brassicae
Otala lactea
O. vermiculata
Parlatoria zizyphus
Phalonia zephyrana
Phytomyza rufipes
Pieris brassicae
Prays oleellus
Pyrausta nubilalis
Rhagoletis cerasi
Sehirus sexmaculatus
Sesamia cretica
Tetranychus cinnabarinus
Theba pisana
Thrips angusticeps
T. major
Trogoderma inclusum
Udea ferrugalis

JAMAICA:

Aganactes indecora
Anastrepha monbinpraeoptans
Ectomyelois ceratoniae
E. muriscis
Lycius brunneus
Monomorium destructor
Neodryocoetes caribaeus
Palaeopus costicollis
Pectinophora gossypiella
Pseudococcus neobrevipes
Subulina octona
Vinsonia stellifera

JAPAN:

Acrolepia assectella
Aethus indicus
Aleurocanthus spiniferus
Aleurolobus taonabae
Aleurotuberculatus similis
Amyna natalis
Anomala orientalis
Aonidiella inornata
Brevipalpus oboratus
Callidium rufipenne
Carposina niponensis
Chilo suppressalis
Chrysomphalus bifasciculatus
Coccus pseudomagnoliarum
Cylas formicarius var.
Euscepes postfasciatus
Frankliniella formosae
F. tenuicornis
Haplithrips aculeatus
H. gowdeyi
Hylurgops palliatus
Lamipides boeticus
Lepidosaphes pini
L. tuberculata
Leucania loreyi
Macroscytus japonensis

JAPAN—Continued

Mamestra brassicae
Megastigmus tsugaphilus
Morganella longispina
Nezara antennata
Nipponaclerda biwakoensis
Nomophila noctuella
Oligonychus perditus
Opeas pyrgula
Parlatoria zizyphus
Pieris rapae crucivora
Planococcus dorsopinosus
Pseudonidia paeoniae
Pseudococcus pini
Pyrausta nubilalis
Selenothrips rubrocinctus
Spodoptera mauritia
S. mauritia acronyctoides
Stictoptera subobliqua
Taeniothrips gracilis
T. hawaiiensis
Thrips flavus
Trogoderma granarium
Unaspis citri
U. yanagisensis

JAPAN(?):

Arcte coerula
Diaphania itysalis
Ectomyelois ceratoniae
Pheidole megacephala

KOREA:

Chilo suppressalis

KUWAIT:

Trogoderma granarium

KWAJALEIN(?):

Pyrausta nubilalis

LEBANON:

Ceratitis capitata
Cryptoblabes gnidiella
Dacus oleae
Dialeurodes kirkaldyi
Ectomyelois ceratoniae
Trogoderma granarium

LIBERIA:

Leucinodes orbonalis

LIBYA:

Helicella cespitum
H. variabilis
Theba pisana

LUXEMBOURG:

Thrips flavus
Trialeurodes lauri

MEXICO:

Aleurocanthus woglumi
Aleuroglandulus emmae
Aleuroparadoxus gardeniae
Aleuroplatus variegatus
Alpheias conspirata
Anastrepha ludens
A. mombinpraeoptans
Anechura vara
Anthonomus albolineatus
Aspidiotus palmae
Aulacoscelis melanocera
Batrachedra linaria
Bradybaena similis
Cactophagus validirostris
Calyptoccephala gerstaeckeri
C. marginipennis
Capaneus tetricus
Chalepus acuticornis
Charidotis seminulum
Chilo loftini
Chrysomphalus personatus
C. sphaerioides
Cligenes delineata
Coelonertus nigrirostris
Conotelus mexicanus
Conotrachelus aguacatae
C. perseae
Ctenochira hedicca
C. hierglyphica
C. plicata
Cylas formicarius elegantulus
Deloyala guttata bohemani
Dendrocoris variegatus

Countries of Origin and Insects—Continued

MEXICO—Continued

Deuterocampta atomaculata
Diabrotica lepidia
D. porracea
Diachus auratus
Dialeurodes citrifolii
Dyscinetus laevispunctatus
Ectomyelois muriscis
Epilachna borealis var.
E. mexicana
Epinotia aporema
Eteres comyntas
Ezptochiomera formosa
E. oblonga
Frankliniella williamsi
Gnorimoschema gudmanella
Grapholitha packardii
Gynaikothrips ficorum
Helicina zephyrina
Helix aspersa
Heterotermes conezinotatus
Hileithia decostalis
Homoeogamia mexicana
Iridomyrmex iniquus
Lepidosaphes phloeococcus
Ligyrocoris aurivilliana
Lygus lineolaris
Micrapate labialis
Moodna bisinuella(?)
Myelobia smerintha
Neoleucinodes elegantalis
Neolobophora inopinata
Ogdocosta bianthularis
O. catenulata
Ophraea maculicollis
Parisoschoenus flavolimbatus
Pectinophora gossypiella
Phelypera distigma
Phlegyas annulicrus
Physonota alutacea
Plagiodera congesta
Platoceticus symmetrica
Puto mexicanus
P. uller
Rumina decollata
Stenomoma catenifer
Subulina octona
Sylepta reginalis
Talponia batesi
Tenidhecoris angustimarginatus
T. bicolor
T. confusus
Tritaleurodes similis
T. rufinellus
Trionymus sacchari
Trochuda raspa
Trogoderma glabrum
T. inclusum
T. ornatum
T. parvum
Trogozylon aequale
T. prostomoides

MIDWAY ISLANDS:
Gnaphalocroci medialis

MOROCCO:
Cochlicella barbara
C. ventrosa
Helicella caperata
H. maritima
Metopoplax ditomoides
Otala lactea
O. vermiculata
Sitona lineata(?)
Theba pisana
Trogoderma inclusum
T. ornatum
Xeroleuca mograbina

MOROCCO(?):
Copris hispanus

NETHERLANDS:
Acrolepis assectella
Adoxophyes orana
Brevipalpus obovatus
Bruchus affinis
Cassida nebulosa
Dialeurodes chittendeni

NETHERLANDS—Continued

Empoasca flavescens
Eriophyes canestrinii
Frankliniella intonsa
Haplothrips aculeatus
Hypera postica
Lygus rugulipennis
Myzus ascalonicus
Phytomyza rufipes
Stenotarsonemus laticeps
Taeniothrips atratus
Tenuipalpus punicae
Tetranychus viennensis
Thrips flavus
T. major
Trogoderma granarium
Unaspis euvonymi

NETHERLANDS NEW GUINEA:
Cosmopolites sordidus

NETHERLANDS WEST INDIES:
"Targionia" hartii

NEW GUINEA:
Cosmopolites sordidus

NEW ZEALAND:
Lepidosaphes tuberculata
Plusia chalcitis

NICARAGUA:
Anastrepha mombinpraeoptans
A. serpentina
Chrysomphalus calurus
C. personatus
Pseudichneaspis longissima

NIGERIA:
Heterobostrychus brunneus
Trogoderma granarium
Xyloperthella picea

NORTHERN IRELAND:
Phytomyza rufipes

NORWAY:
Argyresthia conjugella
Evergestia forficatus
Frankliniella intonsa
Taeniothrips atratus
T. ericae

OKINAWA:
Chalciope hyppasia
Pheidole megacephala

PAKISTAN:
Sincorylon anale
Trogoderma granarium
Vinsonia stellifera

PANAMA:
Acanthoscelides armitagei
Anastrepha mombinpraeoptans
Cecilioides acicula
Cephaloleia pretiosa
Megasoma elephas
Metamasius hemipterus sericeus
Nasutitermes corniger
Platypus rugulosus
Subulina octona
Vinsonia stellifera

PERU:
Delphacodes teapae
Dinoderus bifoveolatus
Pagiodorus fiorii

PHILIPPINES:
Aethus indicus
Caryedon fuscus
Coptotermes vastator
Cylas formicarius
C. formicarius var.
Ectomyelois ceratoniae
Mirperus ferrugineus
Monomorium destructor
Parlatoria zizyphus
Phenacoccus hirsutus
Polytus mellerborgii
Unaspis yanonenis

POLAND:
Curculio nucum
Frankliniella intonsa
Haplothrips tritici
Taeniothrips atratus

PORTUGAL:
Archips pronubanus(?)

Countries of Origin and Insects—Continued

PORTUGAL—Continued

Ardis sulcata
Arion ater
Ceratitidis capitata
Cochlicella ventrosa
Cryptoblabes gnidiella
Curculio elephas
Ectomyelois ceratoniae
Helicella caperata
H. variabilis
Laspeyresia splendana
Pyrausta nubilalis
Trogoderma granarium

PUERTO RICO:

Anastrepha mombinpraeoptans
A. suspensa(?)
Ceratomyza ruficornis
Crambus ligonellus
Diaprepes abbreviatus var.
Euscepes postfasciatus
Maruca testulalis
Metamasius hemipterus hemipterus
Nasutitermes costalis
Pheidole megacephala

REPUBLIC OF THE CONGO:

Callosobruchus phaseoli
Caryedon fuscus
Cryptophlebia leucotreta

RUMANIA:

Podagrica fuscicornis

SCOTLAND:

Fiebercapus flaveolus(?)
Gelechia ericetella
Micrelus ericae
Orthotylus ericetorum
Taeniothrips atratus
T. ericae
Thrips flavus
T. major

SINGAPORE:

Antonina graminis
Cylas formicarius var.
Parlatoria zizyphus
Pinnaspis orchidarum
Trogoderma granarium

SOUTH PACIFIC:

Spodoptera mauritia acronyctoides

SPAIN:

Agriotes lineatus
Arion ater
Brachycerus algeris
Ceratitidis capitata
Cochlicella barbara
Cryptoblabes gnidiella
Curculio elephas
Dyspessa ulula
Helicella striata(?)
H. virgata
Helix aspersa
Laspeyresia splendana
Parlatoria zizyphus
Pieris brassicae
Pseudococcus citricus
Theba pisana
Thrips angusticeps

SUDAN:

Trogoderma granarium

SURINAM:

Vinsonia stellifera

SWEDEN:

Argyresthia conjugella
Frankliniella intonsa
Phytomyza rufipes
Taeniothrips atratus

SWITZERLAND:

Adela ochensheimeriella
Laspeyresia strobilella
Psylla rhododendri
Ripersiella cincticans
Stenoptilia stigmatodactyla
Taeniothrips atratus

TAHITI:

Morganella longispina
Parlatoria zizyphus
Selenothrips rubrocinctus

THAILAND:

Cylas formicarius var.
Phyllocnistis citrella(?)

TRINIDAD:

Dercynus micronyx
Euscepes postfasciatus
Sylepta elevata
Vinsonia stellifera

TUNISIA:

Ceratitidis capitata

TURKEY:

Blastodacna atra
Cecilioides acicula
Ceratitidis capitata
Helicella derbentina
H. variabilis

UNION OF SOUTH AFRICA:

Blissus diplopterus
Ceratitidis capitata
Cordylomera spinicornis
Cryptophlebia leucotreta
Dictyophorus spumans
Epichorista ionephela
Frankliniella schultzei
Haplothrips gowdeyi
H. nigricornis
Opogona sacchari
Oryzocarenum rufiventris
Phlyctinus callosus
Trogoderma granarium

UNION OF SOVIET SOCIALIST REPUBLICS:

Agriotes obscurus
Petrova resinella

UNITED ARAB REPUBLIC:

Ceratitidis capitata
Dacus oleae
Gnorimoschema ocellatella
Hellula undalis
Lobesia botrana
Trogoderma granarium

UNKNOWN:

Amphimallon majalis
Anastrepha ludens
Argyresthia conjugella
Bothynus cuniculus
Ceratitidis capitata
Chilo suppressalis
Conoderus bifoveatus
C. pallipes
Cretonotos gangis
Diocalandra latitensis
Eutheola rugiceps
Euricania splendida
Frankliniella intonsa
Haplothrips dianthinus
Hypera nigrirostris
Limothrips denticornis
Lyctus brunneus
Myzus ascalonicus
Oryzocarenum hyalinipennis
Parlatoria cinerea
P. zizyphus
Plagiognathus albipennis
Rhagoletis cerasi
Spodoptera pecten(?)
Sternonchelus mangiferae
Taeniothrips atratus
Tetranychus cinnabarinus
Theba pisana
Thrips angusticeps
T. flavus
T. major
Trogoderma granarium
T. inclusum
T. ornatum
T. parabile
Unaspis citri
Xylomeira torquata

VENEZUELA:

Bephrata maculicollis
Stenomoma catenifer
Subulina octona
Talurus rugosus

Countries of Origin and Insects—Continued

VIETNAM:

Heterobostrychus aequalis
Monomorium destructor

WAKE ISLAND(?):

Conoderus pallipes
Nomophila noctuella
Pachybrachius nigriceps
Pyrausta nubilalis

WEST PACIFIC:

Aethus indicus

WEST PACIFIC—Continued

Frankliniella formosae
Pyrausta nubilalis
Schoenobius incertulas
Taeniothrips hawaiiensis
Theretra tryoni

YUGOSLAVIA:

Baris lepidii
Hypoborus ficus
Laspeyresia splendana

Pests Collected and Reported From July 1, 1959, Through June 30, 1960

Pest and host	Country of origin	Number of in- terceptions in—			Collected in—
		Consump- tion	Non-entry	Propaga- tion	
† <i>Alternaria celosiae</i> (Tassi) Savulescu: <i>Celosia argentea</i> (feather cockscomb).....	Mexico.....	1			Tex.
† <i>Alternaria cucumerina</i> (Ell. & Ev.) J. A. Elliott: <i>Cucurbita</i> sp.....	Union of South Africa.....		1		Tex.
† <i>Dianthus dianthi</i> F. L. Stevens & J. G. Hall: <i>Dianthus caryophyllus</i> (carnation) leaf.....	Argentina.....	1			N.Y.
† <i>Alternaria zinniae</i> Pape: <i>Zinnia elegans</i> (common zinnia) seed.....	England, Germany.....			2	N.J.
<i>Anguina tritici</i> (Steinbuch) Filip.: <i>Triticum monococcum</i> (wild einkorn) seed.....	Italy(?).....	1			N.J.
† <i>Aphelenchoides blastophthorus</i> Franklin: <i>Convallaria majalis</i> (lily-of-the-valley).....	England.....			1	N.Y.
<i>Aphelenchoides fragariae</i> (Ritzema Bos) Christie: <i>Plethilla hynchinthina</i> (orchid) stem.....	Japan.....			1	N.J.
† <i>Aphysa rhynchosiae</i> (Kalchb. & Cke.) Th. & Syd.: <i>Fumaria</i> sp. (herbarium specimen).....	Canada.....	1			N.J.
† <i>Ascochyta conorum</i> P. Henn.: <i>Picea</i> sp. (spruce) cone scale.....	France.....			1	N.Y.
† <i>Ascochyta fabae</i> Speg.: <i>Vicia faba</i> (broadbean) seed.....	Italy.....			2	N.Y.
† <i>Asterina pulchella</i> Petr.: <i>Polygala jamaicensis</i> (leaf).....	Jamaica.....	1			Mass.
† <i>Atichia glomerulosa</i> (Ach.) Stein: <i>Abies</i> sp. (fir) stem.....	Germany.....	1			Oreg.
† <i>Camarosporium citri</i> McAlp.: <i>Citrus limon</i> (lemon).....	Australia.....		1		Hawaii.
<i>Cercospora angraei</i> Feuill. & Roum.: <i>Stanhopea</i> sp. (orchid) leaf.....	Ecuador.....			1	N.Y.
<i>Cercospora brachiata</i> Ell. & Ev.: <i>Phaseolus vulgaris</i> var. (string bean) pod.....	Puerto Rico.....	1			Ill.
<i>Cercospora cypripedii</i> Ell. & Dearn.: <i>Lycaste</i> sp. (orchid) leaf.....	Mexico.....			1	Tex.
<i>Cercospora kaki</i> Ell. & Ev.: <i>Diospyros kaki</i> (kaki persimmon).....	Japan.....		1		Calif.*
† <i>Cercospora purpurea</i> Cke.: <i>Persea americana</i> (avocado).....	Guatemala.....		1		Tex.
† <i>Cercospora lillicola</i> (Richon) Sacc.: <i>Lapageria rosea</i> (red chilebells) leaf.....	Chile.....	1		1	Fla.
<i>Chrysomya ledi</i> d By. var. <i>rhododendri</i> (d By.) Savile: <i>Rhododendron ferrugineum</i> (rock rhododendron) leaf.....	†Italy, Switzerland.....	12			N.J.
<i>R. glaucum</i> (spiceleaf rhododendron) leaf.....	Canada.....			1	Wash.
<i>R. hirsutum</i> (garland rhododendron) leaf.....	†Italy, Switzerland.....	3			N.J.
<i>R. uniflorum</i> (leaf).....	Canada.....			1	Wash.
<i>Rhododendron</i> sp. (leaf).....	Austria, Switzerland, †Yugoslavia.....	9			Ill., Mass., N.Y.
† <i>Cladosporium epiphyllum</i> (Pers.) Mart. var. <i>acer- erinum</i> Sacc.: <i>Acer platanoides</i> (Norway maple) seed.....	Union of Soviet Social- ist Republics.....			1	D.C.
† <i>Coleosporium asterum</i> (Diet.) Syd.: <i>Callistephus chinensis</i> (China aster).....	Cuba.....	1			Fla.
† <i>Coniothecium citri</i> McAlp.: <i>Citrus paradisi</i> (grapefruit).....	Union of South Africa.....		1		Tex.
† <i>Coniothecium scabrum</i> McAlp.: <i>Citrus limon</i> (lemon).....	Portugal.....		1		Fla.
<i>C. reticulata</i> (Mandarin orange).....	Japan.....		1		Fla.
† <i>Coniothyria agaves</i> (Dur. & Mont.) Petr. & Syd.: <i>Agave victoriae-reginae</i>	Mexico.....			1	Tex.
† <i>Coniothyrium aucubae</i> Sacc.: <i>Aucuba japonica</i> (leaf).....	Belgium.....			1	N.J.
† <i>Coniothyrium-insitivum</i> Sacc.: <i>Prunus persica</i> (peach).....	Mexico.....	1			Tex.
† <i>Coryneum triseptatum</i> Pk.: <i>Rhododendron yakushimanum</i>	Japan.....			1	Hawaii.
<i>Cryptospora longispora</i> Servazzi: <i>Aravucaria excelsa</i> (Norfolk-Island-pine) seed.....	New Zealand, Norfolk Island.....			13	Calif.,* N.J.
<i>Cumminsia mirabilissima</i> (P.k.) Nannf.: <i>Mahonia aquifolium juglandifolia</i> 'Vicar'.....	Netherlands.....			1	D.C.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
† <i>Curvularia geniculata</i> (Tracy & Earle) Boed.: <i>Oryza sativa</i> (rice) glumes	Brazil	1			Fla.
<i>Cylindrosporium camelliae</i> Gz. Frag.: <i>Camellia japonica</i> (common camellia)	Japan			1	Calif.*
† <i>Cytospora intermedia</i> Sacc.: <i>Quercus palustris</i> (pin oak) seed.	Italy			1	N.J.
† <i>Cytospora palmicola</i> Berk & Curt.: <i>Cocos nucifera</i> (coconut) husk	Cuba, Guam	1		1	Fla., Hawaii.
† <i>Dasturella divina</i> (Syd.) Mund. & Keshw.: <i>Sasa palmata</i> (bamboo) leaf	Formosa	1			Oreg.
<i>Dendrophoma obscurans</i> (Ell. & Ev.) H. W. Anderson: <i>Fragaria</i> sp. (strawberry) leaf	Germany			1	N.Y.
<i>Diaporthe eres</i> Nils.: <i>Araucaria excelsa</i> (Norfolk-Island-pine) seed	Norfolk Island			1	N.Y.
<i>Corylus avellana</i> 'Curly'	Netherlands			1	N.Y.
<i>Cotinus coggygria</i> 'Rubrifolia'	do			1	N.Y.
<i>Diplodia epicoccos</i> Cke.: <i>Cocos nucifera</i> (coconut) husk	†Bahamas, Guam	5			Fla., Hawaii.
† <i>Diplodia henriquesiana</i> Trav. & Spessa: Orchid (stem)	Burma			1	N.Y.
<i>Diplodina eurhododendri</i> Voss: <i>Rhododendron laetevirens</i> (Wilson rhododendron) leaf	Netherlands			1	N.J.
<i>R. racemosum</i> (Mayflower rhododendron) leaf and bud	do			1	N.Y.
<i>Ditylenchus destructor</i> Thorne: <i>Dahlia</i> 'Feiry Glen', 'Flora', 'Frolic', 'Lady Jester', 'Match', 'Smiler', 'Sun Rocket', and 'White Gold' (roots).	Union of South Africa			5	N.J.
<i>Dahlia</i> hybrids (roots)	†Switzerland			1	N.J.
<i>Tigridia</i> sp. (bulbs)	Germany			1	N.J.
<i>Ditylenchus dipsaci</i> (Kühn) Filip.: <i>Allium cepa</i> (onion)	Netherlands			1	N.J.
<i>A. sativum</i> (garlic)	Mexico	3			Ariz., Tex.
<i>Narcissus</i> 'Lemon Doric'	England			1	N.J.
<i>Narcissus</i> sp.	do			1	N.J.
† <i>Dithorella pericarpica</i> Sacc.: <i>Macrozamia denisonii</i> (cycad) seed	Australia			1	Calif.*
† <i>Echidnodes bromeliacearum</i> (Rehm) Th. & Syd. var. <i>stellulata</i> (Rehm) F. L. Stevens: Bromeliad (leaf)	Costa Rica			1	Fla.
† <i>Echidnodes dendrochili</i> (Lév.) Th.: <i>Odontoglossum bicorniense</i> (orchid)	Mexico			1	Tex.
<i>Elsinoe australis</i> Bitanc. & Jenkins: <i>Citrus aurantifolia</i> (lime)	Brazil		3		Calif.*
<i>C. limon</i> (lemon)	Argentina, Brazil		19		Calif., * Fla., N.Y., Pa., Tex.
<i>C. reticulata</i> (Mandarin orange)	Argentina, Brazil, unknown.	3	21		Fla., N.Y.
<i>C. sinensis</i> (sweet orange)	Argentina, Brazil, unknown, Uruguay.	4	48		Calif., * Fla., Md., Mass., N.Y., Pa., Tex.
<i>Elsinoe mangiferae</i> Bitanc. & Jenkins: <i>Mangifera indica</i> (mango)	Brazil, Mexico	2			N.Y., Tex.
† <i>Elsinoe piri</i> Jenkins: <i>Malus sylvestris</i> (apple)	Germany		1		Fla.
† <i>Entomosporium maculatum</i> Lév.: <i>Cydonia oblonga</i> (quince)	Guatemala	2			Calif., * Fla.
<i>Fusarium oxysporum</i> Schlecht.: <i>Platyodon</i> sp. (root)	Japan			1	N.J.
† <i>Fusarium oxysporum</i> Schlecht. f. <i>phaseoli</i> Kendrick & Snyder: <i>Phaseolus vulgaris</i> (bean) pods and seeds	Netherlands	1			Mich.
<i>Fusicoccum galericulatum</i> (Tul.) Sacc.: <i>Fagus sylvatica</i> (European beech) stem	do			2	N.J., N.Y.
† <i>Gothholdsteineria goodeyi</i> (Loof & Oostenbrink) Andrassy: Soil with various plants	Canada			1	Mass.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
"Greasy spot": <i>Citrus sinensis</i> (sweet orange) leaf.....	Mexico.....	1			Ariz.
<i>Gymnosporangium haraezanum</i> Syd.: <i>Juniperus chinensis</i> (pyramid Chinese juniper) dwarf tree.....	Japan.....			4	Calif.,* Hawaii.
<i>J. chinensis</i> var. <i>sargentii</i>	do.....			1	Hawaii.
<i>Pyrus</i> sp.....	do.....			1	Hawaii.
<i>Gymnosporangium yamadai</i> Miy.: <i>Malus sylvestris</i> (apple).....	do.....		1		Hawaii.
† <i>Haplosporella dracaenorum</i> (Penz. & Sacc.) Petr.: <i>Dracaena</i> sp. (leaf).....	Trinidad.....		1		Fla.
<i>Helicotylenchus nannus</i> Steiner: Soil with plants (<i>Begonia</i> sp., cactus, <i>Crocus</i> sp., fern, <i>Mentha</i> sp., <i>Pelargonium</i> sp., and <i>Rosa</i> hybrid).....	Mexico, †Portugal.....			7	Fla., Mass., Tex.
<i>Helminthosporium torulosum</i> (Syd.) Ashby: <i>Musa paradisiaca</i> (plantain).....	Cuba, †Guatemala.....	3			Fla., La.
<i>Heterodera avenae</i> (Wr.) Filip.: Soil with automobiles (new Jaguars).....	England.....	1			Tex.
Soil with <i>Brassica oleracea capitata</i> (cabbage).....	Ireland.....	1			Mass.
Soil with <i>Solanum tuberosum</i> (potato).....	England, Germany.....		2		Fla., Tex.
<i>Heterodera cacti</i> Filip. & Schuurm. Stek.: Soil samples.....	Mexico.....	1			Ariz.
Soil with plants (<i>Begonia</i> sp., cactus, <i>Citrus</i> sp., <i>Coleus</i> sp., <i>Crassulaceae</i> , <i>Mentha spicata</i> , and various potted plants). Soil with railway car.....	Brazil, Germany, Mexico, New Zealand, Switzerland.....			21	Ariz., Calif.* Mich., N.J., Tex.
<i>Heterodera punctata</i> Thorne: Soil with automobiles.....	Mexico.....		3		Ariz., Tex.
Soil with plants (<i>Calluna vulgaris</i> , <i>Ficus elastica</i> , <i>Malvaceae</i> , <i>Philodendron</i> sp., <i>Rosa</i> hybrid, and unidentified plants). <i>Heterodera restrochiensis</i> Wr.: Soil (vial in purse).....	England.....	5			Ala., Fla., Md., Tex.
Soil with automobiles (new and used).....	England, Germany.....	5			Fla., Mass., Calif., Tex.
Soil with <i>Picea</i> sp. (spruce).....	Germany.....	1			Mass.
Soil with plants (unidentified and <i>Zantedeschia aethiopica</i>). Soil with stores (<i>Allium porrum</i> , <i>Apium graveolens</i> , <i>Armoracia rusticana</i> , <i>Beta vulgaris</i> , <i>Solanum tuberosum</i> , and <i>Ullucus tuberosus</i>). <i>Heteropatella veltellinensis</i> (Trav.) Wr.: <i>Dianthus</i> sp.....	Mexico.....		2		Calif., Tex.
† <i>Heterosporium altii</i> Ell. & G. Mart.: <i>Allium cepa</i> (onion) tops.....	Argentina, England, Germany, Peru, Spain.....		10		Fla., La., Md., Mass., Tex.
<i>A. porrum</i> (leek).....	Canada.....			1	Wash.
<i>Heterosporium ornithogali</i> (Klotzsch) Cke.: <i>Ornithogalum thyrsoides</i> (Cape chinkerichee).....	Japan.....		2		Calif.*
<i>Hormiscium pinophyllum</i> (Nees) Lind.: <i>Abies</i> sp. (fir) stem.....	Guatemala, Japan.....		2		Calif.,* Fla.
† <i>Karstenula philadelphia</i> Oud.: <i>Philadelphus virginialis</i> 'Virginal'.....	Union of South Africa.....	3			Mass., N.J.
† <i>Lembosia warszewiczae</i> P. Henn.: <i>Mazillaria</i> sp. (orchid).....	Germany.....	1			Oreg.
† <i>Leptosphaeria coffeigena</i> (Berk. & Cke.) Sacc.: <i>Coffea</i> sp. (coffee) leaf.....	Netherlands.....			1	Wash.
† <i>Macrophoma anthurii</i> Trinch.: <i>Anthurium</i> sp. (leaf).....	Costa Rica.....			1	Fla.
<i>Macrophoma araucariae</i> De Lac.: <i>Araucaria excelsa</i> (Norfolk-Island-pine) seed.....	do.....	1			Tex.
† <i>Macrophoma cocos</i> Pass.: <i>Cocos nucifera</i> (coconut) caps.....	Trinidad.....			1	Fla.
<i>Macrophoma oleandri</i> Pass.: <i>Nertum oleander</i> (leaf).....	New Zealand, Norfolk Island.....			12	Calif.*
† <i>Marmor cucumeris</i> Holmes: <i>Daphne cneorum</i> 'White'.....	Costa Rica.....	6			Calif.*
<i>Marmor rosae</i> Holmes: <i>Rosa</i> hybrid (leaf).....	Bermuda.....	1			Mass.
	England.....			1	N.J.
	†Cuba, Guatemala.....	1	1		Fla.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonconsumption	Propagation	
<i>Marssonina juglandis</i> (Lib.) Magn.: <i>Juglans regia</i> (Persian walnut) leaf.....	Greece.....	1	—	—	N.Y.
<i>Meliolita haplochaeta</i> Syd.: <i>Metrosideros</i> sp. (iron tree).....	Hawaii.....	1	—	—	Hawaii.
<i>Meloidogyne arenaria</i> (Neal) Chitwood: <i>Begonia</i> sp. (plant).....	Mexico.....	—	—	1	Tex.
<i>Caladium x hortulanum</i> 'Candidum' (tuber).....	Guatemala.....	—	—	1	N.J.
<i>Dahlia</i> hybrids (roots).....	Japan.....	—	—	2	Calif.,* Wash.
<i>Euonymus alatus</i> (winged euonymus) plants.....	do.....	—	—	1	Calif.,*
<i>Gladiolus</i> hybrid (corms).....	do.....	—	—	10	Calif.,* Wash.
Plants—unidentified.....	Mexico.....	—	—	1	Tex.
<i>Zantedeschia</i> sp. (calla lily) bulb.....	Japan.....	—	—	1	Fla.
<i>Meloidogyne hapla</i> Chitwood: <i>Acanthus perrinii</i> (root).....	England.....	—	—	1	N.J.
<i>Callicarpa</i> sp. (beautyberry) root.....	Netherlands.....	—	—	1	N.Y.
<i>Clematis viticella</i> alba 'Luxurians'.....	England.....	—	—	1	N.J.
<i>Clematis</i> hybrid (roots).....	Netherlands.....	—	—	2	N.J., N.Y.
<i>Dahlia</i> hybrid (roots).....	Australia, Japan.....	—	—	2	Calif.,* Wash.
<i>Gladiolus</i> hybrid (corm).....	Japan.....	—	—	1	Calif.,*
<i>Hepatica</i> sp. (root).....	Netherlands.....	—	—	1	N.Y.
<i>Leontopodium alpinum</i> (common edelweiss) root.....	do.....	—	—	1	N.Y.
<i>Rosa</i> hybrid (roots).....	Germany, †Northern Ireland.....	—	—	3	N.J.
<i>Meloidogyne incognita</i> (Kofoid & White) Chitwood: <i>Brassica rapa</i> (turnip).....	Mexico.....	2	—	—	Tex.
<i>Gladiolus</i> hybrid (corms).....	Japan.....	—	—	10	Calif.,*
<i>Polianthes tuberosa</i> (tuberose).....	do.....	—	—	2	Calif.,*
<i>Meloidogyne incognita acrita</i> Chitwood: <i>Astilbe</i> 'Red Sentinel' (root).....	Netherlands.....	—	—	1	N.J.
<i>Coriandrum sativum</i> (coriander) root.....	†Dominican Republic.....	1	—	—	Fla.
<i>Echeveria</i> sp. (root).....	Cuba.....	1	—	—	N.Y.
<i>Euphorbia</i> sp. (root).....	Mexico.....	1	—	—	Ariz.
<i>Gladiolus</i> hybrid (corms).....	Japan.....	—	—	4	Calif.,* Wash.
<i>Solanum tuberosum</i> (potato).....	Brazil.....	—	—	1	Pa.
<i>Thunbergia</i> sp. (clock vine) root.....	do.....	—	—	1	D.C.
<i>Meloidogyne javanica</i> (Treub.) Chitwood: <i>Adenia globosa</i> (plant).....	Kenya.....	—	—	1	Calif.,*
<i>Colocasia esculenta</i> (dasheen).....	Cuba.....	—	—	1	Pa.
<i>Dahlia</i> hybrid (root).....	Japan.....	—	—	1	Wash.
<i>Lycopersicon esculentum</i> (tomato) root.....	†Haiti.....	1	—	—	P.R.
† <i>Microvelia orchidearum</i> P. Henn. (?): <i>Miltonia roezlii</i> (pansy orchid).....	Canal Zone.....	—	—	1	Fla.
† <i>Microstroma tonellianum</i> Ferr.: <i>Prunus serotina</i> (black cherry) pits.....	Unknown.....	—	—	1	Mich.
<i>Monilinia fructigena</i> (Adelh. & Ruhl.) Honey: <i>Malus sylvestris</i> (apple).....	Italy, †Norway.....	2	—	—	N.Y.
<i>Prunus domestica</i> (plum).....	†Czechoslovakia.....	1	—	—	N.Y.
<i>Mycosphaerella cattielyae</i> Cash & Watson: <i>Sobralia leucozantha</i> (orchid) leaf.....	Canal Zone.....	—	—	1	Fla.
<i>Mycosphaerella fragariae</i> (Tul.) Lind.: <i>Fragaria</i> sp. (strawberry) leaves.....	Germany.....	—	—	2	Mass.
<i>Mycosphaerella schoenoprasii</i> (Ces. & de N.) Schroet.: <i>Allium cepa</i> (onion).....	Belgium, Japan.....	—	—	14	Calif.,*
<i>A. cepa solaninum</i> (multiplier onion) leaf.....	Japan.....	—	—	1	Calif.,*
<i>A. porrum</i> (leek) leaves.....	do.....	—	—	20	Calif.,* Hawaii.
<i>A. sativum</i> (garlic) bulb and leaf.....	France, †Mexico.....	1	1	—	Calif.,*
<i>Neovossia horrida</i> (Tak.) Padw. & A. Khan: <i>Oryza sativa</i> (rice) grain and hulls.....	Japan.....	—	—	58	Calif.,*
† <i>Papularia sphaerosperma</i> (Lk.) Hoehn.: Bamboo (dried stem).....	Bermuda, Switzerland.....	2	—	—	Calif.,* Mass.
† <i>Papularia vinosa</i> (Berk. & Curt.) Mason: Orchid (leaf).....	Ecuador.....	—	—	1	Calif.,*
† <i>Papulaspora rubida</i> Hotson: <i>Tulipa</i> hybrid (bulb).....	Switzerland.....	—	—	1	Ill.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
† <i>Peronospora schachtii</i> Fekl.: <i>Beta vulgaris cicla</i> (Swiss chard).....	Japan.....	-----	1	-----	Calif.*
<i>Phaeoseptoria oryzae</i> Miyake: <i>Oryza sativa</i> (rice).....	do.....	1	-----	-----	Hawaii.
† <i>Phakopsora gossypii</i> (Arth.) Hirat. f.: <i>Gossypium</i> sp. (cotton; leaf).....	Bahamas.....	1	-----	-----	Nassau.
<i>Phoma citricarpa</i> McAlp.: <i>Citrus aurantium</i> (sour orange).....	Japan.....	-----	1	-----	Calif.*
<i>C. grandis</i> (pummelo).....	Hong Kong.....	-----	1	-----	Calif.*
<i>C. ichangensis</i> x <i>C. reticulata</i> (ichandarin).....	Japan.....	-----	1	-----	Calif.*
<i>C. limon</i> (lemon).....	Australia, Union of South Africa, unknown.	-----	10	-----	Calif.,* Hawaii, Mich., N.Y., Tex.
<i>C. paradisi</i> (grapefruit).....	Australia, Thailand, Union of South Africa.	-----	3	-----	Calif.,* Hawaii.
<i>C. reticulata</i> (Mandarin orange) fruit and dried peel.	China, Formosa, Hong Kong, Japan.	14	5	-----	Calif.,* Hawaii, Wash.
<i>C. sinensis</i> (sweet orange) fruit and dried peel..	Africa (country(?)), Australia, Brazil, China, Federation of Malaya, Formosa, Hong Kong, Japan, Mozambique, New Zealand, Union of South Africa, unknown.	21	36	-----	Calif.,* Fla., Ga., Ha- wail, La., Md., Mass., Mich., N.J., N.Y., Pa., Tex., Va., Wash.
<i>Citrus</i> sp. (fruit and dried peel).....	China, Formosa, Hong Kong, Japan, unknown.	14	2	-----	Calif.,* Fla., Hawaii, Mass., Mich., Tex.
<i>Phoma herbarum</i> West.: <i>Erigeron glaucus</i> 'Forsters Liebling'.....	England.....	-----	1	-----	N.J.
† <i>Phoma nebulosa</i> (Fr.) Berk.: <i>Pastinaca sativa</i> (parsnip).....	Germany.....	-----	1	-----	Calif.*
<i>Phoma samarangensis</i> Desm.: <i>Fraxinus excelsior</i> (European ash) seed.....	Italy.....	-----	1	-----	N.J.
† <i>Phoma weigeliae</i> Speg.: <i>Weigelia</i> 'Golden Horn' (stem).....	England.....	-----	1	-----	N.J.
<i>Phomopsis cocoes</i> Petch.: <i>Cocos nucifera</i> (coconut).....	Hawaii, unknown.....	2	-----	-----	Calif.,* Tex.
<i>Phomopsis palmiticola</i> (Wint.) Sacc.: <i>Areca catheda</i> (betel nut) caps.....	Guam.....	1	-----	-----	Calif.*
† <i>Phomopsis pterophylla</i> (Fekl.) Died.: <i>Fraxinus excelsior</i> (European ash) seed.....	Italy.....	-----	1	-----	N.J.
† <i>Phomopsis velata</i> (Sacc.) Hoehn.: <i>Tilia</i> sp. (scions).....	Netherlands.....	-----	1	-----	N.J.
<i>Phyllachora canafistulae</i> F. L. Stevens & Dalbey: <i>Cassia grandis</i> (pinkshower senna) leaf.....	Canal Zone.....	-----	1	-----	Fla.
<i>Phyllachora engleri</i> Speg.: <i>Anthurium</i> sp. (leaf).....	Colombia.....	-----	1	-----	Fla.
<i>Phyllosticta aucubicola</i> Sacc.: <i>Aucuba japonica</i> (leaf).....	Belgium.....	-----	1	-----	N.J.
† <i>Phyllosticta capitalensis</i> P. Henn.: Orchid (leaf).....	Brazil.....	-----	1	-----	N.Y.
† <i>Phyllosticta coccolobae</i> Ell. & Ev.: <i>Coccoloba wiferum</i> (seagrape) leaf.....	Mexico.....	-----	1	-----	Tex.
† <i>Phyllosticta hedericola</i> Dur. & Mont.: <i>Hedera</i> sp. (ivy) leaf.....	England(?).....	-----	1	-----	N.Y.
† <i>Phyllosticta musarum</i> (Cke.) Petr.: <i>Musa</i> sp.....	Japan(?).....	-----	1	-----	Hawaii.
† <i>Physalospora wildemaniana</i> Sacc.: <i>Dendrobium</i> sp. (leaf).....	Thailand.....	-----	1	-----	N.Y.
† <i>Pleospora phragmospora</i> (Dur. & Mont.) Ces.: <i>Agave</i> sp.....	Mexico.....	-----	1	-----	Tex.
† <i>Pleospora trichostoma</i> (Fr.) Fekl.: <i>Secale cereale</i> (rye) stem.....	Turkey.....	1	-----	-----	Tex.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
† <i>Plowrightia virgultorum</i> (Fr.) Sacc.: <i>Betula</i> sp. (birch) bark	Finland	1			N.Y.
<i>Pratylenchus penetrans</i> (Cobb) Sher & Allen: <i>Dahlia</i> 'African Jewel', 'Pretoria', 'Rhapsody', and 'Smiler' (roots)	Union of South Africa			2	N.J.
<i>Dahlia</i> 'Arthur Hambley', 'Earlwood', 'Golden Dust', and 'Jan. Whitby' (roots).	Australia			2	N.J.
<i>Dahlia</i> 'Caroline Kernochan' (roots)	Canada			1	N.J.
† <i>Pratylenchus pratensis</i> (de Man) Filip.: <i>Iris kaempferi</i> 'Utamaro' (roots)	Czechoslovakia			1	N.J.
<i>Pseudomonas marginalis</i> (N. A. Brown) F. L. Stevens: <i>Cichorium endivia</i> (endive)	Belgium	1			N.Y.
<i>Pseudomonas tonelliana</i> (Ferr.) Burk.: <i>Nerium oleander</i> (leaf and pod)	†Greece, Mexico	1		1	N.Y., Tex.
<i>Psilenchus hilarulus</i> de Man: Soil with fern and unidentified plant	Mexico			2	Tex.
† <i>Puccinia antirrhini</i> Diet. & Holw.: <i>Antirrhinum majus</i> (snapdragon) leaf	Ireland	1			Mass.
† <i>Puccinia arachidis</i> Speg.: <i>Arachis hypogaea</i> (peanut leaf)	Brazil			1	D.C.
<i>Puccinia arenariae</i> (Schum.) Wint.: <i>Gypsophila</i> sp. (baby's breath) leaf	Portugal	1			N.Y.
<i>Puccinia baccharidis</i> Diet. & Holw.: <i>Baccharis glutinosa</i> (seepwillow baccharis)	Mexico	1			Ariz.
<i>Puccinia buxi</i> DC.: <i>Buxus sempervirens</i> (boxwood)	France	1			N.J.
† <i>Puccinia cyperi</i> Arth.: <i>Cyperus</i> sp. (?)	Brazil	1			Fla.
† <i>Puccinia gentianae</i> (Strauss) Lk.: <i>Gentiana acaulis</i> (stemless gentian) basal leaf	France	1			N.J.
<i>Puccinia hordei</i> Othth: <i>Hordeum vulgare</i> (barley)	Japan		1		Wash.
<i>Puccinia horiana</i> P. Henn.: <i>Chrysanthemum</i> sp.	do	26	9		Calif.,* Hawaii, N.Y., Wash.
<i>Puccinia longicornis</i> Pat. & Har.: <i>Sasa albomarginata</i> (bamboo) leaf	do		1		Calif.*
† <i>Puccinia nakanishikii</i> Diet.: <i>Cymbopogon citratus</i> (lemongrass) leaf	do		1		Calif.*
<i>Puccinia oblecta</i> Pk.: Cyperaceae (stem)	Mexico	1			Tex.
<i>Scirpus tatora</i> (bulrush) stem	do	1			Tex.
<i>Scirpus</i> sp. (stem)	†Union of South Africa	1			N.Y.
† <i>Puccinia oncidii</i> Cummins: <i>Oncidium pubes</i> (orchid) leaf	Brazil			1	Calif.*
<i>Oncidium</i> sp. (leaf)	Ecuador			1	Calif.*
† <i>Puccinia poae-nemoralis</i> Othth: <i>Phleum</i> sp. (timothy grass) leaf and stem	Japan		1		Calif.*
† <i>Puccinia praegracilis</i> Arth. var. <i>praegracilis</i> Savile: <i>Habenaria leucostachys</i> (milkwhite habenaria)	Alaska			1	Wash.
<i>Habenaria</i> sp.	do			1	Wash.
† <i>Puccinia schedonnardi</i> Kell. & Swing.: <i>Gossypium</i> sp. (cotton) boll	Bermuda	1			N.Y.
<i>Puccinia striiformis</i> West.: <i>Secale cereale</i> (rye) stem	Germany	1			Wash.
<i>Triticum aestivum</i> (wheat)	†Iran, †Union of Soviet Socialist Republics	2			Calif.,* N.Y.
† <i>Puccinia violae</i> (Schum.) DC.: <i>Viola</i> sp. (violet) leaf	Italy	1			N.Y.
† <i>Pucciniastrum arcticum</i> Trans.: <i>Rubus chamaemorus</i> (cloudberry) leaf	Norway			1	N.Y.
<i>Pyrenochaeta oryzae</i> Shirai: <i>Oryza sativa</i> (rice) leaf and stem	Japan		1		Calif.*
† <i>Pyrenophora graminea</i> Ito & Kuribay: <i>Triticum</i> sp. (wheat) leaf	do		1		Calif.*
† <i>Sclerotinia candolleana</i> (Lev.) Fckl.: <i>Quercus</i> sp. (oak) leaf	England			1	Ill.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Sclerotopsis concava</i> (Desm.) Shear & Dodge:					
<i>Paeonia</i> sp. (peony) stem.....	Netherlands.....			1	N.Y.
† <i>Scolecopeltidium bakeri</i> F. L. Stevens & Manter:					
<i>Miltonia roezlii</i> (pansyorchid).....	Canal Zone.....			1	Calif.*
<i>Oncidium ornithorrhynchum</i> (orchid) leaf.....	Mexico.....			1	Tex.
Orchid (leaf).....	do.....			1	Tex.
<i>Scutellonema brachyurum</i> (Steiner) Andrassy:					
Soil with cactus and unidentified plants.....	Mexico.....			2	Tex.
† <i>Selenophoma donacis</i> (Pass.) Sprague & A. G. Johnson:					
<i>Secale cereale</i> (rye) glume.....	Spain.....	1			Calif.*
<i>Septoria azaleae</i> Vogl.:					
<i>Rhododendron indicum</i> (indica azalea).....	Belgium.....			1	N.Y.
<i>Rhododendron</i> sp. (azalea) leaf.....	Netherlands.....			1	N.Y.
<i>Septoria citri</i> Pass.:					
<i>Citrus limon</i> (lemon).....	†Brazil, Italy, Spain.....		9		Calif.,* La., Tex.
<i>C. reticulata</i> (Mandarin orange).....	Italy.....		1		Fla.
<i>C. sinensis</i> (sweet orange).....	Italy, Japan.....		5		Calif.*
<i>Septoria leucanthemi</i> Sacc. & Speg.:					
<i>Chrysanthemum</i> sp.....	Japan.....	1			Hawaii.
<i>Septoria nodorum</i> Berk.:					
<i>Triticum aestivum</i> (wheat).....	Italy.....	1			Ohio.
<i>Septoria oryzae</i> Catt.:					
<i>Oryza sativa</i> (rice) hull, leaf, seed, and stem.....	Japan.....	6	29		Calif.*
† <i>Septoria rhabidospora</i> Mass.:					
<i>Gentiana</i> sp. (gentian) leaf.....	Switzerland.....	1			Calif.*
<i>Septoria selenophomoides</i> Cash & Watson:					
<i>Cutleya guttata</i> (orchid) leaf.....	Brazil.....			1	N.J.
<i>C. guttata</i> var. <i>prinzii</i> (leaf).....	do.....			1	N.J.
<i>Dendrobium</i> sp. (orchid) leaf.....	†Australia.....			1	Calif.*
<i>Epidendrum</i> sp. (orchid) leaf.....	Costa Rica.....			1	Calif.*
<i>Odontoglossum</i> sp. (orchid).....	Mexico.....			1	Tex.
<i>Oncidium</i> sp. (orchid) leaf.....	do.....			1	Tex.
Orchid (leaf).....	Costa Rica, Guatemala, India, Mexico.....			5	Calif.,* Tex.
† <i>Speira cymbidii</i> Verpl.:					
<i>Oncidium</i> sp. (orchid) pseudobulb.....	Guatemala.....			1	Tex.
<i>Sphaceloma fraxetii</i> Bitanc. & Jenkins var. <i>scabiosa</i> (McAlp. & Tryon) Jenkins:					
<i>Citrus limon</i> (lemon).....	Australia, New Zealand.....	1	13		Hawaii.
<i>C. sinensis</i> (sweet orange).....	Australia.....		1		Hawaii.
<i>Sphaceloma puniceae</i> Bitanc. & Jenkins:					
<i>Punica granatum</i> (pomegranate).....	Mexico.....	6			Ariz., Tex.
† <i>Sphaceloma spondiadis</i> Bitanc. & Jenkins:					
<i>Spondias cytherea</i> (vi-apple).....	British Guiana.....	1			Fla.
† <i>Sphaerella gardeniae</i> Cke. (?):					
<i>Gardenia augusta</i>	Hawaii.....	1			Hawaii.
<i>Sphenospora kevorkianii</i> Linder:					
<i>Epidendrum</i> sp. (orchid) leaf.....	Bahamas, Cuba.....			3	Fla.
<i>Huntleya burtti</i> (orchid) leaf.....	Panama.....			1	Fla.
<i>Sphenospora mera</i> Cummins:					
Orchid (leaf).....	Ecuador.....			1	Calif**
† <i>Stemphylium sarcinaeforme</i> (Cav.) Wiltsh.:					
<i>Crocus biflorus</i> (Scotch crocus) corms.....	Italy.....			1	N.J.
† <i>Stomiopeltis citri</i> Bitanc.:					
<i>Citrus reticulata</i> (Mandarin orange).....	Japan.....		1		Hawaii.
† <i>Tranzschelia discolor</i> (Fckl.) Tranz. & Litv.:					
<i>Prunus persica</i> (peach).....	Mexico.....	1			Tex.
<i>Trematosphaerella oryzae</i> (Miyake) Padw.:					
<i>Oryza sativa</i> (rice) leaf and stem.....	Japan.....	1	1		Calif., Calif.*
<i>Tylenchorhynchus capitatus</i> M. W. Allen:					
Soil with unidentified plants.....	†Jamaica, Mexico.....			3	Fla., Tex.
<i>Uredo behnickiana</i> P. Henn.:					
<i>Epidendrum fragrans</i> (orchid) leaf.....	†Nicaragua.....			2	Fla.
<i>E. mariae</i> (leaf).....	Mexico.....			1	Calif.*
<i>E. pachycarpum</i> (leaf).....	†Canal Zone.....			1	Fla.
<i>Oncidium gardneri</i> (orchid) leaf.....	Brazil.....			1	Calif.*
<i>O. micropogon</i> (leaf).....	do.....			1	Fla.
<i>O. varicosum</i> var. <i>rogersii</i> (leaf).....	do.....			1	Fla.

See footnotes at end of table.

Pests Collected and Reported From July 1, 1959, Through June 30, 1960—Continued

Pest and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Uredo epidendri</i> P. Henn.:					
<i>Epidendrum ybaguense</i> (orchid) leaf.....	Brazil.....			1	Fla.
<i>Epidendrum</i> sp. (leaf).....	Canal Zone, Costa Rica.....			2	Fla.
<i>Oncidium</i> sp. (orchid) leaf.....	British Honduras.....			1	Fla.
<i>Uredo guacae</i> Mayor:				1	
<i>Ionopsis utricularioides</i> (orchid) leaf.....	Guatemala.....			1	Fla.
<i>Miltonia roezlii</i> (pansyorchid) leaf.....	Canal Zone.....			1	Fla.
<i>Mormodes</i> sp. (orchid) leaf.....	Peru.....			1	Fla.
<i>Odontoglossum</i> sp. (orchid) leaf.....	Canal Zone.....			1	Fla.
<i>Oncidium pusillum</i> (orchid).....	Panama.....			1	D.C.
<i>Trigonidium egeronianum</i> (orchid) leaf.....	Guatemala.....			1	Calif.*
<i>Uredo nidularii</i> P. Henn.:					
<i>Tillandsia</i> sp.....	Mexico.....			1	Tex.
<i>Uredo oncidii</i> P. Henn.:					
<i>Oncidium cavendishianum</i> (orchid) leaf.....	Guatemala.....			1	Fla.
<i>O. pusillum</i> (leaf).....	†Panama.....			1	Fla.
<i>Oncidium</i> sp. (leaf).....	British Honduras, †Peru.....			2	Fla.
Orchid (leaf).....	†Haiti.....			1	Fla.
† <i>Uredo tillandsiae</i> Cummins:					
<i>Tillandsia</i> sp. (leaf).....	Mexico.....			2	Fla.
<i>Uromyces commelinae</i> Cke.:					
<i>Geogenanthus</i> sp. (leaf).....	Colombia.....			1	Fla.
<i>Uromyces fabae</i> (Grev.) Cke.:					
<i>Lens culinaris</i> (lentil) leaf and stem.....	Chile, Germany.....	3	1	1	Fla., La., Oreg.
<i>Vicia</i> sp.....	Portugal.....	1			N.J.
<i>Uromyces trifolii</i> (DC.) Lev.:					
<i>Trifolium repens</i> var. (shamrock) leaf.....	Ireland.....	1			Oreg.
† <i>Ustilago grandis</i> Fr.:					
<i>Phragmites communis</i> (common reed) stem.....	Germany.....	1			Calif.*
<i>Ustilago tritici</i> (Pers.) Rostr.:					
<i>Triticum aestivum</i> (wheat) heads.....	England.....	1			N.Y.
<i>Volutella pachysandricola</i> B. O. Dodge:					
<i>Pachysandra terminalis</i> (Japanese pachysandra) leaf.....	Netherlands.....			2	N.J.
† <i>Volutina concentrica</i> Penz. & Sacc.:					
Orchid (leaf).....	Burma.....			1	N.Y.
<i>Xanthomonas citri</i> (Hasse) Dowson:					
<i>Citrus aurantifolia</i> (sour lime).....	India, Japan Pakistan.....	1	3		Calif.,* Hawaii, Mass., Wash.
<i>C. aurantium</i> (sour orange).....	Japan.....		8		Calif.,* Pa.
<i>C. aurantium</i> var.....	do.....		1		Calif.*
<i>C. grandis</i> (pummelo).....	do.....		1		N.Y.
<i>C. ichangensis</i> x <i>C. reticulata</i> (ichandarin).....	do.....		3		Calif.*
<i>C. limon</i> (lemon).....	Japan, unknown.....		8		Calif.,* Hawaii, Tex., Wash.
<i>C. paradisi</i> (grapefruit).....	Japan.....		1		Wash.
<i>C. reticulata</i> (Mandarin orange).....	do.....	2	4		Calif.,* Hawaii.
<i>C. reticulata</i> var. (King orange).....	do.....	1			Hawaii.
<i>C. sinensis</i> (sweet orange) fruit and dried peel.....	China, Hong Kong, Japan.....	11	91		Calif.,* Hawaii, La., Md., N.C., Oreg., Pa., Tex., Wash.
<i>Citrus</i> sp. (fruit and dried peel).....	China, Hong Kong, Japan, Saipan.....	3	2		Calif.,* Hawaii, Mass., Mich.
<i>Xanthomonas</i> sp. (Cancerosis B):					
<i>Citrus limon</i> (lemon).....	Argentina.....		7		La., N.Y., Pa., S.C.
<i>Xiphinema americanum</i> Cobb:					
Soil with <i>Gardenia augusta</i> (plant).....	Mexico.....			1	Tex.

An asterisk (*) indicates State inspection.

A dagger (†) indicates a first interception from the country named.

A double dagger (‡) indicates a first interception by Division inspectors.

Hosts and Diseases

- ABIES:**
 †*Atichia glomerulosa* (Ascomycetes)
Hormiscium pinophyllum (Deuteromycetes)
ACANTHUS:
Meloidogyne hapla (Nematoda)
ACER:
 †*Cladosporium epiphyllum* var. *acerinum* (Deuteromycetes)
ADENIA:
Meloidogyne javanica (Nematoda)
AGAVE:
 †*Coniothyria agaves* (Deuteromycetes)
 †*Pleospora phragmospora* (Ascomycetes)
ALLIUM CEPA:
Ditylenchus dipsaci (Nematoda)
 †*Heterosporium allii* (Deuteromycetes)
Mycosphaerella schoenoprasii (Ascomycetes)
ALLIUM CEPA SOLANINUM:
Mycosphaerella schoenoprasii (Ascomycetes)
ALLIUM PORRUM:
 †*Heterosporium allii* (Deuteromycetes)
Mycosphaerella schoenoprasii (Ascomycetes)
ALLIUM SATIVUM:
Ditylenchus dipsaci (Nematoda)
 †*Mycosphaerella schoenoprasii* (Ascomycetes)
ANTHURIUM:
 †*Macrophoma anthurii* (Deuteromycetes)
Phyllachora engleri (Ascomycetes)
ANTIRRHINUM:
 †*Puccinia antirrhini* (Promycetes)
ARACHIS:
 †*Puccinia arachidis* (Promycetes)
ARAUCARIA:
Cryptospora longispora (Ascomycetes)
Diaporthe eres (Ascomycetes)
Macrophoma araucariae (Deuteromycetes)
ARECA:
Phomopsis palmicola (Deuteromycetes)
ASTILBE:
Meloidogyne incognita acrita (Nematoda)
AUCUBA:
 †*Coniothyrium aucubae* (Deuteromycetes)
Phyllosticta aucubicola (Deuteromycetes)
BACCHARIS:
Puccinia baccharidis (Promycetes)
BAMBOO:
 †*Papularia sphaerosperma* (Deuteromycetes)
BEGONIA:
Meloidogyne arenaria (Nematoda)
BETA:
 †*Peronospora schachtii* (Phycomycetes)
BETULA:
 †*Plowrightia virgultorum* (Ascomycetes)
BLETILLA:
Aphelenchoides fragariae (Nematoda)
BRASSICA RAPA:
Meloidogyne incognita (Nematoda)
BROMELIAD:
 †*Echidnoides bromeliacearum* var. *stellulata* (Ascomycetes)
BUXUS:
Puccinia buxi (Promycetes)
CALADIUM:
Meloidogyne arenaria (Nematoda)
CALLICARPA:
Meloidogyne hapla (Nematoda)
CALLISTEPHUS:
 †*Coleosporium asterum* (Promycetes)
CAMELLIA:
Cylindrosporium camelliae (Deuteromycetes)
CASSIA:
Phyllachora canafistulae (Ascomycetes)
CATTLEYA:
Septoria selenophomoides (Deuteromycetes)
CELOSIA:
 †*Alternaria celsoiae* (Deuteromycetes)
CHRYSANTHEMUM:
Puccinia horiana (Promycetes)
Septeria leucanthemi (Deuteromycetes)
CICHORIUM:
Pseudomonas marginalis (Schizomycetes)
CITRUS AURANTIFOLIA:
Elsinoe australis (Ascomycetes)
Xanthomonas citri (Schizomycetes)
CITRUS AURANTIUM:
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS AURANTIUM VAR.:
Xanthomonas citri (Schizomycetes)
CITRUS GRANDIS:
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS ICHANGENSIS X C. RETICULATA:
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS LIMON:
 †*Camarosporium citri* (Deuteromycetes)
 †*Coniothecium scabrum* (Deuteromycetes)
Elsinoe australis (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
 †*Septoria citri* (Deuteromycetes)
Sphaceloma fawcettii var. *scabiosa* (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
Xanthomonas sp. (Cancrosis B) (Schizomycetes)
CITRUS PARADISI:
 †*Coniothecium citri* (Deuteromycetes)
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS RETICULATA:
 †*Coniothecium scabrum* (Deuteromycetes)
Elsinoe australis (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
 †*Stomiopeltis citri* (Ascomycetes)
Xanthomonas citri (Schizomycetes)
CITRUS RETICULATA VAR.
Xanthomonas citri (Schizomycetes)
CITRUS SINENSIS:
Elsinoe australis (Ascomycetes)
 "Greasy spot"
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
Sphaceloma fawcettii var. *scabiosa* (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS SP.:
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CLEMATIS:
Meloidogyne hapla (Nematoda)
COCCOLOBA:
 †*Phyllosticta coccobae* (Deuteromycetes)
COCOS:
 †*Cytospora palmicola* (Deuteromycetes)
 †*Diplodia epicocos* (Deuteromycetes)
 †*Macrophoma cocos* (Deuteromycetes)
Phomopsis cocoes (Deuteromycetes)
COFFEA:
 †*Leptosphaeria coffeigena* (Ascomycetes)
COLOCASIA:
Meloidogyne javanica (Nematoda)
CONVALLARIA:
 †*Aphelenchoides blastophthorus* (Nematoda)
CORIANDRUM:
 †*Meloidogyne incognita acrita* (Nematoda)
CORYLUS:
Diaporthe eres (Ascomycetes)
COTINUS:
Diaporthe eres (Ascomycetes)
CROCUS:
 †*Stemphylium sarcinaeforme* (Deuteromycetes)
CUCURBITA:
 †*Alternaria cucumerina* (Deuteromycetes)
CYDONIA:
 †*Entomosporium maculatum* (Deuteromycetes)
CYMOPOGON:
 †*Puccinia nakanishikii* (Promycetes)
CYPERACEAE:
Puccinia oblecta (Promycetes)
CYPERUS(?):
 †*Puccinia cyperi* (Promycetes)
DAHLIA:
 †*Ditylenchus destructor* (Nematoda)
Meloidogyne arenaria (Nematoda)
M. hapla (Nematoda)
M. javanica (Nematoda)
Pratylenchus penetrans (Nematoda)

See footnotes at end of this list.

Hosts and Diseases—Continued

DAPHNE:

†*Marmor cucumeris* (Virus)

DENDROBIUM:

†*Physalospora wildemaniana* (Ascomycetes)†*Septoria selenophomoides* (Deuteromycetes)

DIANTHUS:

†*Alternaria dianthi* (Deuteromycetes)†*Heteropatella valtellinensis* (Deuteromycetes)

DIOSPYROS:

†*Cercospora kaki* (Deuteromycetes)

DRACAENA:

†*Haplosporella dracaenorum* (Deuteromycetes)

ECHEVERIA:

†*Meloidogyne incognita acrita* (Nematoda)

EPIDENDRUM:

†*Septoria selenophomoides* (Deuteromycetes)†*Sphenospora kevorkianii* (Promycetes)†*Uredo behnickiana* (Promycetes)†*U. epidendri* (Promycetes)

ERIGERON:

†*Phoma herbarum* (Deuteromycetes)

EUONYMUS:

†*Meloidogyne arenaria* (Nematoda)

EUPHORBIA:

†*Meloidogyne incognita acrita* (Nematoda)

FAGUS:

†*Fusicoccum galeuculatum* (Deuteromycetes)

FRAGARIA:

†*Dendrophoma obscurans* (Deuteromycetes)†*Mycosphaerella fragariae* (Ascomycetes)

FRAXINUS:

†*Phoma samararum* (Deuteromycetes)†*Phomopsis pterophila* (Deuteromycetes)

FUMARIA:

†*Aphyia rhynchosiae* (Ascomycetes)

GARDENIA:

†*Sphaerella gardeniae* (?) (Ascomycetes)

GENTIANA:

†*Puccinia gentianae* (Promycetes)†*Septoria raphidospora* (Deuteromycetes)

GEOGENANTHUS:

†*Uromyces commelinae* (Promycetes)

GLADIOLUS:

†*Meloidogyne arenaria* (Nematoda)†*M. hapla* (Nematoda)†*M. incognita* (Nematoda)†*M. incognita acrita* (Nematoda)

GOSSYPPIUM:

†*Phakospora gossypii* (Deuteromycetes)†*Puccinia schedonardi* (Promycetes)

GYPSOPHILA:

†*Puccinia arenariae* (Promycetes)

HABENARIA:

†*Puccinia praegracilis* var. *praegracilis* (Promycetes)

HEDERA:

†*Phyllosticta hedericola* (Deuteromycetes)

HEPATICA:

†*Meloidogyne hapla* (Nematoda)

HORDEUM:

†*Puccinia hordei* (Promycetes)

HUNTLEYA:

†*Sphenospora kevorkianii* (Promycetes)

IONOPSIS:

†*Uredo guacae* (Promycetes)

IRIS:

†*Pratylenchus pratensis* (Nematoda)

JUGLANS:

†*Marssonina juglandis* (Deuteromycetes)

JUNIPERUS:

†*Gymnosporangium haraeaeum* (Promycetes)

LAFAGERIA:

†*Cercospora lilliiicola* (Deuteromycetes)

LENS:

†*Uromyces fabae* (Promycetes)

LEONTOPODIUM:

†*Meloidogyne hapla* (Nematoda)

LYCASTE:

†*Cercospora cypripedii* (Deuteromycetes)

LYCOPERSICON:

†*Meloidogyne javanica* (Nematoda)

MACROZAMIA:

†*Dothiorella pericarpica* (Deuteromycetes)

MAHONIA:

†*Cumminsella mirabilissima* (Promycetes)

MALUS:

†*Elsinoe piri* (Ascomycetes)†*Gymnosporangium yamadai* (Promycetes)†*Monilinia fructigena* (Ascomycetes)

MANGIFERA:

†*Elsinoe mangiferae* (Ascomycetes)

MAXILLARIA:

†*Lembosia warszewicziae* (Ascomycetes)

METROSIDEROS:

†*Meliolina haplochaeta* (Ascomycetes)

MILTONIA:

†*Micropeltis orchidearum* (?) (Ascomycetes)†*Scolecoptelidium bakeri* (Ascomycetes)†*Uredo guacae* (Promycetes)

MORMODES:

†*Uredo guacae* (Promycetes)

MUSA:

†*Helminthosporium torulosum* (Deuteromycetes)†*Phyllostictina musarum* (Deuteromycetes)

NARCISUS:

†*Ditylenchus dipsaci* (Nematoda)

NERIUM:

†*Macrophoma oleandri* (Deuteromycetes)†*Pseudomonas tonelliana* (Schizomycetes)

ODONTOGLOSSUM:

†*Echidnoides dendrechili* (Ascomycetes)†*Septoria selenophomoides* (Deuteromycetes)†*Uredo guacae* (Promycetes)

ONCIDIUM:

†*Puccinia oncidii* (Promycetes)†*Scolecoptelidium bakeri* (Ascomycetes)†*Septoria selenophomoides* (Deuteromycetes)†*Speira cymbidii* (Deuteromycetes)†*Uredo behnickiana* (Promycetes)†*U. epidendri* (Promycetes)†*U. guacae* (Promycetes)†*U. oncidii* (Promycetes)

ORCHID:

†*Diplodia henriquesiana* (Deuteromycetes)†*Papularia vinea* (Deuteromycetes)†*Phyllosticta capitalensis* (Deuteromycetes)†*Scolecoptelidium bakeri* (Ascomycetes)†*Septoria selenophomoides* (Deuteromycetes)†*Sphenospora mera* (Promycetes)†*Uredo oncidii* (Promycetes)†*Volutina concentrica* (Deuteromycetes)

ORNITHOGALUM:

†*Heterosporium ornithogali* (Deuteromycetes)

ORYZA:

†*Curvularia geniculata* (Deuteromycetes)†*Neovossia horrida* (Promycetes)†*Phaeoscepteria oryzae* (Deuteromycetes)†*Pyrenochaeta oryzae* (Deuteromycetes)†*Septoria oryzae* (Deuteromycetes)†*Trematosphaerella oryzae* (Ascomycetes)

PACHYSANDRA:

†*Volutella pachysandricola* (Deuteromycetes)

PAEONIA:

†*Sclerotopsis concava* (Deuteromycetes)

PASTINACA:

†*Phoma nebulosa* (Deuteromycetes)

PERSEA:

†*Cercospora purpurea* (Deuteromycetes)

PHASEOLUS:

†*Cercospora brachiat* (Deuteromycetes)†*Fusarium oxysporum* f. *phaseoli* (Deuteromycetes)

PHILADELPHUS:

†*Karstenula philadelphia* (Ascomycetes)

PHLEUM:

†*Puccinia poae-nemoralis* (Promycetes)

PIRAGMITES:

†*Ustilago grandis* (Promycetes)

PICEA:

†*Ascochyta conorum* (Deuteromycetes)

PLATYCODON:

†*Fusarium oxysporum* (Deuteromycetes)

POLYANTHES:

†*Meloidogyne incognita* (Nematoda)

POLYCALA:

†*Asterina pulchella* (Ascomycetes)

PRUNUS DOMESTICA:

†*Monilinia fructigena* (Ascomycetes)

See footnotes at end of this list.

Hosts and Diseases—Continued

PRUNUS PERSICA:

- †*Coniothyrium institorium* (Deuteromycetes)
- †*Tranzschella discolor* (Promycetes)

PRUNUS SEROTINA:

- †*Microstroma tonellianum* (Basidiomycetes)

PUNICA:

- Sphaeloma punicae* (Deuteromycetes)

PYRUS:

- Gymnosporangium haraeum* (Promycetes)

QUERCUS:

- †*Cytospora intermedia* (Deuteromycetes)
- †*Sclerotinia candolleana* (Ascomycetes)

RHODODENDRON:

- †*Chrysomyxa ledi* var. *rhododendri* (Promycetes)
- †*Coryneum triseptatum* (Deuteromycetes)
- †*Diplodina eurhododendri* (Deuteromycetes)
- Septoria azaleae* (Deuteromycetes)

ROSA:

- †*Marmor rosae* (Virus)
- †*Meloidogyne hapla* (Nematoda)

RUBUS:

- †*Pucciniastrum arcticum* (Promycetes)

SASA:

- †*Dasturella divina* (Promycetes)
- Puccinia longicornis* (Promycetes)

SCIRPUS:

- †*Puccinia obtecta* (Promycetes)

SECALE:

- †*Pleospora trichostoma* (Ascomycetes)
- Puccinia striiformis* (Promycetes)
- †*Selenophoma donacis* (Deuteromycetes)

SOBRALIA:

- Mycosphaerella cattleyae* (Ascomycetes)

SOIL:

- †*Goltholdsteineria goodeyi* (Nematoda)
- †*Helicotylenchus nannus* (Nematoda)
- Heterodera avenae* (Nematoda)
- H. cacti* (Nematoda)
- †*H. punctata* (Nematoda)
- H. rostochiensis* (Nematoda)
- Psilenchus hilarulus* (Nematoda)
- Scutellonema brachyurum* (Nematoda)

SOIL—Continued

- †*Tylenchorhynchus capitatus* (Nematoda)
- Xiphinema americanum* (Nematoda)
- SOLANUM:
 - Meloidogyne incognita acrita* (Nematoda)
- SPONDIAS:
- †*Sphaeloma spondiadii* (Deuteromycetes)
- STANHOPEA:
 - Cercospora angraci* (Deuteromycetes)
- THUNBERGIA:
 - Meloidogyne incognita acrita* (Nematoda)
- TIGRIDIA:
 - Ditylenchus destructor* (Nematoda)
- TILLA:
 - †*Phomopsis velata* (Deuteromycetes)
- TILLANDSIA:
 - Uredo nidularii* (Promycetes)
 - †*U. tillandsiae* (Promycetes)
- TRIFOLIUM:
 - Uromyces trifolii* (Promycetes)
- TRIGONIDIUM:
 - Uredo guacae* (Promycetes)
- TRITICUM:
 - Anguina tritici* (Nematoda)
 - †*Puccinia striiformis* (Promycetes)
 - †*Pyrenophora graminea* (Ascomycetes)
 - Septoria nodorum* (Deuteromycetes)
 - Ustilago tritici* (Promycetes)
- TULIPA:
 - †*Papulaspora rubida* (Deuteromycetes)
- VICIA:
 - †*Ascochyta fabae* (Deuteromycetes)
 - Uromyces fabae* (Promycetes)
- VIOLA:
 - †*Puccinia violae* (Promycetes)
- WEIGELIA:
 - †*Phoma weigeliae* (Deuteromycetes)
- ZANTEDESCHIA:
 - Meloidogyne arenaria* (Nematoda)
- ZINNIA:
 - †*Alternaria zinniae* (Deuteromycetes)

Hosts Unknown

Plants—Unidentified:

- Meloidogyne arenaria* (Nematoda)

A dagger (†) indicates a first interception from the country of origin.

A double dagger (§) indicates a first interception by Division inspectors.

Countries of Origin and Diseases

AFRICA (country(?)):

Phoma citricarpa

ALASKA:

†*Puccinia praegracilis* var. *praegracilis*

ARGENTINA:

†*Alternaria dianthi*

Elsinoe australis

Heterodera rostochiensis

Xanthomonas sp. (Cancrosis B)

AUSTRALIA:

†*Camarosporium citri*

†*Dothiorcella pericarica*

Meloidogyne hapla

Phoma citricarpa

Protilyenchus penetrans

†*Septoria selenophomoides*

Sphaceloma fauvelii var. *scabiosus*

AUSTRIA:

Chrysomyxa ledi var. *rhododendri*

BAHAMAS:

†*Diplodia epicoccos*

†*Phakopsora gossypii*

Sphenospora kevorikantii

BELGIUM:

†*Coniothyrium aucubae*

Mycosphaerella schoenoprasii

Phyllosticta aucubicola

Pseudomonas marginalis

Septoria azuleae

BERMUDA:

Macrophoma oleandri

†*Papularia sphaerosperma*

†*Puccinia schedonnardi*

BRAZIL:

†*Curvularia geniculata*

Elsinoe australis

E. mangiferae

Heterodera cacti

Meloidogyne incognita acrita

Phoma citricarpa

†*Phyllosticta capitalensis*

†*Puccinia arachidis*

†*P. cyperti*

†*P. oncidii*

†*Septoria citri*

S. selenophomoides

Uredo behnickiana

U. epidendri

BRITISH GUIANA:

†*Sphaceloma spondiadis*

BRITISH HONDURAS:

Uredo epidendri

U. oncidii

BURMA:

†*Diplodia henriquesiana*

†*Volutina concentrica*

CANADA:

†*Aphysa rhynchosiae*

Chrysomyxa ledi var. *rhododendri*

†*Gotholdsteineria goodeyi*

†*Heterodera punctata*

Heteropatella rattellinensis

Pratylenchus penetrans

CANAL ZONE:

†*Microperitis orchideorum* (?)

Mycosphaerella cattleyae

Phyllachora canafistulae

†*Scolecopectidium bakeri*

†*Uredo behnickiana*

U. epidendri

U. guacae

CHILE:

†*Cercospora elliicola*

Uromyces fabae

CHINA:

Phoma citricarpa

Xanthomonas citri

COLOMBIA:

Phyllachora engleri

Uromyces commelinae

COSTA RICA:

†*Echidnodes bromeliacearum*

†*Lembosia warrsewicziae*

†*Leptosphaeria coffeigena*

COSTA RICA—Continued

†*Macrophoma cocos*

Septoria selenophomoides

Uredo epidendri

CUBA:

†*Coleosporium asterum*

†*Cytospora palmicola*

Helminthosporium torulosum

†*Marmor rosae*

Meloidogyne incognita acrita

M. javanica

Sphenospora kevorikantii

CZECHOSLOVAKIA:

†*Heterodera punctata*

†*Monilinia fructigena*

†*Pratylenchus pratensis*

DOMINICAN REPUBLIC:

†*Meloidogyne incognita acrita*

ECUADOR:

Cercospora angraei

†*Papularia ramosa*

†*Puccinia oncidii*

Sphenospora mera

ENGLAND:

†*Alternaria zinniae*

†*Aphelenchoides blastophthorus*

Ditylenchus dipsaci

Heterodera avenae

H. punctata

H. rostochiensis

†*Marmor cucumeris*

Meloidogyne hapla

Phoma herbarum

†*Phoma weigeliniae*

†*Sclerotinia candolleana*

Ustilago tritici

ENGLAND(?):

†*Phyllosticta hedericola*

FEDERATION OF MALAYA:

Phoma citricarpa

FINLAND:

†*Plowrightia virgultorum*

FORMOSA:

†*Dasturella divina*

Phoma citricarpa

FRANCE:

†*Ascochyta conorum*

Mycosphaerella schoenoprasii

Puccinia buxi

†*P. gentianae*

GERMANY:

†*Alternaria zinniae*

†*Atichia glomerulosa*

Dendrophoma obscurans

Ditylenchus destructor

†*Elsinoe piri*

Heterodera avenae

H. cacti

H. rostochiensis

Hormiscium pinophyllum

Meloidogyne hapla

Mycosphaerella fragariae

†*Phoma nebulosa*

Puccinia striiformis

Uromyces fabae

†*Ustilago grandis*

GREECE:

Marssonina juglandis

†*Pseudomonas tonelliana*

GUAM:

†*Cytospora palmicola*

Diplodia epicoccos

Phomopsis palmicola

GUATEMALA:

†*Cercospora purpurea*

†*Entomosporium maculatum*

†*Helminthosporium torulosum*

†*Heliosporium allii*

Marmor rosae

Meloidogyne arenaria

Septoria selenophomoides

†*Spira cymbidii*

Uredo guacae

U. oncidii

Countries of Origin and Diseases—Continued

- HAITI:
†*Meloidogyne javanica*
†*Uredo oncidii*
- HAWAII:
Meliolina haplochaeta
Phomopsis cocoes
†*Sphaerella gardeniae*(?)
- HONG KONG:
Phoma citricarpa
Xanthomonas citri
- INDIA:
Septoria selenophomoides
Xanthomonas citri
- IRAN:
†*Puccinia striiformis*
- IRELAND:
Heterodera avenae
†*Puccinia antirrhini*
Uromyces trifolii
- ITALY:
†*Ascochyta fabae*
†*Chrysomyza ledi* var. *rhododendri*
†*Cytospora intermedia*
Monilinia fructigena
Phoma samararum
†*Phomopsis pterophila*
†*Puccinia violae*
Septoria citri
S. nodorum
†*Stemphylium sarcinaeforme*
- ITALY(?):
Anguina tritici
- JAMAICA:
†*Asterina pulchella*
†*Tylenchorhynchus capitatus*
- JAPAN:
Aphelenchoides fragariae
Cercospora kaki
†*Coniothecium scabrum*
†*Coryneum triseptatum*
Cylindrosporium camelliae
Fusarium oxysporum
Gymnosporangium haraeaeum
G. yamadae
†*Heterosporium allii*
Meloidogyne arenaria
M. hapla
M. incognita
M. incognita acrita
M. javanica
Mycosphaerella schoenoprasii
Neorossia horrida
†*Peronospora schachtii*
Phaeoseptoria cryzae
Phoma citricarpa
Puccinia hordei
P. horiana
P. longicornis
†*P. nakanishikii*
†*P. poae-nemorialis*
Pyrenochaeta oryzae
†*Pyrenophora graminea*
Septoria citri
S. leucanthemi
S. oryzae
†*Stomioptellis citri*
Trematosphaerella oryzae
Xanthomonas citri
- JAPAN(?):
Phyllostictina musarum
- KENYA:
Meloidogyne javanica
- MEXICO:
†*Alternaria celosiae*
Cercospora cyripedii
†*Coniothyria agaves*
†*Coniothyrium insitivum*
Ditylenchus dipsaci
†*Echidnodes dendrochili*
Elstinoe mangiferae
"Greasy spot"
Helicotylenchus nannus
Heterodera cacti
H. punctata
- MEXICO—Continued
H. rostochiensis
Meloidogyne arenaria
M. incognita
M. incognita acrita
Mycosphaerella schoenoprasii
†*Phyllosticta coccolobae*
†*Pleospora phragmospora*
Pseudomonas tonnelliana
Psilenchus hilarulus
Puccinia baccharidis
P. obtecta
†*Scolecopeltidium bakeri*
Scutellonema brachyurum
Septoria selenophomoides
Sphaceloma puniceae
†*Tranzschelia discolor*
Tylenchorhynchus capitatus
Uredo behnickiana
U. nidularii
†*U. tillandsiae*
Xiphinema americanum
- MOZAMBIQUE:
Phoma citricarpa
- NETHERLANDS:
Cumminsella mirabilissima
Diaporthe eres
Diplodina eurhododendri
Ditylenchus dipsaci
†*Fusarium oxysporum* f. *phaseoli*
Fusicoccum galericulatum
†*Karstenula philadelphi*
Meloidogyne hapla
M. incognita acrita
†*Phomopsis velata*
Sclerotopsis concava
Septoria azaleae
Volutella pachysandricola
- NEW ZEALAND:
Cryptospora longispora
Heterodera cacti
Macrophoma araucariae
Phoma citricarpa
Sphaceloma fawcettii var. *scabiosa*
- NICARAGUA:
Uredo behnickiana
- NORFOLK ISLAND:
Cryptospora longispora
Diaporthe eres
Macrophoma araucariae
- NORTHERN IRELAND:
Heterodera punctata
†*Meloidogyne hapla*
- NORWAY:
†*Monilinia fructigena*
†*Pucciniastrum arcticum*
- PAKISTAN:
Xanthomonas citri
- PANAMA:
Sphenospora keckvianii
Uredo guacae
†*U. oncidii*
- PERU:
Heterodera rostochiensis
Uredo guacae
†*U. oncidii*
- PORTUGAL:
†*Coniothecium scabrum*
†*Helicotylenchus nannus*
Puccinia arenariae
Uromyces fabae
- PUERTO RICO:
Cercospora brachiala
- SAIPAN:
Xanthomonas citri
- SCOTLAND:
Heterodera punctata
- SPAIN:
Heterodera rostochiensis
†*Selenophoma donacis*
Septoria citri
- SWITZERLAND:
Chrysomyza ledi var. *rhododendri*

See footnotes at end of this list.

Countries of Origin and Diseases—Continued

SWITZERLAND—Continued

- †*Ditylenchus destructor*
- Heterodera cacti*
- †*Papularia sphaerosperma*
- †*Papulaspora rubida*
- †*Septoria raphidospora*

THAILAND:

- Phoma citricarpa*
- †*Physalospora wildemaniae*

TRINIDAD

- †*Haplosporella dracaenorum*
- †*Macrophoma anthurii*

TURKEY:

- †*Pleospora trichostoma*

UNION OF SOUTH AFRICA:

- †*Alternaria cucumerina*
- †*Coniothecium citri*
- Ditylenchus destructor*

UNION OF SOUTH AFRICA—Continued

- Heterosporium ornithogali*
- Phoma citricarpa*
- Pratylenchus penetrans*
- †*Puccinia oblecta*

UNION OF SOVIET SOCIALIST REPUBLICS:

- †*Cladosporium epiphyllum*
- †*Puccinia striiformis*

UNKNOWN:

- Elsinoe australis*
- †*Microstroma tonellianum*
- Phoma citricarpa*
- Phomopsis cocoes*
- Xanthomonas citri*

URUGUAY:

- Elsinoe australis*

YUGOSLAVIA:

- †*Chrysomyxa ledi* var. *rhododendri*

A dagger (†) indicates a first interception from the country named.

A double dagger (‡) indicates a first interception by Division inspectors.



Growth Through Agricultural Progress





